

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Karma* -
EO & FO Blend**

Page 1 of 7
Print Date: 2023-04-18

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Karma* - EO & FO Blend

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier : IndiMade Brands, LLC DBA Wholesale Supplies Plus
7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
----------------------------------	--

Classification Other

Carcinogenicity	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []
-----------------	---

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Hazard statements

H317	May cause an allergic skin reaction
H333	May be harmful if inhaled

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Karma* -
EO & FO Blend**

Page 2 of 7

Print Date: 2023-04-18

H401 Toxic to aquatic life
H412 Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P363 Wash contaminated clothing before reuse

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
85-91-6 <i>Methyl N-methylantranilate</i>	201-642-6	2 - 5 %	H227; H303; H402; H412
68917-65-7 <i>Vetivert oil terpenes</i>	282-490-8	1 - 2 %	H315; H317; H319
32210-23-4 <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	1 - 2 %	H303; H317; H401
115-95-7 <i>Linalyl Acetate</i>	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
29461-13-0 <i>2.a.,4a.a.,8.β.)-Hexahydro-1,1,5,5-tetramethyl-2H-2,4a-methanonaphthalene-8(5H)-one</i>	249-648-8	1 - 2 %	H316; H317; H401; H411
2050-08-0 <i>Amyl salicylate</i>	218-080-2	1 - 2 %	H302; H400; H410
78-70-6 <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
5989-27-5 <i>Limonene</i>	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
87-44-5 <i>Beta-Caryophyllene</i>	201-746-1	0.1 - 1.0 %	H304; H317
112-54-9 <i>Lauraldehyde</i>	203-983-6	0.1 - 1.0 %	H315; H317; H319

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Karma* -
EO & FO Blend**

Page 3 of 7

Print Date: 2023-04-18

CAS# Ingredient	EC#	Conc. Range	GHS Classification
80-56-8 <i>pinene</i>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
5392-40-5 <i>Citral</i>	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.13

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Karma* -
EO & FO Blend**

Page 4 of 7
Print Date: 2023-04-18

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

80-56-8 *pinene*

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
			20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Karma* -
EO & FO Blend**

Page 5 of 7
Print Date: 2023-04-18

Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0208
%VOC:	1.41
Specific Gravity @ 25 C:	0.9320
Density (g/mL) @ 25 C:	0.9290
Refractive Index @ 20 C:	1.4540
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 411.0679) May be harmful if inhaled
Skin corrosion / irritation	Not classified - the classification criteria are not met
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Karma* -
EO & FO Blend**

Page 6 of 7
Print Date: 2023-04-18

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Toxic to aquatic life
Chronic aquatic toxicity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 2050-08-0 : (1 - 2 %) : Amyl salicylate			
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated - Not Dangerous Goods			
ADR/RID (International Road/Rail) Chemicals NOI	Not Regulated - Not Dangerous Goods			
IATA (Air Cargo) Chemicals NOI	Not Regulated - Not Dangerous Goods			
IMDG (Sea) Chemicals NOI	Not Regulated - Not Dangerous Goods			

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning 123-35-3(NF 204-622-5 0.01 - 0.1%)	This product contains the following components: beta-Myrcene (Natural Source)
---	--

Canadian Regulations

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Karma* -
EO & FO Blend**

Page 7 of 7
Print Date: 2023-04-18

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H320 : Causes eye irritation

H402 : Harmful to aquatic life

H411 : Toxic to aquatic life with long lasting effects

H227 : Combustible liquid

H303 : May be harmful if swallowed

H313 : May be harmful in contact with skin

H316 : Causes mild skin irritation

H319 : Causes serious eye irritation

H400 : Very Toxic to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(17.00) Sensitization, Skin, Category 1

(12.82) Acute Toxicity Inhalation, Category 5

(1.50) Sensitization, Skin, Category 1B

(TFV) Risk

(17.00) Sensitization, Skin, Category 1A

(7.32) Aquatic Chronic Toxicity, Category 3

(1.20) Aquatic Acute Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.