# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice™ King of the North

Fragrance OII

Page 1 of 8 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> King of the North Fragrance OII

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier : IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

## 2.2 Label elements

Labelling (GHS) Hazard pictograms

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice<sup>™</sup> King of the North Fragrance Oll

Page 2 of 8 Print Date: 2023-04-18

e

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





#### Signal Word: Danger

#### Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not us a direct water jet on burning material
P391	Collect Spillage

#### 2.3 Other Hazards

no data available



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice<sup>™</sup> King of the North Fragrance OII

Page 3 of 8 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
18479-58-8	242-362-4	5 - 10 %	H227; H303; H315; H319; H402
2,6-dimeth	yloct-7-en-2-ol		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahyd	•	
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H360; H401;
• • •	yl Methylpropiona		H412
24851-98-7		1 - 2 %	H402
	vdrojasmonate		
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410
Acetyl ced			
	243-384-7	0.1 - 1.0 %	H317; H400; H410
Cedrol me	•		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
pinene	~ ~ ~ ~ ~ ~		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Piner			
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	•	04 4000	
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
57082-24-3	260-555-1	0.1 - 1.0 %	danone (Cashmeran) H316; H317
		0.1 - 1.0 %	H310, H317
470-82-6	lene acetate 207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalyptol		0.1 - 1.0 %	ΠΖΖΟ, ΠΟΌΟ, ΠΟΤ <i>Γ</i> , ΠΟΖΟ, Π4ΟΖ
33885-51-7	251-717-2	0.1 - 1.0 %	H227; H302; H315; H317; H319; H361;
6,6-Dimethylbicyclo[3.1.1]hept-2-ene-2-propibHaldehyde			

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

## Product: Crafter's Choice<sup>™</sup> King of the North Fragrance Oll

Page 4 of 8 Print Date: 2023-04-18

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

CAS# Conc. Ingredient EC# Conc. GHS Classification

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.03

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects,	both acute and delayed	
Symptoms:	no data available	
Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3 Indication of any immediate medical att	tention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substa	ance or mixture	
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

# Safety Data Sheet

#### Revised Date: 2023-02-06 00:00

# Product: Crafter's Choice<sup>™</sup> King of the North Fragrance OII

Page 5 of 8 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
20
20

Engineering Controls: Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	198 F (92.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

# Safety Data Sheet

Revised Date: 2023-02-06 00:00

## Product: Crafter's Choice<sup>™</sup> King of the North Fragrance OII

Page 6 of 8 Print Date: 2023-04-18

www.WholesaleSuppliesPlus.com	
Vapor Pressure (mmHg@20 C):	0.0556
%VOC:	4.25
Specific Gravity @ 25 C:	0.9200
Density (g/mL) @ 25 C:	0.9170
Refractive Index @ 20 C:	1.4550
Soluble in:	Oil

# 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4645.8604) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 106.4751) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

# 12. Ecological Information

- 12.1 Toxicity
  - Acute acquatic toxicity Chronic acquatic toxicity Toxicity Data on soil

Not classified - the classification criteria are not met Toxic to aquatic life with long lasting effects no data available

7820 E Pleasant Valley Road

Independence, OH 44131

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

# Product: Crafter's Choice<sup>™</sup> King of the North Fragrance Oll

Page 7 of 8 Print Date: 2023-04-18

00) 359-0944 ww.WholesaleSuppliesPlus.com		
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 32388-55-9 : (0.1 - 1.0 %) : Acetyl cedrene						
Regulator		Class	Pack Group	Sub Risk	UN-nr.		
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods			
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082		
IATA (Air Cargo)							
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082		
IMDG (Sea)							
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082		
15.Regulatory InU.S. Federal Regulations	formation						
TSCA (Toxic Substance	Control Act)	All compor	nents of the subs	stance/mixture are listed	or exempt		
40 CFR(EPCRA, SARA, U.S. State Regulations	CERCLA and CAA	A) This produ	ct contains NO o	components of concern.			
California Proposition 6 123-35-3(NF 204-62	•						
Canadian Regulations				~,			
DSL		100.00% c	of the component	ts are listed or exempt.			



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice<sup>™</sup> King of the North Fragrance OII

Page 8 of 8 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H320 : Causes eye irritation	H361 : Suspected of damaging fertility or the unborn child
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(46.96) Acute Toxicity Inhalation, Category 5	(14.26) Aquatic Chronic Toxicity, Category 3
(12.00) Reproductive Toxicity, Category 1B	(4.00) Reproductive Toxicity, Category 1B
(3.51) Sensitization, Skin, Category 1B	(2.46) Skin Corrosion/Irritation, Category 3
(2.33) Reproductive Toxicity, Category 2	(2.09) Skin Corrosion/Irritation, Category 2
(1.41) Aquatic Chronic Toxicity, Category 2	(1.11) Eye Damage/Eye Irritation, Category 2A
(1.08) Acute Toxicity Oral, Category 5	

## Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.