

Fragrance Oil

Crafter's Choice™ Kumquat

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

# . Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Crafter's Choice<sup>TM</sup> Kumquat Fragrance Oil

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

Product:

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

## 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

### 2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Do not use

Print Date: 2023-04-18

Product: Crafter's Choice™ Kumquat Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## **Hazard pictograms**







# Signal Word: Danger

#### **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

### Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do no a direct water jet on burning material

P391 Collect Spillage

# 2.3 Other Hazards

### no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-04-18

Product: Crafter's Choice™ Kumquat Fragrance Oil

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411		
Hexyl cinı	Hexyl cinnamal				
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412		
Limonene	Limonene				
14901-07-6	238-969-9	5 - 10 %	H303; H401; H411		
Ionone					
77-83-8	201-061-8	2 - 5 %	H317; H401; H411		
-	Ethyl Methylphenylglycidate				
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402		
Linalyl Ac	Linalyl Acetate				
93-92-5	202-288-5	2 - 5 %	H227; H402		
methylber	methylbenzyl acetate				
112-31-2	203-957-4	2 - 5 %	H227; H316; H319; H401; H412		
Decanal					
2705-87-5	220-292-5	2 - 5 %	H302; H312; H317; H400; H411		
	Allyl cyclohexylpropionate				
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402		
Linalool					
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411		
Benzyl Be					
128-37-0	204-881-4	1 - 2 %	H316; H400; H410		
BHT					
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402		
Hydroxyc		0.4.4.0.07	11000 11000 11004 11045 11045 11400		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410		
pinene	004.070.5	0.4.4.0.0/			
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410		
beta Pine	_	0.4.4.0.0/	11000-11000-11004-1104C-11004		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361		
gamma-T	•	0.4 4.0 0/	11000, 11045, 11047, 11040, 11400, 11440		
57378-68-4	260-709-8	0.1 - 1.0 %			
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)  See Section 16 for full text of GHS classification codes					
See Section to for full text of GHS classification codes					



Fragrance Oil

Crafter's Choice™ Kumquat

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

11011000 0410. 2020 02 07 00.00

Print Date: 2023-04-18

Page 4 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

Product:

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Kumquat
Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-04-18

# 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

 128-37-0
 BHT
 2

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

**Color:** Yellow to Greenish Yellow (G3-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

160 F (71.11 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

**Vapor Pressure (mmHg@20 C):** 0.1997 **%VOC:** 18.64



www.WholesaleSuppliesPlus.com

Refractive Index @ 20 C:

(800) 359-0944

# **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131 Product:

1.4790

Crafter's Choice<sup>™</sup> Kumquat Fragrance Oil

Page 6 of 8

Print Date: 2023-04-18

 Specific Gravity @ 25 C:
 0.9250

 Density (g/mL) @ 25 C:
 0.9220

Soluble in: Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3184.3057) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4672.2943) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 39.2321) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

# 12. Ecological Information

### 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Kumquat Fragrance Oil

Page 7 of 8 Print Date: 2023-04-18

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :

101-86-0 : (10 - 20 %) : Hexyl cinnamal

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	l - Not Dangerous	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IATA (Air Cargo)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				

## 15. Regulatory Information

### **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern.

**U.S. State Regulations** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.



Fragrance Oil

Crafter's Choice™ Kumquat

Davida and Davida 00000 00 07 /

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16.

## Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

Product:

H226 : Flammable liquid and vapourH302 : Harmful if swallowedH312 : Harmful in contact with skinH316 : Causes mild skin irritationH317 : May cause an allergic skin reactionH318 : Causes serious eye damage

H319 : Causes serious eye irritation
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk (127.45) Acute Toxicity Inhalation, Category 5 (21.51) Aqua

(127.45) Acute Toxicity Inhalation, Category 5 (21.51) Aquatic Chronic Toxicity, Category 3 (20.00) Sensitization, Skin, Category 1 (20.00) Sensitization, Skin, Category 1A

(19.60) Sensitization, Skin, Category 1B (4.48) Skin Corrosion/Irritation, Category 3

(2.33) Reproductive Toxicity, Category 2 (2.19) Skin Corrosion/Irritation, Category 2

(2.14) Aquatic Chronic Toxicity, Category 4 (2.08) Aquatic Chronic Toxicity, Category 2 (1.68) Aspiration Hazard, Category 1 (1.65) Aquatic Acute Toxicity, Category 1

(1.57) Acute Toxicity Oral, Category 5 (1.67) Acute Toxicity Dermal, Category 5

### Department issuing data sheet:

### **Department E-mail address:**

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.