

Revised Date: 2022-07-20 00:00

SDS v1 GHS / OSHA

Page 1 of 8

Print Date: 2022-11-16 13:38

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Lavender & Amber - Upcycled FO Blend

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Crafter's Choice™ Lavender & Amber - Upcycled FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

IndiMade Brands, LLC DBA Wholesale Supplies Plus Supplier:

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

H302: Harmful if swallowed Acute Toxicity Oral, Category 4

H313: May be harmful in contact with skin Acute Toxicity Dermal, Category 5

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed H315: Causes skin irritation Skin Corrosion/Irritation, Category 2

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Amber - Upcycled FO Blend

Revised Date: 2022-07-20 00:00

SDS v1 GHS / OSHA

Page 2 of 8

Print Date: 2022-11-16 13:38

Product: Crafter's Choice™ Lavender &

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road





Signal Word: Warning

Hazard statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
120-51-4 <i>Benzyl Be</i>	204-402-9 nzoate	50 - 60 %	H302; H313; H400; H411			
54464-57-2	259-174-3	10 - 20 %	H315; H317; H400; H410			
Tetramethyl Acetyloctahydronaphthalenes						



Revised Date: 2022-07-20 00:00

SDS v1 GHS / OSHA

Print Date: 2022-11-16 13:38

Page 3 of 8

Product: Crafter's Choice™ Lavender & Amber - Upcycled FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com							
CAS# Ingredient	EC#	Conc. Range	GHS Classification				
2050-08-0	218-080-2	2 - 5 %	H302; H400; H410				
Amyl salicylate							
105-95-3	203-347-8	2 - 5 %	H401				
Ethylene l	brassylate						
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411				
a-Isometh	yl ionone						
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412				
Limonene	•						
121-33-5	204-465-2	1 - 2 %	H303; H313; H319; H402				
vanillin							
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402				
Linalyl Ac	etate						
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411				
Pentamethylcyclopent-3-ene-butanol							
91-64-5	202-086-7	0.1 - 1.0 %	H302; H317; H402				
Coumarin							
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402				
Linalool							
104-21-2	203-185-8	0.1 - 1.0 %	H317; H402				
p-Anisyl acetate							
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410				
beta Pine	ne						
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411				
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)							
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401				
Citral							
See Section 16 for full text of GHS classification codes							

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.07

4. **First Aid Measures**

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Flush immediately with water for at least 15 minutes. Eye Exposure:

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available



Revised Date: 2022-07-20 00:00

SDS v1 GHS / OSHA

Page 4 of 8

Print Date: 2022-11-16 13:38

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice™ Lavender & Product: Amber - Upcycled FO Blend

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. **Fire-Fighting measures**

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. **Accidental Release Measures**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions 6.2

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections

Not Applicable

7. Handling and Storage

7.1 **Precautions for safe handling**

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



Crafter's Choice™ Lavender &

Revised Date: 2022-07-20 00:00

SDS v1 GHS / OSHA

Page 5 of 8

Print Date: 2022-11-16 13:38

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Amber - Upcycled FO Blend 7820 E Pleasant Valley Road

Product:

Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ACGIH ACGIH **OSHA OSHA** Component TWA ppm STEL ppm TWA ppm STEL ppm

127-91-3 beta Pinene 20

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:

Odor: Conforms to Standard Color: Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0317 %VOC: 3.59

Specific Gravity @ 25 C: Not determined Density (g/mL) @ 25 C: Not determined Refractive Index @ 20 C: Not determined

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known



Revised Date: 2022-07-20 00:00

SDS v1 GHS / OSHA

Print Date: 2022-11-16 13:38

Page 6 of 8

Crafter's Choice™ Lavender & Product: Amber - Upcycled FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> 10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1982.3075) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3872.4147) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 220.3523) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Not classified - the classification criteria are not met Serious eye damage / irritation Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met **Aspiration hazard** Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Crafter's Choice™ Lavender &

Revised Date: 2022-07-20 00:00

SDS v1 GHS / OSHA

Page 7 of 8

Print Date: 2022-11-16 13:38

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Amber - Upcycled FO Blend

Product:

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (50 - 60 %): Benzyl Benzoate

UN-nr. Regulator Class Pack Group Sub Risk U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IATA (Air Cargo) Ш UN3082 **Environmentally Hazardous** 9 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s.

15. **Regulatory Information**

U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 99.80% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid

H303: May be harmful if swallowed H304 : May be fatal if swallowed and enters airways

H316: Causes mild skin irritation H317: May cause an allergic skin reaction

H319: Causes serious eye irritation H320: Causes eye irritation

H401: Toxic to aquatic life H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(108.36) Aquatic Chronic Toxicity, Category 3 (22.69) Acute Toxicity Inhalation, Category 5

(16.00) Sensitization, Skin, Category 1B (10.82) Aquatic Chronic Toxicity, Category 2

(3.49) Aquatic Chronic Toxicity, Category 4 (3.27) Aquatic Acute Toxicity, Category 1



Revised Date: 2022-07-20 00:00

Print Date: 2022-11-16 13:38

Page 8 of 8

SDS v1 GHS / OSHA

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice™ Lavender & Product: Amber - Upcycled FO Blend

(2.62) Skin Corrosion/Irritation, Category 3

(1.50) Sensitization, Skin, Category 1

(1.29) Acute Toxicity Dermal, Category 5

(2.19) Skin Corrosion/Irritation, Category 2

(1.50) Sensitization, Skin, Category 1A

(1.01) Acute Toxicity Oral, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.