# **Crafter's**Choice®

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Lavender Breeze -

EO & FO Blend

Page 1 of 9 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Lavender Breeze - EO & FO Blend

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier : IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Clas	sification OSHA (Provisions 1910.1200 of title	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

# **Crafter's**Choice<sup>®</sup>

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

## Product: Crafter's Choice<sup>™</sup> Lavender Breeze -EO & FO Blend

Page 2 of 9 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







## Signal Word: Danger Hazard statements

ard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

## **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

#### 2.3 Other Hazards

no data available



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Lavender Breeze -EO & FO Blend

Page 3 of 9 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402
Linalool	004 440 4	0 5 0/	
115-95-7		2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace		<b>• •</b> • (	
2050-08-0	218-080-2	2 - 5 %	H302; H400; H410
Amyl salic		/	
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinn		/	
31906-04-4		2 - 5 %	H317; H402
	ohexyl 3-cyclohe		-
125-12-2	204-727-6	2 - 5 %	H227; H316; H401
lsobornyl a			
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethyl			
470-82-6	207-431-5	2 - 5 %	H226; H303; H317; H320; H402
Eucalyptol	1		
91-64-5	202-086-7	2 - 5 %	H301; H317; H402
Coumarin			
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene			
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
a-Isomethy	yl ionone		
<b>106-24-1</b> Geraniol	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
104-55-2	203-213-9	0.1 - 1.0 %	H303; H312; H315; H317; H319; H401; H412
Cinnamal 87-44-5	201 746 1	01 109/	
	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary		04 4000	
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronellol			
<b>106-25-2</b> Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
Butylpheny	yl Methylpropiona	al	H412

# **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>™</sup> Lavender Breeze -

EO & FO Blend

Page 4 of 9 Print Date: 2023-04-18

Independence, C (800) 359-0944 www.WholesaleS	,			Print Date: 20
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
<b>80-56-8</b> pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410	
<b>127-91-3</b> beta Pine	204-872-5 ene	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410	
99-85-4	202-794-6 Terpinene	0.1 - 1.0 %	H226; H303; H304; H316; H361	
105-87-3 Geranyl	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.19

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effects,	both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical at	tention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the subst	ance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

## Product: Crafter's Choice<sup>™</sup> Lavender Breeze -

EO & FO Blend

Page 5 of 9 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure L	imits:	
Componen	ıt	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
127-91-3	beta Pinene	20

# **Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

# **Crafter's**Choice®

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>™</sup> Lavender Breeze -

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend

Page 6 of 9 Print Date: 2023-04-18

www.WholesaleSuppliesPlus.com	
Color:	Yellow Tint to Pale Yellow (G1-2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	186 F (85.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1038
%VOC:	12.44
Specific Gravity @ 25 C:	0.9350
Density (g/mL) @ 25 C:	0.9320
Refractive Index @ 20 C:	1.4680
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula" Acute toxicity - Oral - (Rat) mg/kg (LD50: 3426.2817) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3390.5272) May be harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 87.0593) May be harmful if inhaled Skin corrosion / irritation Causes skin irritation Serious eye damage / irritation Causes serious eye irritation **Respiratory sensitization** Not classified - the classification criteria are not met May cause an allergic skin reaction Skin sensitization Not classified - the classification criteria are not met Germ cell mutagenicity Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity May damage fertility or the unborn child

# **Crafter's**Choice®

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>™</sup> Lavender Breeze -

EO	&	FO	B	lenc	
----	---	----	---	------	--

Page 7 of 9 Print Date: 2023-04-18

(800) 359-0944
www.WholesaleSuppliesPlus.com
Specific target organ toxicity - single exposure
Specific target organ toxicity - repeated exposure

**Aspiration hazard** 

7820 E Pleasant Valley Road

Independence, OH 44131

Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met

# 12. Ecological Information

12.1	TOXICITY	

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 2050-08-0 : (2 - 5 %) : Amyl salicylate					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods		
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082	

# **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

# Product: Crafter's Choice<sup>™</sup> Lavender Breeze -

EO & FO Blend

Page 8 of 9 Print Date: 2023-04-18

www.WholesaleSuppliesPlus.com	
15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of concern.
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

## 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H301 : Toxic if swallowed	
H302 : Harmful if swallowed And enters airv	/ays
H312 : Harmful in contact with skin H316 : Causes mild skin irritation	
H317 : May cause an allergic skin reaction H318 : Causes serious eye damage	
H320 : Causes eye irritation H361 : Suspected of damaging fertility or the un child	born
H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life	
H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects	
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk (TFV) Risk	
(57.43) Acute Toxicity Inhalation, Category 5 (35.00) Sensitization, Skin, Category 1A	
(21.23) Aquatic Chronic Toxicity, Category 3 (8.17) Sensitization, Skin, Category 1B	
(4.07) Eye Damage/Eye Irritation, Category 2A (3.17) Skin Corrosion/Irritation, Category 3	
(3.00) Reproductive Toxicity, Category 1B (2.11) Aquatic Chronic Toxicity, Category 2	
(2.07) Skin Corrosion/Irritation, Category 2 (1.66) Reproductive Toxicity, Category 2	
(1.47) Acute Toxicity Dermal, Category 5 (1.46) Acute Toxicity Oral, Category 5	
(1.11) Sensitization, Skin, Category 1 (1.00) Reproductive Toxicity, Category 1B	

## Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.





# Safety Data Sheet

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Lavender Breeze -EO & FO Blend

Page 9 of 9 Print Date: 2023-04-18

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com