

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Liquid Cashmere Black*

Fragrance Oil

Page 1 of 7 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Liquid Cashmere Black* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	00)
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed

Classification OSHA (Provisions 1910.1200 of title 29)

Not considered Hazardous

Based on available data, classification & labeling was not considered necessary

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning Hazard statements H303 H333

May be harmful if swallowed May be harmful if inhaled

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Liquid Cashmere Black*

Fragrance Oil

Page 2 of 7 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention: P273

H411

Avoid release to the environment

Response:

sponse:	
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P391	Collect Spillage
thar Hazarda	

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
24851-98-7	246-495-9	10 - 20 %	H402		
Methyldihy	/drojasmonate				
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411		
Benzyl Be	nzoate				
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410		
Hexameth	ylindanopyran				
121-33-5	204-465-2	1 - 2 %	H303; H313; H319; H402		
vanillin					
63500-71-0	405-040-6	1 - 2 %	H319		
Isobutyl M	obutyl Methyl Tetrahydropyranol				
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411		
lonone					
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412		
Limonene					
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402		
Coumarin					
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402		
Linalyl Ace					
63314-79-4	429-900-5	0.1 - 1.0 %	H317; H400; H412		
5-Cyclopentadecen-1-one, 3-methyl-					
See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.69



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Liquid Cashmere Black*

Fragrance Oil

Page 3 of 7 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and eff	ects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medio	cal attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the s	, ,
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective

 Further information:
 Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 4 of 7

Print Date: 2023-04-19

Product: Crafter's Choice[™] Liquid Cashmere Black*

Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values.			
Engineering Controls:	: Use local exhaust as needed.			
8.2 Exposure controls - Personal protective equipment				
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure			
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.			
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.			

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0064
%VOC:	1.07
Specific Gravity @ 25 C:	0.9460
Density (g/mL) @ 25 C:	0.9430
Refractive Index @ 20 C:	1.4570
Soluble in:	Oil

si

SDS v1 GHS / OSHA



Safety Data Sheet

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Liquid Cashmere Black* Fragrance Oil

Page 5 of 7 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4698.6603) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 112.1652) May be harmful if inhaled
Skin corrosion / irritation	Not classified - the classification criteria are not met
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	Not classified - the classification criteria are not met
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available



Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Liquid Cashmere Black* Fragrance Oil

Page 6 of 7 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient o 1222-05-5 : (1 - 2	0			
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s. IATA (Air Cargo)					
Environmentally Hazardous		9	ш		UN3082
Substance, Liquid, n.o.s.		9			0113082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information U.S. Federal Regulations

TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA, SARA, CERCLA and CAA)		CLA and CAA)	This product contains the following components:		
1222-05-5 214-946-9 1 - 2 %		1 - 2 %	Hexamethylindanopyran		
U.S. State Regulati	ons				
California Propo	osition 65 W	arning	This product contains the following components:		
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)		
140-67-0	205-427-8	<= 6 ppm	Estragole (Methyl chavicol) (Natural Source)		
Canadian Regulation	ons				
DSL			99.67% of the components are listed or exempt.The following components are NOT on the List:		
478695-70-4	455-260-1	0.1 - 1.0 %	Propanedoic Acid, 1-(3,3-dimethylcyclohexyl) ethyl ethyl ester		
198404-98-7	427-900-1	0.01 - 0.1%	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]		



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 7 of 7

Print Date: 2023-04-19

Product: Crafter's Choice[™] Liquid Cashmere Black*

Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H301 : Toxic if swallowed
- H304 : May be fatal if swallowed and enters airways
- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(44.58) Acute Toxicity Inhalation, Category 5

(1.06) Acute Toxicity Oral, Category 5

H227 : Combustible liquid
H302 : Harmful if swallowed
H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H319 : Causes serious eye irritation
H400 : Very Toxic to aquatic life
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk(10.07) Aquatic Chronic Toxicity, Category 3(1.00) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.