

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] London for Men* -Product:

EO & FO Blend

Page 1 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Crafter's Choice[™] London for Men* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. **Hazards Identification**

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation

Sensitization, Skin, Category 1B Eye Damage/Eye Irritation, Category 2A Reproductive Toxicity, Category 2

H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation

H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] London for Men* -EO & FO Blend

Page 2 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] London for Men* -EO & FO Blend

Page 3 of 8 Print Date: 2023-04-19

CAS#	EC#	Conc.	
ngredient	EU#	Range	GHS Classification
20-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Be	nzoate		
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahy	dronaphthalenes	3
8479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimeth	yloct-7-en-2-ol		
01-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
37118-95-4	401-030-0	2 - 5 %	H227; H411
3,4,5,6,6-F	Pentamethylher	otan-2-ol	
58567-11-6	261-332-1	1 - 2 %	H315; H317; H401; H411
(ethoxyme	thoxy)cyclodoa	lecane	
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410
Acetyl hex	amethyl tetralin	1	
52475-86-2	257-942-2	1 - 2 %	H315; H317; H318; H400; H410
1-Methyl-4	l-(4-methyl-3-pe	entenyl)cyclohex	-3-ene-1-carbaldehyde
28219-60-5	248-907-2	1 - 2 %	H315; H319; H400
2-Methyl-4	l-(2,2,3-trimethy	l-3-cyclopenten-	1-yl)-2-buten-1-ol
4851-98-7	246-495-9	1 - 2 %	H402
Methyldihy	/drojasmonate		
15-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
/8-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
1-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
57634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-c	limethylhydroci	nnamal	
9-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	erpinene		
27-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Piner	ne		
4073-97-3	237-926-1	0.1 - 1.0 %	H227; H302; H315; H317; H402; H412
I-Menthon	е		
3704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
			ndanone (Cashmeran)
05-85-1	203-338-9	0.1 - 1.0 %	H315; H317; H401
	formate		, , -



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] London for Men* -EO & FO Blend

Page 4 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Ingredient

EC#

GHS Classification

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.47

Conc.

Range

4. First Aid Measure	6		
4. Plist Ald Weasure 4.1 Description of first aid mea			
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ingestion: 4.2 Most important symptoms	Rinse mouth with water and obtain medical advice. and effects, both acute and delayed		
Symptoms:	no data available		
Risks: Refer to Section 2.2 "Hazard Statements" I.3 Indication of any immediate medical attention and special treatment needed			
Treatment: Refer to Section 2.2 "Response"			
5. Fire-Fighting mea	sures		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam		
Unsuitable 5.2 Special hazards arising fro	Do not use a direct water jet on burning material om the substance or mixture		
During fire fighting:	Water may be ineffective		
5.3 Advice for firefighters			

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] London for Men* -EO & FO Blend

Page 5 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lin Component	nits:	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
80-56-8	pinene	20
127-91-3	beta Pinene	20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless to Golden Yellow (G0-5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-04-19

Product: Crafter's Choice[™] London for Men* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

• •	
Vapor Pressure (mmHg@20 C):	0.0453
%VOC:	3.62
Specific Gravity @ 25 C:	0.9820
Density (g/mL) @ 25 C:	0.9790
Refractive Index @ 20 C:	1.4970
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2589.6728) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4487.0322) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 142.6265) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Chronic acquatic toxicity Toxicity Data on soil Very Toxic to aquatic life Toxic to aquatic life with long lasting effects no data available

Crafter'sChoice®

7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] London for Men* -EO & FO Blend

Page 7 of 8 Print Date: 2023-04-19

no data available	
no data available	
	no data available no data available no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (30 - 40 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
15. Regulatory In U.S. Federal Regulations	formation				
TSCA (Toxic Substance	Control Act)	All compor	nents of the subs	stance/mixture are listed or	exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern. U.S. State Regulations					
California Proposition 65 Warning 123-35-3(NF 204-622-5 0.01 - 0.1%		This product contains the following components: beta-Myrcene (Natural Source)			
Canadian Regulations		-			
DSL		100.00% c	of the component	s are listed or exempt.	



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] London for Men* -EO & FO Blend

Page 8 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H301 : Toxic if swallowed
- H304 : May be fatal if swallowed and enters airways
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (35.26) Aquatic Chronic Toxicity, Category 3 (10.00) Sensitization, Skin, Category 1B (2.89) Skin Corrosion/Irritation, Category 3 (2.34) Aquatic Chronic Toxicity, Category 4 (2.12) Eye Damage/Eye Irritation, Category 2A (1.82) Aquatic Acute Toxicity, Category 1

H227 : Combustible liquid
H302 : Harmful if swallowed
H316 : Causes mild skin irritation
H318 : Causes serious eye damage
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk

- (35.06) Acute Toxicity Inhalation, Category 5
- (3.52) Aquatic Chronic Toxicity, Category 2
- (2.50) Skin Corrosion/Irritation, Category 2
- (2.20) Reproductive Toxicity, Category 2
- (1.93) Acute Toxicity Oral, Category 5
- (1.11) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.