## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Love Spell\* -EO & FO Blend

Page 1 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Love Spell\* - EO & FO Blend

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

	5	
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Cla	ssification OSHA (Provisions 1910.1200 of title	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
•		

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

# **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### Hazard pictograms





Product:

## Signal Word: Danger

Hazard statements		
H227	Combustible liquid	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H333	May be harmful if inhaled	
H400	Very Toxic to aquatic life	
H411	Toxic to aquatic life with long lasting effects	

#### **Precautionary Statements**

#### **Prevention:**

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Safety Data Sheet

EO & FO Blend

Crafter's Choice<sup>™</sup> Love Spell\* -

#### **Response:**

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

#### 2.3 Other Hazards

no data available

#### SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-04-19



### Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Love Spell\* -EO & FO Blend

Page 3 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412		
Limonene					
68912-13-0	272-805-7	10 - 20 %	H401; H411		
Hexahydro	o-methanoindeny	l Propionate			
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H317; H319; H402		
Linalool					
123-25-1	204-612-0	5 - 10 %	H227; H402		
Diethyl sud	ccinate				
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411		
Benzyl Be	nzoate				
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402		
Linalyl Ace	etate				
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410		
Hexameth	ylindanopyran				
10094-34-5	233-221-8	1 - 2 %	H401; H411		
Dimethyl F	Phenethyl Butyra	te			
77-83-8	201-061-8	1 - 2 %	H317; H401; H411		
Ethyl Meth	nylphenylglycidat	е			
106-27-4	203-380-8	1 - 2 %	H226; H401		
lsoamyl bi	ıtyrate				
103-60-6	203-127-1	1 - 2 %	H316		
2-Phenoxy	ethyl isobutyrate	9			
112-31-2	203-957-4	1 - 2 %	H227; H316; H319; H401; H412		
Decanal					
928-96-1	213-192-8	1 - 2 %	H226; H319		
3-Hexenol	3-Hexenol				
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;		
pinene			H410		
79-78-7	201-225-9	0.1 - 1.0 %	H317; H401; H411		
Allyl a-ionone					
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410		
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)					
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319		
Lauraldehyde					
See Section 16 for full text of GHS classification codes					

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Love Spell\* -EO & FO Blend

Page 4 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Hydrocarbon Content (% w/w) = 20.22

4.	First Aid Measures		
4.1	Description of first aid measures		
	Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
	Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
	Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
	Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2	Most important symptoms and effects, b	both acute and delayed	
	Symptoms:	no data available	
	Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3	4.3 Indication of any immediate medical attention and special treatment needed		
	Treatment:	Refer to Section 2.2 "Response"	
5.	Fire-Fighting measures		
5.1			
	Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
	Unsuitable	Do not use a direct water jet on burning material	
5.2	5.2 Special hazards arising from the substance or mixture		
	During fire fighting:	Water may be ineffective	
5.3	Advice for firefighters		
	Further information:	Standard procedure for chemical fires	

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### Safety Data Sheet

SDS v1 GHS / OSHA

#### Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Love Spell\* -EO & FO Blend

Page 5 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Li Component			ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8	pinene		20			
Engineering	Controls:	Use local exhaust as needed.				

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow/Greenish Yellow (G4-7)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	152 F (66.67 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.3383
%VOC:	24.72
Specific Gravity @ 25 C:	0.9350

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

#### Crafter's Choice<sup>™</sup> Love Spell\* -Product: EO & FO Blend

Page 6 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	
Density (g/mL) @ 25 C:	0
Refractive Index @ 20 C:	1
Soluble in:	C

ensity (g/mL) @ 25 C:	0.9320
efractive Index @ 20 C:	1.4660
oluble in:	Oil

#### **Stability and Reactivity** 10.

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

#### **Toxicological Information** 11.

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4365.7631) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 48.6814) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

#### **Ecological Information** 12.

#### 12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability

no data available

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

4 E

## Safety Data Sheet

SDS v1 GHS / OSHA

#### Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Love Spell\* -EO & FO Blend

Page 7 of 8 Print Date: 2023-04-19

www.WholesaleSuppliesPlus.com		
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Pogulatory Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 5989-27-5 : (10 - 20 %) : Limonene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Roa	ıd/Rail)				
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					

15. Regulatory information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 0.1 - 1.0 %	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Love Spell\* -EO & FO Blend

Page 8 of 8 Print Date: 2023-04-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H313 : May be harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

- (TFV) Risk
- (102.71) Acute Toxicity Inhalation, Category 5
- (19.36) Sensitization, Skin, Category 1B
- (3.40) Skin Corrosion/Irritation, Category 2
- (2.10) Aquatic Chronic Toxicity, Category 4
- (1.64) Eye Damage/Eye Irritation, Category 2A
- (1.15) Acute Toxicity Oral, Category 5

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

- H302 : Harmful if swallowed
  H316 : Causes mild skin irritation
  H318 : Causes serious eye damage
  H401 : Toxic to aquatic life
  H410 : Very toxic to aquatic life with long lasting effects
- (TFV) Risk
- (22.89) Aquatic Chronic Toxicity, Category 3
- (3.98) Skin Corrosion/Irritation, Category 3
- (2.20) Aquatic Chronic Toxicity, Category 2
- (2.02) Aspiration Hazard, Category 1
- (1.50) Sensitization, Skin, Category 1A
- (1.11) Aquatic Acute Toxicity, Category 1