

SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 1 of 8

Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

EO & FO Blend

Crafter's Choice™ Madagascar* -

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Madagascar* - EO & FO Blend

Product:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H319: Causes serious eye irritation

H333: May be harmful if inhaled

H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other


Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Revised Date: 2022-10-11 00:00

Product:

Crafter's Choice™ Madagascar* -EO & FO Blend

Page 2 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com







Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Resp

sponse:			
P302 + P352	IF ON SKIN: Wash with soap and water		
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing		
P308 + P313	IF exposed or concerned: Get medical advice/attention		
P312	Call a POISON CENTER or doctor/physician if you feel unwell		
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention		
P337 + P313	If eye irritation persists: Get medical advice/attention		
P363	Wash contaminated clothing before reuse		
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material		
P391	Collect Spillage		

2.3 Other Hazards

no data available



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Page 3 of 8

Print Date: 2023-04-20

Nevised Date. 2022-10-11 00:00

Product:

Crafter's Choice™ Madagascar* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411			
Benzyl Be	Benzyl Benzoate					
140-11-4	205-399-7	20 - 30 %	H303; H401; H412			
Benzyl ace	Benzyl acetate					
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412			
Benzyl Sa	licylate					
121-33-5 vanillin	204-465-2	5 - 10 %	H303; H313; H319; H402			
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411			
Hexyl cinn	Hexyl cinnamal					
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402			
Linalool						
87-44-5	201-746-1	2 - 5 %	H304; H317			
Beta-Cary	ophyllene					
141-12-8	205-459-2	2 - 5 %	H317; H401			
Neryl acet	ate					
121-32-4	204-464-7	2 - 5 %	H303; H320; H402			
Ethyl Vani	Ethyl Vanillin					
104-93-8	203-253-7	2 - 5 %	H227; H302; H315; H361; H402			
p-Methylai	p-Methylanisole					
93-58-3	202-259-7	2 - 5 %	H227; H302; H316			
Methyl bei	Methyl benzoate					
7212-44-4	230-597-5	0.1 - 1.0 %	H317; H320; H400; H410			
Nerolidol						
475-20-7	207-491-2	0.1 - 1.0 %	H304; H316; H317; H400; H410			
Longifolene						
97-54-1	202-590-7	0.1 - 1.0 %	H302; H312; H315; H317; H319; H332;			
Iso Eugen	ol		H335; H401			
93-16-3	202-224-6	0.1 - 1.0 %	H303; H317; H402			
Methyl isoeugenol (Isoeugenyl methyl ether)						

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.91



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Product: Crafter's Choice™ Madagascar* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-04-20

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Product: Crafter's Choice™ Madagascar* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-04-20

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint (G0/1) to Yellow (G4)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

198 F (92.22 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0887

 %VOC:
 34.92

 Specific Gravity @ 25 C:
 1.0600



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Crafter's Choice™ Madagascar* -EO & FO Blend

Page 6 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> Density (q/mL) @ 25 C: 1.0570 Refractive Index @ 20 C: 1.5310 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

Product:

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

Toxicological Information 11.

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2217.1896) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4549.6492) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 32.4819) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Suspected of damaging fertility or the unborn child Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met Aspiration hazard

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Toxic to aquatic life with long lasting effects Chronic acquatic toxicity

Toxicity Data on soil no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available



SDS v1 GHS / OSHA

Revised Date: 2022-10-11 00:00

Product: Crafter's Choice™ Madagascar* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-04-20

IIN-nr

Page 7 of 8

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Pack Group

Sub Rick

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (20 - 30 %): Benzyl Benzoate

Regulator	Ciass	rack Group	Sub Kisk	ON-III.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IATA (Air Cargo)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082
Substance, Liquid, n.o.s.				

15. Regulatory Information

U.S. Federal Regulations

Regulator

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 <= 6 ppm beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H302 : Harmful if swallowed and enters airways

H312 : Harmful in contact with skin H315 : Causes skin irritation

Revised Date: 2022-10-11 00:00

Page 8 of 8

Print Date: 2023-04-20

H317: May cause an allergic skin reaction	H320 : Causes eye irritation		
H332 : Harmful if inhaled	H335 : May cause respiratory irritation		
H401: Toxic to aquatic life	H402 : Harmful to aquatic life		
H410 : Very toxic to aquatic life with long lasting effects	H412: Harmful to aquatic life with long lasting effects		
Total Fractional Values			
(TFV) Risk	(TFV) Risk		
(153.93) Acute Toxicity Inhalation, Category 5	(24.92) Reproductive Toxicity, Category 2		
(16.76) Aquatic Chronic Toxicity, Category 3	(8.71) Sensitization, Skin, Category 1B		
(2.71) Aquatic Chronic Toxicity, Category 4	(2.26) Acute Toxicity Oral, Category 5		
(2.00) Sensitization, Skin, Category 1A	(1.54) Aquatic Chronic Toxicity, Category 2		
(1.42) Skin Corrosion/Irritation, Category 3	(1.30) Aquatic Acute Toxicity, Category 1		
(1.22) Eye Damage/Eye Irritation, Category 2B	(1.21) Eye Damage/Eye Irritation, Category 2A		
(1.10) Acute Toxicity Dermal, Category 5			

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.