Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Crafter's Choice[™] Mahogany & Product: Amber Fragrance Oil

Page 1 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Crafter's Choice[™] Mahogany & Amber Fragrance Oil 991

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. **Hazards Identification**

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation	
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction	
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation	
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of title 29)		

С

Sensitization, Skin, Category 1B	H317 : M
Eye Damage/Eye Irritation, Category 2A	H319 : Ca

lay cause an allergic skin reaction

Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Mahogany & Amber Fragrance Oil

Page 2 of 8 Print Date: 2023-04-20

Hazard statements	
H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
107-75-5	203-518-7	5 - 10 %	H317; H319; H402	
Hydroxycit	ronellal			
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410	
Hexameth	Hexamethylindanopyran			
105-95-3	203-347-8	2 - 5 %	H401	
Ethylene brassylate				
24851-98-7	246-495-9	2 - 5 %	H402	
Methyldihydrojasmonate				
28219-61-6	248-908-8	2 - 5 %	H315; H319; H401; H411	
Ethyl trimethylcyclopentene butenol				

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

Product: Crafter's Choice[™] Mahogany & Amber Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 3 of 8 Print Date: 2023-04-20

CAS# Ingredient	EC#	Conc. Range	GHS Classification
19870-74-7	243-384-7	2 - 5 %	H317; H400; H410
Cedrol me	thyl ether		
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411
Pentameth	nylcyclopent-3-e	ene-butanol	
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl ced	rene		
139504-68-0	412-300-2	1 - 2 %	H320; H401; H411
1-(2-Butyl	cyclohexyloxy) [,]	-2-butanol	
10339-55-6	233-732-6	1 - 2 %	H227; H303; H316; H317; H319; H402
Ethyl Linal	lool		
128-37-0	204-881-4	1 - 2 %	H316; H400; H410
BHT			
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarin			
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410
Amyl salic			
103-95-7	203-161-7	0.1 - 1.0 %	H227; H303; H315; H317; H401; H412
Cyclamen	•		
104-21-2	203-185-8	0.1 - 1.0 %	H317; H402
p-Anisyl ad			
5462-06-6	226-749-5	0.1 - 1.0 %	H303; H317; H401
-		enzenepropanal	
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
-	•	• • • •	ndanone (Cashmeran)
See Section 16	6 for full text of	GHS classificatio	n codes
See S	ection 16 for fu	Il text of GHS clas	ssification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.08

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		

Symptoms:

no data available



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Mahogany & Amber Fragrance Oil

Page 4 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Mahogany & Amber Fragrance Oil

Page 5 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure Cont	trols/Personal Protection		
8.1 Control parameters			
Exposure Limits:			
Component	ACGIH ACGIH OSHA OSHA		
•	TWA ppm STEL ppm TWA ppm STEL ppm		
128-37-0 BHT	2		
Engineering Controls:	Use local exhaust as needed.		
8.2 Exposure controls - Personal protective equipment			
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure		
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.		
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.		

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow(G4) - Golden/Pale Orange(G8)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0014
%VOC:	0.00
Specific Gravity @ 25 C:	0.9450
Density (g/mL) @ 25 C:	0.9420
Refractive Index @ 20 C:	1.4630
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Crafter's Choice[™] Mahogany & Product: **Amber Fragrance Oil**

Page 6 of 8 Print Date: 2023-04-20

(800) 359-0944 www.WholesaleSuppliesPlus.com

10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis None known

10.6 Hazardous decomposition products

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4583.9212) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 112.2651) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

Ecological Information 12.

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Mahogany & Amber Fragrance Oil

Page 7 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (2 - 5 %) : Hexamethylindanopyran				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082

15. Regulatory Information					
U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains the following components:				
1222-05-5 214-946-9 2 - 5 %	Hexamethylindanopyran				
U.S. State Regulations					
California Proposition 65 Warning	No Warning required				
Canadian Regulations					
DSL	98.95% of the components are listed or exempt.The following components are NOT on the List:				
1450625-49- 0.1 - 1.0 %	Clearwood				
67801-20-1 267-140-4 0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol				
125109-85-5 412-050-4 0.1 - 1.0 %	Isopropylphenylbutanal				

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H320 : Causes eye irritation
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	

Total Fractional Values

(TFV) Risk

(TFV) Risk

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Mahogany & Amber Fragrance Oil

Page 8 of 8 Print Date: 2023-04-20

www.WholesaleSuppliesPlus.com (44.54) Acute Toxicity Inhalation, Category 5

(6.00) Sensitization, Skin, Category 1B

(1.40) Skin Corrosion/Irritation, Category 3

(1.09) Acute Toxicity Oral, Category 5

(42.57) Aquatic Chronic Toxicity, Category 3(4.25) Aquatic Chronic Toxicity, Category 2(1.20) Eye Damage/Eye Irritation, Category 2A

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.