

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Mayan Gold -EO & FO Blend

Page 1 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Mayan Gold - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

| | jjj | |
|-----|---|--|
| | Flammable Liquids, Category 4 | H227 : Combustible liquid |
| | Acute Toxicity Oral, Category 5 | H303 : May be harmful if swallowed |
| | Aspiration Hazard, Category 1 | H304 : May be fatal if swallowed and enters airways |
| | Skin Corrosion/Irritation, Category 2 | H315 : Causes skin irritation |
| | Sensitization, Skin, Category 1B | H317 : May cause an allergic skin reaction |
| | Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| | Acute Toxicity Inhalation, Category 5 | H333 : May be harmful if inhaled |
| | Aquatic Acute Toxicity, Category 1 | H400 : Very Toxic to aquatic life |
| | Aquatic Chronic Toxicity, Category 2 | H411 : Toxic to aquatic life with long lasting effects |
| Cla | ssification OSHA (Provisions 1910.1200 of title | 29) |
| | Flammable Liquids, Category 4 | H227 : Combustible liquid |
| | Aspiration Hazard, Category 1 | H304 : May be fatal if swallowed and enters airways |
| | Skin Corrosion/Irritation, Category 2 | H315 : Causes skin irritation |
| | Sensitization, Skin, Category 1B | H317 : May cause an allergic skin reaction |
| | Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |
| | Reproductive Toxicity, Category 2 | H361 : Suspected of damaging fertility or the unborn child |
| | | |

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms





Product:

Signal Word: Danger

Hazard statements

| H227 | Combustible liquid |
|------|---|
| H303 | May be harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H361 | Suspected of damaging fertility or the unborn child |
| H400 | Very Toxic to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

Precautionary Statements

Prevention:

| P201 | Obtain special instructions before use |
|--------------------|--|
| P202 | Do not handle until all safety precautions have been read and understood |
| P235 | Keep cool |
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |
| P281 | Use personal protective equipment as required |
| Response: | |
| P301 + P310 + P331 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting |
| P302 + P352 | IF ON SKIN: Wash with soap and water |
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect Spillage |
| | |

Safety Data Sheet

Crafter's Choice™ Mayan Gold -

EO & FO Blend

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-04-20



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Mayan Gold -EO & FO Blend

Page 3 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | | |
|--|------------------|----------------|------------------------------------|--|--|
| 101-86-0 | 202-983-3 | 10 - 20 % | H303; H316; H317; H400; H411 | | |
| Hexyl cinnamal | | | | | |
| 107-75-5 | 203-518-7 | 10 - 20 % | H317; H319; H402 | | |
| Hydroxycii | tronellal | | | | |
| 5989-27-5 | 227-813-5 | 10 - 20 % | H226; H304; H315; H317; H400; H412 | | |
| Limonene | | | | | |
| 1222-05-5 | 214-946-9 | 5 - 10 % | H316; H400; H410 | | |
| Hexameth | ylindanopyran | | | | |
| 5986-55-0 | 227-807-2 | 2 - 5 % | H401; H411 | | |
| Patchouli a | alcohol | | | | |
| 78-70-6 | 201-134-4 | 2 - 5 % | H227; H303; H315; H317; H319; H402 | | |
| Linalool | | | | | |
| 121-33-5 | 204-465-2 | 1 - 2 % | H303; H313; H319; H402 | | |
| vanillin | | | | | |
| 24851-98-7 | 246-495-9 | 1 - 2 % | H402 | | |
| Methyldihydrojasmonate | | | | | |
| 3691-12-1 | | 1 - 2 % | H304; H315; H319 | | |
| alpha-Gua | niene | | | | |
| 115-95-7 | 204-116-4 | 0.1 - 1.0 % | H227; H315; H317; H320; H402 | | |
| Linalyl Ace | etate | | | | |
| 99-85-4 | 202-794-6 | 0.1 - 1.0 % | H226; H303; H304; H316; H361 | | |
| gamma-Terpinene | | | | | |
| 87-44-5 | 201-746-1 | 0.1 - 1.0 % | H304; H317 | | |
| Beta-Caryophyllene | | | | | |
| 4180-23-8 | 224-052-0 | 0.1 - 1.0 % | H303; H316; H317; H401 | | |
| Anethole | | | | | |
| 32210-23-4 | 250-954-9 | 0.1 - 1.0 % | H303; H317; H401 | | |
| - | lcyclohexyl acet | | | | |
| See Section 16 for full text of GHS classification codes | | | | | |
| | | | | | |

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 10.81



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Mayan Gold -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-04-20

| Remove from exposure site to fresh air and keep at rest. Obtain medical advice. | | |
|--|--|--|
| Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. | | |
| Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. | | |
| Rinse mouth with water and obtain medical advice. | | |
| , both acute and delayed | | |
| no data available | | |
| Refer to Section 2.2 "Hazard Statements" | | |
| ttention and special treatment needed | | |
| Refer to Section 2.2 "Response" | | |
| | | |
| | | |
| Carbon dioxide (CO2), Dry chemical, Foam | | |
| Do not use a direct water jet on burning material | | |
| tance or mixture | | |
| Water may be ineffective | | |
| Standard procedure for chemical fires | | |
| | | |

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Mayan Gold -EO & FO Blend

Page 5 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

| Exposure Limits: | Contains no substances with occupational exposure limit values. | | | |
|---|---|--|--|--|
| Engineering Controls: | Use local exhaust as needed. | | | |
| 8.2 Exposure controls - Personal protective equipment | | | | |
| Eye protection: | Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure | | | |
| Respiratory protection: | Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. | | | |
| Skin protection: | Avoid Skin contact. Use chemically resistant gloves as needed. | | | |

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance: | Liquid |
|-----------------------------|--------------------------------|
| Odor: | Conforms to Standard |
| Color: | Yellow(G4) - Golden Yellow(G7) |
| Viscosity: | Liquid |
| Freezing Point: | Not determined |
| Boiling Point: | Not determined |
| Melting Point: | Not determined |
| Flashpoint (CCCFP): | 181 F (82.78 C) |
| Auto flammability: | Not determined |
| Explosive Properties: | None Expected |
| Oxidizing properties: | None Expected |
| Vapor Pressure (mmHg@20 C): | 0.1106 |
| %VOC: | 10.40 |
| Specific Gravity @ 25 C: | 0.9300 |
| Density (g/mL) @ 25 C: | 0.9270 |
| Refractive Index @ 20 C: | 1.4760 |
| Soluble in: | Oil |

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Mayan Gold -EO & FO Blend

Page 6 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10. Stability and Reactivity

| 10.1 Reactivity | None |
|---|--|
| 10.2 Chemical stability | Stable |
| 10.3 Possibility of hazardous reactions | None known |
| 10.4 Conditions to avoid | None known |
| 10.5 Incompatible materials | Strong oxidizing agents, strong acids, and alkalis |
| 10.6 Hazardous decomposition products | None known |

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

| Acute toxicity - Oral - (Rat) mg/kg | (LD50: 4629.7674) May be harmful if swallowed |
|--|--|
| Acute toxicity - Dermal - (Rabbit) mg/kg | Not classified - the classification criteria are not met |
| Acute toxicity - Inhalation - (Rat) mg/L/4hr | (LD50: 55.6161) May be harmful if inhaled |
| Skin corrosion / irritation | Causes skin irritation |
| Serious eye damage / irritation | Causes serious eye irritation |
| Respiratory sensitization | Not classified - the classification criteria are not met |
| Skin sensitization | May cause an allergic skin reaction |
| Germ cell mutagenicity | Not classified - the classification criteria are not met |
| Carcinogenicity | Not classified - the classification criteria are not met |
| Reproductive toxicity | Suspected of damaging fertility or the unborn child |
| Specific target organ toxicity - single exposure | Not classified - the classification criteria are not met |
| Specific target organ toxicity - repeated exposure | Not classified - the classification criteria are not met |
| Aspiration hazard | May be fatal if swallowed and enters airways |

12. Ecological Information

| 12.1 Toxicity | |
|------------------------------------|---|
| Acute acquatic toxicity | Very Toxic to aquatic life |
| Chronic acquatic toxicity | Toxic to aquatic life with long lasting effects |
| Toxicity Data on soil | no data available |
| Toxicity on other organisms | no data available |
| | |
| 12.2 Persistence and degradability | no data available |
| 12.3 Bioaccumulative potential | no data available |
| 12.4 Mobility in soil | no data available |
| 12.5 Other adverse effects | no data available |
| | |



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Mayan Gold -EO & FO Blend

Page 7 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

| Marine Pollutant | Yes. Ingredient of 101-86-0 : (10 - 20 | | | | |
|---|--|---------------|-----------------------------------|-------------------------------|--------|
| Regulator | | Class | Pack Group | Sub Risk | UN-nr. |
| U.S. DOT (Non-Bulk) | | Not Regulated | Not Dangerous | Goods | |
| Chemicals NOI | | | | | |
| ADR/RID (International Roa | d/Rail) | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | III | | UN3082 |
| IATA (Air Cargo) | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | III | | UN3082 |
| IMDG (Sea) | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | III | | UN3082 |
| 15. Regulatory Inf | formation | | | | |
| U.S. Federal Regulations | | | | | |
| TSCA (Toxic Substance | Control Act) | All compon | ents of the subs | tance/mixture are listed or e | exempt |
| 40 CFR(EPCRA, SARA, G | CERCLA and CAA) | This produc | ct contains the fo | llowing components: | |
| 1222-05-5 214-946 | 6-9 5 - 10 % | Hexamethylin | danopyran | | |
| U.S. State Regulations | | | | | |
| California Proposition 65 Warning Canadian Regulations | | No Warning | g required | | |
| DSL | | 100.00% of | f the components | s are listed or exempt. | |

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

| H226 : Flammable liquid and vapour | H313 : May be harmful in contact with skin |
|------------------------------------|---|
| H316 : Causes mild skin irritation | H317 : May cause an allergic skin reaction |
| H320 : Causes eye irritation | H401 : Toxic to aquatic life |
| H402 : Harmful to aquatic life | H410 : Very toxic to aquatic life with long lasting effects |

H412 : Harmful to aquatic life with long lasting effects

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Mayan Gold -EO & FO Blend

Page 8 of 8 Print Date: 2023-04-20

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Fractional Values

(TFV) Risk
(89.90) Acute Toxicity Inhalation, Category 5
(14.70) Sensitization, Skin, Category 1B
(3.57) Skin Corrosion/Irritation, Category 3
(1.82) Eye Damage/Eye Irritation, Category 2A
(1.32) Aquatic Chronic Toxicity, Category 4

(1.20) Aquatic Acute Toxicity, Category 1

(TFV) Risk

(28.11) Aquatic Chronic Toxicity, Category 3

(4.00) Reproductive Toxicity, Category 2

(2.77) Aquatic Chronic Toxicity, Category 2

(1.52) Skin Corrosion/Irritation, Category 2

(1.20) Aspiration Hazard, Category 1

(1.08) Acute Toxicity Oral, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.