

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Monkey Farts - EO & FO Blend

Page 1 of 9 Print Date: 2023-04-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Monkey Farts - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

chacchine according to only	
Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Classification Other	

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

2.2 Label elements

Labelling (GHS)

Hazard pictograms







Safety Data Sheet

- EO & FO Blend

Crafter's Choice™ Monkey Farts

Signal Word: Danger

Hazard statements H226 Flammable liquid and vapour H303 May be harmful if swallowed H304 May be fatal if swallowed and enters airways H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H360 May damage fertility or the unborn child H400 Very Toxic to aquatic life Toxic to aquatic life with long lasting effects H411

Product:

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light//equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention



Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-04-14

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Monkey Farts Product: - EO & FO Blend

Page 3 of 9 Print Date: 2023-04-14

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	Print Date: 2023-04-14
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411
Benzyl Be	nzoate		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
628-63-7	211-047-3	5 - 10 %	H226
Amyl Acet	ate		
540-18-1	208-739-2	5 - 10 %	H226
Amyl butyl	rate		
123-92-2	204-662-3	5 - 10 %	H226; H402
Isoamyl ad	cetate		
97-85-8	202-612-5	2 - 5 %	H226; H333; H402
Isobutyl is	obutyrate		
140-11-4	205-399-7	2 - 5 %	H303; H401; H412
Benzyl ace	etate		
118-58-1		2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		
104-61-0	203-219-1	1 - 2 %	H316
gamma-No	onalactone		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
112-53-8		1 - 2 %	H319; H400; H411
Lauryl alcohol			
128-51-8	2010010	1 - 2 %	H303; H317; H319; H401; H411
Nopyl acetate			
18479-58-8		1 - 2 %	H227; H303; H315; H319; H402
2,6-dimethyloct-7-en-2-ol			

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Monkey Farts - EO & FO Blend

Page 4 of 9 Print Date: 2023-04-14

CAS#	EC#	Conc.	GHS Classification	
Ingredient		Range	Grio Glassification	
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H360; H401;	
Butylphei	nyl Methylpropic	onal	H412	
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411	
Hexyl cin	namal			
120-57-0	204-409-7	1 - 2 %	H303; H317; H401	
Heliotrop	ine			
105-54-4	203-306-4	1 - 2 %	H226; H319	
Ethyl buty	yrate			
67674-46-8	266-885-2	1 - 2 %	H227; H315; H402; H412	
	thoxy-2,5,5-trim	•		
31906-04-4	250-863-4	1 - 2 %	H317; H402	
Hydroxyi	sohexyl 3-cyclol	hexene carboxalo	lehyde	
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402	
Coumarir	ז			
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	
Eugenol				
122-40-7	204-541-5	0.1 - 1.0 %	H303; H316; H317; H401; H411	
Amyl Cin	namal			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Ac	cetate			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	
Dimethyli	tetrahydro Benz	aldehyde	H411	
141-13-9	205-460-8	0.1 - 1.0 %	H317; H400; H410	
2,6,10-Tr	imethyl-9-undeo	cenal		
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401	
Citral				
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317	
Beta-Car	yophyllene			
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	
4-tert-But	tylcyclohexyl ac	etate		
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411	
Ethyl 2,2-	-dimethylhydroc	innamal		
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	
Citronello	bl			
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411	
a-Methyl-	1,3-benzodioxo	le-5-propionaldel	nyde	
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	
Geranyl /	Acetate			
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	
delta-1-(2		3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)	
•	•	GHS classification		

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Monkey Farts - EO & FO Blend

Page 5 of 9 Print Date: 2023-04-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Hydrocarbon Content (% w/w) = 10.00

4.	First Aid Measures		
4.1	I.1 Description of first aid measures		
	Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
	Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
	Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
	Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2	Most important symptoms and effects, b	both acute and delayed	
	Symptoms:	no data available	
	Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3	4.3 Indication of any immediate medical attention and special treatment needed		
	Treatment:	Refer to Section 2.2 "Response"	
5.	Fire-Fighting measures		
5.1	Extinguishing media		
	Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
	Unsuitable	Do not use a direct water jet on burning material	
5.2	5.2 Special hazards arising from the substance or mixture		
	During fire fighting:	Water may be ineffective	
5.3	Advice for firefighters		
	Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Monkey Farts - EO & FO Blend

Page 6 of 9 Print Date: 2023-04-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Lin Component		ACGIH TWA ppm	ACGIH STEL ppm	OSHA OSHA TWA ppm STEL ppm	1
628-63-7	Amyl Acetate	50	100	100	
140-11-4	Benzyl acetate	10			
123-92-2	Isoamyl acetate	50	100	100	

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow to Greenish Yellow (G5-6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	127 F (52.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	1.3240
%VOC:	39.83

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Monkey Farts - EO & FO Blend

Page 7 of 9 Print Date: 2023-04-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Specific Gravity @ 25 C:

Specific Gravity @ 25 C:	0.9740
Density (g/mL) @ 25 C:	0.9710
Refractive Index @ 20 C:	1.4850
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2666.3342) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4136.5753) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	Not classified - the classification criteria are not met
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity
Chronic acquatic toxicity
Toxicity Data on soil
Toxicity on other organisms

Very Toxic to aquatic life Toxic to aquatic life with long lasting effects no data available no data available



7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Monkey Farts - EO & FO Blend

Page 8 of 9 Print Date: 2023-04-14

no data available	
no data available	
no data available	
no data available	
	no data available no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (30 - 40 %) : Benzyl Benzoate				
Regulator	Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)					
Perfumery Products	3	III	Flammable Liquid	UN1266	
ADR/RID (International Roa	d/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	Ш		UN3082	
IATA (Air Cargo)					
Perfumery Products	3	III	Flammable Liquid	UN1266	
Environmentally Hazardous Substance, Liquid, n.o.s.	9	Ш		UN3082	
IMDG (Sea)					
Perfumery Products	3	III	Flammable Liquid	UN1266	
Environmentally Hazardous Substance, Liquid, n.o.s.	9	Ш		UN3082	

15. Regulatory Information U.S. Federal Regulations

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt 40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components: 628-63-7 211-047-3 5 - 10 % Amyl Acetate 123-92-2 204-662-3 5 - 10 % Isoamyl acetate U.S. State Regulations **California Proposition 65 Warning** This product contains the following components: 123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source) **Canadian Regulations** DSL 99.75% of the components are listed or exempt. The following components are NOT on the List:

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Monkey Farts - EO & FO Blend

Page 9 of 9 Print Date: 2023-04-14

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> 125109-85-5 412-050-4 0.1 - 1.0 % 815580-59-7 453-570-1 <= 4 ppm

Isopropylphenylbutanal

3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H227 : Combustible liquid H302 : Harmful if swallowed H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H361 : Suspected of damaging fertility or the unborn child
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(18.27) Aquatic Chronic Toxicity, Category 3

- (10.00) Sensitization, Skin, Category 1A
- (4.00) Reproductive Toxicity, Category 1B
- (2.28) Aquatic Chronic Toxicity, Category 4
- (1.88) Acute Toxicity Oral, Category 5
- (1.80) Skin Corrosion/Irritation, Category 2
- (1.50) Reproductive Toxicity, Category 2
- (1.21) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

H301 : Toxic if swallowed
H316 : Causes mild skin irritation
H318 : Causes serious eye damage
H333 : May be harmful if inhaled
H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk

- (12.00) Reproductive Toxicity, Category 1B
- (9.61) Sensitization, Skin, Category 1B
- (2.43) Skin Corrosion/Irritation, Category 3
- (2.25) Sensitization, Skin, Category 1
- (1.81) Aquatic Acute Toxicity, Category 1
- (1.76) Aquatic Chronic Toxicity, Category 2
- (1.21) Eye Damage/Eye Irritation, Category 2A
- (1.00) Aspiration Hazard, Category 1

Other Information