

7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Mulberry  
 Fragrance Oil**

Page 1 of 8  
 Print Date: 2023-04-21

**1. Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade Name:** Crafter's Choice™ Mulberry Fragrance Oil

**1.2 Relevant identified product use**

**Intended use:** Compound used in customer substance/mixture/product

**1.3 Details of the manufacturer/supplier of the safety data sheet**

**Supplier:** IndiMade Brands, LLC DBA Wholesale Supplies Plus  
 7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 www.WholesaleSuppliesPlus.com

**1.4 Emergency telephone number**

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
**+1 813 248-0585** International

**2. Hazards Identification**

**2.1 Classification of the substance or mixture**

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

**Classification according to GHS**

Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

**Classification OSHA (Provisions 1910.1200 of title 29)**

Flammable Liquids, Category 3	H226 : Flammable liquid and vapour
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

**Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [ ] ACGIH [ ] IARC [X] NTP [ ] OSHA [ ]

7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 www.WholesaleSuppliesPlus.com


Product: **Crafter's Choice™ Mulberry  
 Fragrance Oil**

Page 2 of 8  
 Print Date: 2023-04-21

**2.2 Label elements**

**Labelling (GHS)**

**Hazard pictograms**



**Signal Word: Danger**

**Hazard statements**

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

**Precautionary Statements**

**Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light/.../equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

**Response:**

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing Rinse skin with water/shower
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing

Product: **Crafter's Choice™ Mulberry  
Fragrance Oil**

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Page 3 of 8  
Print Date: 2023-04-21

P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P330	Rinse mouth
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P352	Wash with soap and water
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

**2.3 Other Hazards**

no data available

**3. Composition/Information on Ingredients**

**3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4 <i>Benzyl Benzoate</i>	204-402-9	50 - 60 %	H302; H313; H400; H411
5989-27-5 <i>Limonene</i>	227-813-5	20 - 30 %	H226; H304; H315; H317; H400; H412
100-52-7 <i>Benzaldehyde</i>	202-860-4	5 - 10 %	H227; H302; H313; H316; H319; H332; H335; H401
706-14-9 <i>gamma-Decalactone</i>	211-892-8	2 - 5 %	H316
77-83-8 <i>Ethyl Methylphenylglycidate</i>	201-061-8	2 - 5 %	H317; H401; H411
105-54-4 <i>Ethyl butyrate</i>	203-306-4	2 - 5 %	H226; H319
2705-87-5 <i>Allyl cyclohexylpropionate</i>	220-292-5	1 - 2 %	H302; H312; H317; H400; H411
122-63-4 <i>Benzyl propionate</i>	204-559-3	1 - 2 %	H303; H401
8008-31-9 <i>Citrus nobilis (Mandarin Orange) peel oil</i>	297-672-2	0.1 - 1.0 %	H226; H304; H315; H317; H361; H401; H411
78-70-6 <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
80-56-8 <i>pinene</i>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Mulberry  
Fragrance Oil**

Page 4 of 8

Print Date: 2023-04-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification
99-85-4 <i>gamma-Terpinene</i>	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 22.36

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment:</b>	Refer to Section 2.2 "Response"
-------------------	---------------------------------

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

<b>Suitable:</b>	Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam
<b>Unsuitable</b>	Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

<b>During fire fighting:</b>	Water may be ineffective
------------------------------	--------------------------

### 5.3 Advice for firefighters

<b>Further information:</b>	Standard procedure for chemical fires
-----------------------------	---------------------------------------

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Mulberry  
 Fragrance Oil**

Page 5 of 8  
 Print Date: 2023-04-21

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

**6.4 Reference to other sections**

Not Applicable

**7. Handling and Storage**

**7.1 Precautions for safe handling**

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

**7.3 Specific end uses**

No information available

**8. Exposure Controls/Personal Protection**

**8.1 Control parameters**

**Exposure Limits:**

Component	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
80-56-8 <i>pinene</i>			20	

**Engineering Controls:** Use local exhaust as needed.

**8.2 Exposure controls - Personal protective equipment**

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

**9. Physical and Chemical Properties**

**9.1 Information on basic physical and chemical properties**

<b>Appearance:</b>	Liquid
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Yellow/Golden Yellow (G6-9)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	136 F (57.78 C)
<b>Auto flammability:</b>	Not determined

7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Mulberry  
 Fragrance Oil**

Page 6 of 8  
 Print Date: 2023-04-21

<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.6939
<b>%VOC:</b>	34.02
<b>Specific Gravity @ 25 C:</b>	1.0150
<b>Density (g/mL) @ 25 C:</b>	1.0120
<b>Refractive Index @ 20 C:</b>	1.5220
<b>Soluble in:</b>	Oil

**10. Stability and Reactivity**

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

**11. Toxicological Information**

**11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 1848.7970) Harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 3795.5037) May be harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LD50: 55.3965) May be harmful if inhaled
<b>Skin corrosion / irritation</b>	Causes skin irritation
<b>Serious eye damage / irritation</b>	Causes serious eye irritation
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	Not classified - the classification criteria are not met
<b>Reproductive toxicity</b>	Suspected of damaging fertility or the unborn child
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways

7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Mulberry  
 Fragrance Oil**

Page 7 of 8  
 Print Date: 2023-04-21

**12. Ecological Information**

**12.1 Toxicity**

<b>Acute aquatic toxicity</b>	Very Toxic to aquatic life
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

<b>12.2 Persistence and degradability</b>	no data available
<b>12.3 Bioaccumulative potential</b>	no data available
<b>12.4 Mobility in soil</b>	no data available
<b>12.5 Other adverse effects</b>	no data available

**13. Disposal Conditions**

**13.1 Waste treatment methods**

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

**14. Transport Information**

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :  
 120-51-4 : (50 - 60 %) : Benzyl Benzoate

<b>Regulator</b>	<b>Class</b>	<b>Pack Group</b>	<b>Sub Risk</b>	<b>UN-nr.</b>
<b>U.S. DOT (Non-Bulk)</b>				
Perfumery Products	3	III	Flammable Liquid	UN1266
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IATA (Air Cargo)</b>				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IMDG (Sea)</b>				
Perfumery Products	3	III	Flammable Liquid	UN1266
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

**15. Regulatory Information**

**U.S. Federal Regulations**

<b>TSCA (Toxic Substance Control Act)</b>	All components of the substance/mixture are listed or exempt
<b>40 CFR(EPCRA, SARA, CERCLA and CAA)</b>	This product contains NO components of concern.

7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Mulberry  
 Fragrance Oil**

Page 8 of 8  
 Print Date: 2023-04-21

**U.S. State Regulations**

**California Proposition 65 Warning**

123-35-3(NF 204-622-5 0.1 - 1.0 %

This product contains the following components:  
 beta-Myrcene (Natural Source)

**Canadian Regulations**

**DSL**

94201-73-7 303-662-1 <= 5 ppm

100.00% of the components are listed or exempt. The following  
 components are NOT on the List:  
 Tetrahydro-4-methyl-2-phenyl-2H-pyran

**16. Other Information**

**GHS H-Statements referred to under section 3 and not listed in section 2**

- |  |   |
|--|---|
| H227 : Combustible liquid                                | H303 : May be harmful if swallowed                          |
| H312 : Harmful in contact with skin                      | H316 : Causes mild skin irritation                          |
| H317 : May cause an allergic skin reaction               | H332 : Harmful if inhaled                                   |
| H335 : May cause respiratory irritation                  | H401 : Toxic to aquatic life                                |
| H402 : Harmful to aquatic life                           | H410 : Very toxic to aquatic life with long lasting effects |
| H412 : Harmful to aquatic life with long lasting effects |   |

**Total Fractional Values**

- |   |   |
|---|---|
| (TFV) Risk                                    | (TFV) Risk                                    |
| (90.26) Acute Toxicity Inhalation, Category 5 | (26.61) Aquatic Chronic Toxicity, Category 3  |
| (21.34) Sensitization, Skin, Category 1B      | (16.00) Sensitization, Skin, Category 1       |
| (16.00) Sensitization, Skin, Category 1A      | (5.00) Reproductive Toxicity, Category 2      |
| (3.61) Skin Corrosion/Irritation, Category 3  | (3.25) Aquatic Chronic Toxicity, Category 4   |
| (3.11) Aquatic Acute Toxicity, Category 1     | (2.57) Aquatic Chronic Toxicity, Category 2   |
| (2.34) Skin Corrosion/Irritation, Category 2  | (2.31) Aspiration Hazard, Category 1          |
| (1.32) Acute Toxicity Dermal, Category 5      | (1.15) Eye Damage/Eye Irritation, Category 2A |
| (1.08) Acute Toxicity Oral, Category 4        |   |

**Department issuing data sheet:**

**Department E-mail address:**

**Remarks**

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.