

Product: Crafter's Choice[™] Nag Champa Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-04-21

Page 1 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Nag Champa Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed Acute Toxicity Dermal, Category 4 H312 : Harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled
Carcinogenicity, Category 2 H351 : Suspected of causing cancer

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Dermal, Category 4 H312 : Harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Carcinogenicity, Category 2 H351 : Suspected of causing cancer

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-04-21

Page 2 of 8

Product: Crafter's ChoiceTM Nag

Champa Fragrance Oil



(800) 359-0944





Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
DOC4	Week hands thereughly often handling

Wash hands thoroughly after handling P264

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

IF exposed or concerned: Get medical advice/attention P308 + P313

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention Take off contaminated clothing and wash before reuse P362

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8

Print Date: 2023-04-21

Product: Crafter's Choice™ Nag Champa Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

www.WholesaleSi	uppliesPlus.com				
CAS# Ingredient	EC#	Conc. Range	GHS Classification		
100-79-8	202-888-7	10 - 20 %	H319		
Isopropyli	deneglycerol				
91-64-5	202-086-7	10 - 20 %	H301; H317; H402		
Coumarin					
93-04-9	202-213-6	5 - 10 %	H401; H411		
2-Methoxynaphthalene (beta-Naphthyl methyl ether, Nerolin, Yara Yara)					
121-33-5	204-465-2	5 - 10 %	H303; H313; H319; H402		
vanillin					
107-75-5	203-518-7	5 - 10 %	H317; H319; H402		
Hydroxyci	tronellal				
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319		
phenethyl	alcohol				
105-95-3	203-347-8	2 - 5 %	H401		
Ethylene l	orassylate				
81-14-1	201-328-9	2 - 5 %	H351; H400; H410		
Musk keta	ne				
106-22-9	203-375-0	2 - 5 %	H303; H313; H315; H317; H319; H401		
Citronellol					
106-24-1	203-377-1	2 - 5 %	H303; H315; H317; H318; H402		
Geraniol					
106-25-2	203-378-7	1 - 2 %	H303; H315; H317; H319; H401		
Nerol					
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402		
Linalyl Ac					
98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401		
Terpineol	054 000 0	0.4.4.0.0/	11000 11047 11400 11440		
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410		
Acetyl ced		0.4 4.0.0/	11007, 11000, 11045, 11047, 11040, 11400		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402		
Linalool	204 004 0	0.4 4.0.0/	11047, 11404, 11444		
77-83-8	201-061-8	0.1 - 1.0 %	H317; H401; H411		
<i>⊑unyi meu</i> 122-40-7	hylphenylglycida		U202, U246, U247, U404, U444		
	204-541-5	0.1 - 1.0 %	H303; H316; H317; H401; H411		
Amyl Cinn 80-56-8		0.1 1.0 0/	U226: U202: U204: U245: U247: U400:		
	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410		
pinene 5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401		
5392-40-5 Citral	220-334 - 0	0.1 - 1.0 /0	11010, 11010, 11017, 11017, 11401		
	6 for full toxt of (GHS classificatio	on codes		
366 3660011 1	o ioi iuli lext ol t	UI IO GIASSIIIGAIIO	11 00053		



Product: Crafter's ChoiceTM Nag Champa Fragrance Oil

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 4 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

First Aid Measures

4.1 **Description of first aid measures**

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Remove contaminated clothes. Wash thoroughly with water (and soap). **Skin Exposure:**

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. **Fire-Fighting measures**

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections 6.4

Not Applicable



Champa Fragrance Oil

Crafter's Choice™ Nag

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-04-21

Page 5 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7.

Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

80-56-8 *pinene* 20

Product:

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yelliow Tint(G1) to Pale/Golden Yellow (G3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0376

 %VOC:
 0.75

 Specific Gravity @ 25 C:
 1.0180



Product: Crafter's Choice™ Nag Champa Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

 Density (g/mL) @ 25 C:
 1.0150

 Refractive Index @ 20 C:
 1.4950

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2330.6425) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 1486.5895) Harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 134.3605) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Suspected of causing cancer

Reproductive toxicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradability

no data available



Product: Crafter's ChoiceTM Nag Champa Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact:

81-14-1: (2 - 5%): Musk ketone

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regula	ted - Not Dangerou	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H227: Combustible liquid H301: Toxic if swallowed H302: Harmful if swallowed



Product: Crafter's Choice™ Nag Champa Fragrance Oil Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 8 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

H304 : May be fatal if swallowed and enters airways
H316: Causes mild skin irritation
H318 : Causes serious eye damage

H400 : Very Toxic to aquatic life H402 : Harmful to aquatic life

Total Fractional Values

(TFV) Risk

(40.00) Carcinogenicity, Category 2

(24.10) Aquatic Chronic Toxicity, Category 3

(6.26) Eye Damage/Eye Irritation, Category 2A

(2.50) Sensitization, Skin, Category 1

(2.41) Aquatic Chronic Toxicity, Category 2

(1.71) Skin Corrosion/Irritation, Category 3

(1.12) Skin Corrosion/Irritation, Category 2

H313 : May be harmful in contact with skin

H317: May cause an allergic skin reaction

H320 : Causes eye irritation H401 : Toxic to aquatic life

H410: Very toxic to aquatic life with long lasting

effects

(TFV) Risk

(37.21) Acute Toxicity Inhalation, Category 5

(10.80) Sensitization, Skin, Category 1B

(4.00) Carcinogenicity, Category 2

(2.50) Sensitization, Skin, Category 1A

(2.15) Acute Toxicity Oral, Category 5

(1.35) Acute Toxicity Dermal, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.