## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Nantucket Briar\* Fragrance Oil

Page 1 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Crafter's Choice<sup>TM</sup> Nantucket Briar\* Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

## 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## 2. Hazards Identification

## 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### **Classification according to GHS**

	Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Cla	ssification OSHA (Provisions 1910.1200 of title	29)
	Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2B Reproductive Toxicity, Category 1B

- H320 : Causes eye irritation
- H360 : May damage fertility or the unborn child

## **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

## 2.2 Label elements

Labelling (GHS) Hazard pictograms

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



## Signal Word: Danger

#### **Hazard statements**

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Product:

## **Precautionary Statements**

### **Prevention:**

	P201	Obtain special instructions before use
	P202	Do not handle until all safety precautions have been read and understood
	P264	Wash hands thoroughly after handling
	P270	Do not eat, drink or smoke when using this product
	P272	Contaminated work clothing should not be allowed out of the workplace
	P273	Avoid release to the environment
	P281	Use personal protective equipment as required
Re	sponse:	
	P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P363	Wash contaminated clothing before reuse
	P391	Collect Spillage

## 2.3 Other Hazards

### no data available

## 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



Crafter's Choice<sup>™</sup> Nantucket

**Briar\* Fragrance Oil** 

Revised Date: 2023-04-18 00:00

SDS v1 GHS / OSHA

Page 2 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# **Safety Data Sheet**

Product: Crafter's Choice<sup>™</sup> Nantucket Briar\* Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 3 of 8 Print Date: 2023-04-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
120-51-4	204-402-9	60 - 70 %	H302; H313; H400; H411			
Benzyl Bei	nzoate					
118-58-1	204-262-9	10 - 20 %	H303; H317; H320; H401; H412			
Benzyl Sal	icylate					
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411			
Hexyl cinn	amal					
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411			
Tetramethy	yl Acetyloctahydi	ronaphthalenes				
140-11-4	205-399-7	2 - 5 %	H303; H401; H412			
Benzyl ace	etate					
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319			
phenethyl	alcohol					
65405-77-8	265-745-8	1 - 2 %	H303; H400; H411			
cis-3-Hexe	nyl salicylate					
31906-04-4	250-863-4	1 - 2 %	H317; H402			
Hydroxyiso	hexyl 3-cyclohe	xene carboxalde	hyde			
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410			
Acetyl ced	rene					
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402			
Coumarin						
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402			
Linalool						
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;			
Butylpheny	/I Methylpropiona	al	H412			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412			
Limonene	Limonene					
See Section 16 for full text of GHS classification codes						

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.30

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed



## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Nantucket Briar\* Fragrance Oil

Page 4 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

no data available

Risks:

no data avallable

Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:

Symptoms:

Refer to Section 2.2 "Response"

5. Fire-Fighting measures 5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable Do not use a direct water jet on burning material   5.2 Special hazards arising from the substance or mixture		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

## 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

## 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

**Crafter's Choice™ Nantucket** Product: **Briar\* Fragrance Oil** 

Page 5 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure Cont	trols/Personal Protection
8.1 Control parameters	
Exposure Limits:	
Component	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4 Benzyl ace	etate 10
Engineering Controls: 8.2 Exposure controls - Pers	Use local exhaust as needed. sonal protective equipment
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

#### **Physical and Chemical Properties** 9.

## 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G0/1) to Pale/Greenish Yellow (G1-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0065
%VOC:	2.42
Specific Gravity @ 25 C:	1.0890
Density (g/mL) @ 25 C:	1.0860
Refractive Index @ 20 C:	1.5590
Soluble in:	Oil

#### **Stability and Reactivity** 10.

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None kn
10.4 Conditions to avoid	None kn

nown nown

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

## Product: Crafter's Choice<sup>™</sup> Nantucket Briar\* Fragrance Oil

Page 6 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis None known

**10.6 Hazardous decomposition products** 

## 11. Toxicological Information

## **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1754.3859) Harmful if swallowed		
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3829.8850) May be harmful in contact with skin		
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 135.4847) May be harmful if inhaled		
Skin corrosion / irritation	Causes mild skin irritation		
Serious eye damage / irritation	Causes eye irritation		
Respiratory sensitization	Not classified - the classification criteria are not met		
Skin sensitization	May cause an allergic skin reaction		
Germ cell mutagenicity	Not classified - the classification criteria are not met		
Carcinogenicity	Not classified - the classification criteria are not met		
Reproductive toxicity	May damage fertility or the unborn child		
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met		
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met		
Aspiration hazard	Not classified - the classification criteria are not met		

## 12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Nantucket Briar\* Fragrance Oil

Page 7 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (60 - 70 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	111		UN3082

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of concern.
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 <= 57 ppm	beta-Myrcene (Natural Source)
Canadian Regulations	
DSL	100.00% of the components are listed or exempt.

## 16. Other Information

## GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H303 : May be harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(36.90) Acute Toxicity Inhalation, Category 5	(36.28) Aquatic Chronic Toxicity, Category 3
(11.00) Sensitization, Skin, Category 1A	(10.85) Sensitization, Skin, Category 1B
(3.82) Aquatic Chronic Toxicity, Category 4	(3.57) Aquatic Chronic Toxicity, Category 2
(3.12) Aquatic Acute Toxicity, Category 1	(3.00) Reproductive Toxicity, Category 1B



7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Nantucket Briar\* Fragrance Oil

Page 8 of 8 Print Date: 2023-04-21

www.WholesaleSuppliesPlus.com (1.62) Skin Corrosion/Irritation, Category 3

(1.14) Acute Toxicity Oral, Category 4

(1.00) Reproductive Toxicity, Category 1B

(1.31) Acute Toxicity Dermal, Category 5(1.09) Eye Damage/Eye Irritation, Category 2B

## Department issuing data sheet:

Department E-mail address:

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.