## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> North Pole Fragrance Oil

Page 1 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> North Pole Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Cla	ssification OSHA (Provisions 1910.1200 of title	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2A

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS) Hazard pictograms

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



#### Signal Word: Warning

#### Hazard statements

ard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Product:

#### **Precautionary Statements**

#### **Prevention:**

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
ponse:	

**Safety Data Sheet** 

**Fragrance Oil** 

Crafter's Choice<sup>™</sup> North Pole

#### Resp

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

#### no data available

#### 3. **Composition/Information on Ingredients**

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Safety Data Sheet

## Product: Crafter's Choice<sup>™</sup> North Pole Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-04-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411
Benzyl Be	enzoate		
125-12-2	204-727-6	20 - 30 %	H227; H316; H401
Isobornyl	acetate		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
97-53-0	202-589-1	2 - 5 %	H303; H316; H317; H319; H401
Eugenol			
104-55-2	203-213-9	2 - 5 %	H303; H312; H315; H317; H319; H401;
Cinnamal			H412
60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319
phenethyl	alcohol		
2216-51-5	218-690-9	2 - 5 %	H303; H315; H320; H333; H402
I-Menthol			
77-83-8	201-061-8	1 - 2 %	H317; H401; H411
Ethyl Metl	hylphenylglycid	ate	
32210-23-4	250-954-9	1 - 2 %	H303; H317; H401
4-tert-But	/lcyclohexyl ace	etate	
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
2-t-Butylc	yclohexyl aceta	te	
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ac	etate		
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarin			
6485-40-1	229-352-5	1 - 2 %	H227; H303; H313; H317; H401
I-Carvone			
14073-97-3	237-926-1	1 - 2 %	H227; H302; H315; H317; H402; H412
I-Menthon	е		
101-86-0	202-983-3	1 - 2 %	H303; H316; H317; H400; H411
Hexyl cinr	namal		
15356-70-4	239-388-3	1 - 2 %	H227; H303; H315; H320; H402
Menthol			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary	rophyllene		
491-07-6	207-727-4	0.1 - 1.0 %	H227; H302; H315; H317; H332; H402
d,l-Isomer	nthone		
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto			
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410

#### 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# **Safety Data Sheet**

## Product: Crafter's Choice<sup>™</sup> North Pole Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9 Print Date: 2023-04-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ene		
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;
delta-3-C	arene		H401; H411
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319
Lauraldel	Lauraldehyde		
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412
IsoCycloCitral			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	etrahydro Benza	aldehyde	H411
See Section 16 for full text of GHS classification codes			

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 6.19

## 4. First Aid Measures

#### 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate me	dical attention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5.	Fire-Fighting measures	
5.1	Extinguishing media	
	Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
	Unsuitable	Do not use a direct water jet on burning material
5.2	5.2 Special hazards arising from the substance or mixture	
During fire fighting: Wa		Water may be ineffective
5.3	Advice for firefighters	
Further information:		Standard procedure for chemical fires

## Safety Data Sheet

SDS v1 GHS / OSHA

#### Revised Date: 2023-02-07 00:00

## Product: Crafter's Choice™ North Pole

Fragrance Oil

Page 5 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Lin	nits:	
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4	Benzyl acetate	10
80-56-8	pinene	20
127-91-3	beta Pinene	20
13466-78-9	delta-3-Carene	20

**Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> North Pole Fragrance Oil

Page 6 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint to Greenish Yellow (G1-3)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	178 F (81.11 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0996
%VOC:	8.73
Specific Gravity @ 25 C:	1.0310
Density (g/mL) @ 25 C:	1.0280
Refractive Index @ 20 C:	1.5190
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11.	Toxicological Information
11.1 Toxi	cological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2090.5778) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3150.5112) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 117.4370) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> North Pole Fragrance Oil

Page 7 of 9 Print Date: 2023-04-21

ww.wholesaleSuppliesFlus.com	
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12.	Ecological Information		
12.1 To	xicity		
Acut	e acquatic toxicity	Very Toxic to aquatic life	
Chro	onic acquatic toxicity	Toxic to aquatic life with long lasting effects	
Тохі	city Data on soil	no data available	
Тохі	city on other organisms	no data available	
12.2	Persistence and degradability	no data available	
12.3	Bioaccumulative potential	no data available	
12.4	Mobility in soil	no data available	
12.5 Other adverse effects		no data available	

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant	Yes. Ingredient of 120-51-4 : (40 - 5			:	
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					

# **Crafter's**Choice<sup>®</sup>

7820 E Pleasant Valley Road

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice <sup>™</sup> North Pole
	Fragrance Oil

Page 8 of 9

Independence, OH 4413 (800) 359-0944 www.WholesaleSupplies				Print Date: 2023-04-21
		9	UN3082	
	atory Infor	mation		
U.S. Federal Regul TSCA (Toxic Su 40 CFR(EPCRA U.S. State Regulati	Ibstance Co , SARA, CEF		All components of the substance This product contains NO compo	•
California Prop	osition 65 W	arning	This product contains the following	ng components:
123-35-3(NF 204-622-5 0.01 - 0.1%		beta-Myrcene (Natural Source)		
94-59-7	202-345-4	0.01 - 0.1%	Safrole (Natural Source)	
93-15-2	202-223-0	<= 67 ppm	Methyl Eugenol (Natural Source)	
140-67-0	205-427-8	<= 2 ppm	Estragole (Methyl chavicol) (Natura	al Source)
89-82-7	201-943-2	<= 1 ppm	Pulegone (Natural Source)	
Canadian Regulati	ons			
DSL			100.00% of the components are	listed or exempt.

#### 16. **Other Information**

#### 100.00% of the components are listed or exempt.

#### GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H302 : Harmful if swallowed
- H312 : Harmful in contact with skin
- H317 : May cause an allergic skin reaction
- H332 : Harmful if inhaled
- H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk

(42.58) Acute Toxicity Inhalation, Category 5

- (23.00) Sensitization, Skin, Category 1A
- (3.69) Sensitization, Skin, Category 1B
- (2.40) Aquatic Chronic Toxicity, Category 4
- (2.01) Aquatic Acute Toxicity, Category 1
- (1.59) Acute Toxicity Dermal, Category 5
- (1.06) Eye Damage/Eye Irritation, Category 2A

#### Department issuing data sheet:

**Department E-mail address:** 

H301 : Toxic if swallowed H304 : May be fatal if swallowed and enters airways H316 : Causes mild skin irritation H320 : Causes eye irritation H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects

### (TFV) Risk

- (27.83) Aquatic Chronic Toxicity, Category 3
- (4.25) Skin Corrosion/Irritation, Category 3
- (2.75) Aquatic Chronic Toxicity, Category 2
- (2.39) Acute Toxicity Oral, Category 5
- (1.79) Sensitization, Skin, Category 1
- (1.35) Skin Corrosion/Irritation, Category 2



## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> North Pole Fragrance Oil

Page 9 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.