



Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Oakmoss Sandalwood -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-04-17

## Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Oakmoss Sandalwood - EO & FO Blend

## 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

## 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms







Signal Word: Warning





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Oakmoss Sandalwood - EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 2 of 8 Print Date: 2023-04-17

Hazard statements
-------------------

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child

## **Precautionary Statements**

### **Prevention:**

H411

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Toxic to aquatic life with long lasting effects

## Response:

•	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

#### 2.3 Other Hazards

## no data available

## 3. Composition/Information on Ingredients

## 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411		
Tetramethyl Acetyloctahydronaphthalenes					
66068-84-6	266-100-3	5 - 10 %	H316; H400; H411		
Isocamphenyl cyclohexanol (mixed isomers)					
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410		
Hexamethylindanopyran					
107-75-5	203-518-7	5 - 10 %	H317; H319; H402		
Hydroxycitronellal					





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Oakmoss Sandalwood -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 8 Print Date: 2023-04-17

CAS# Ingredient	EC#	Conc. Range	GHS Classification
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene	9		
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411
Pentame	thylcyclopent-3-	ene-butanol	
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ad	etate		
36306-87-3	252-961-2	1 - 2 %	H315; H401; H411
3,3,5,5-T	etramethyl-4-eth	noxyvinyl cyclohe	xanone
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarir	)		
105-95-3	203-347-8	1 - 2 %	H401
Ethylene	brassylate		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
4707-47-5	225-193-0	0.1 - 1.0 %	H317; H401
Methyl at	rarate		
104-21-2	203-185-8	0.1 - 1.0 %	H317; H402
p-Anisyl a	acetate		
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-1	erpinene		
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.10

## 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Oakmoss Sandalwood - EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice®

Print Date: 2023-04-17

Page 4 of 8

Risks: Refer to Section 2.2 "Hazard Statements"

## 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment:** Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable**Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

## 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

## 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Oakmoss Sandalwood -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-04-17

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

**80-56-8** *pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless(G0) - Yellow Tint(G1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Flashpoint (CCCFP):

Auto flammability:

Explosive Properties:

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0426

 %VOC:
 3.29

 Specific Gravity @ 25 C:
 0.9420

 Density (g/mL) @ 25 C:
 0.9390

 Refractive Index @ 20 C:
 1.4700

 Soluble in:
 Oil

## 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Oakmoss Sandalwood -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 8 Print Date: 2023-04-17

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

## 11. Toxicological Information

## 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4774.6555) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 162.3447) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

## 12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

## 13. Disposal Conditions

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Oakmoss Sandalwood -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 8 Print Date: 2023-04-17

## 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact :
	1222-05-5 · (5 - 10 %) · Hexamethylindanonyran

,	10 %) : Hexameti	тушпианоруган		
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	- Not Dangerous	Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

## 15. Regulatory Information

## **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 5 - 10 % Hexamethylindanopyran

**U.S. State Regulations** 

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

94-59-7 202-345-4 <= 38 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 10 ppm Methyl Eugenol (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316: Causes mild skin irritation
H317: May cause an allergic skin reaction	H319: Causes serious eye irritation
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402: Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

**Total Fractional Values** 

(TFV) Risk (TFV) Risk



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Oakmoss Sandalwood -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com EO & FO Blend Page 8 of 8
Print Date: 2023-04-17

(30.80) Acute Toxicity Inhalation, Category 5

(4.07) Aquatic Chronic Toxicity, Category 2

(1.49) Skin Corrosion/Irritation, Category 2

(1.12) Reproductive Toxicity, Category 2

(40.91) Aquatic Chronic Toxicity, Category 3

(9.00) Sensitization, Skin, Category 1B

(3.27) Skin Corrosion/Irritation, Category 3

(1.34) Aquatic Chronic Toxicity, Category 4

(1.05) Acute Toxicity Oral, Category 5

## Department issuing data sheet:

## **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.