

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 1 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### Product: Crafter's Choice™ Oakmoss Fragrance Oil

### Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Crafter's Choice™ Oakmoss Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

### **Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Oakmoss Fragrance Oil

Page 2 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





### Signal Word: Warning

### **Hazard statements**

H227

11221	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Combustible liquid

### **Precautionary Statements**

#### Prevention:

D225	Koon cool
P235	Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

#### Response:

P302 + P352 IF	ON SKIN: Wash with soar	o and water
----------------	-------------------------	-------------

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

### 2.3 Other Hazards

no data available

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):





7820 E Pleasant Valley Road

Nerol

# **Safety Data Sheet**

•

Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice™ Oakmoss Fragrance Oil

Page 3 of 8 Print Date: 2023-04-21

7820 E Pleasant Independence, O		Fragrance On			
(800) 359-0944 www.WholesaleS	SuppliesPlus.com				
CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411		
Benzyl Be	enzoate				
54464-57-2	259-174-3	20 - 30 %	H315; H317; H401; H411		
Tetramet	hyl Acetyloctahyd	dronaphthalene	s		
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411		
Hexyl cin	namal				
32388-55-9	251-020-3	5 - 10 %	H303; H317; H400; H410		
Acetyl ce	drene				
31906-04-4	250-863-4	2 - 5 %	H317; H402		
Hydroxyis	sohexyl 3-cyclohe	exene carboxalo	dehyde		
91-64-5	202-086-7	2 - 5 %	H301; H317; H402		
Coumarir	1				
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402		
2,6-dimet	thyloct-7-en-2-ol				
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402		
Linalool					
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402		
Linalyl Ad	cetate				
105-95-3	203-347-8	2 - 5 %	H401		
Ethylene	brassylate				
121-33-5	204-465-2	2 - 5 %	H303; H313; H319; H402		
vanillin					
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410		
Hexamet	hylindanopyran				
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411		
Pentame	thylcyclopent-3-e	ne-butanol			
68737-61-1	272-113-5	1 - 2 %	H227; H303; H313; H315; H317; H401;		
Dimethylt	tetrahydro Benza	ldehyde	H411		
128-37-0	204-881-4	1 - 2 %	H316; H400; H410		
BHT					
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411		
Ethyl trim	ethylcyclopenten	e butenol			
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402		
Geraniol					
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412		
Limonene	9				
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402		
Eucalypto	ol				
67633-96-9	266-797-4	0.1 - 1.0 %	H227; H317; H401		
	enyl methyl carb				
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401		
Merol					



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Oakmoss Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-04-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>80-56-8</b> pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
<b>122-78-1</b> Phenylac	204-574-5 etaldehyde	0.1 - 1.0 %	H227; H302; H313; H314; H317; H318; H401; H412

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.59

### 4. First Aid Measures

4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Oakmoss Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-04-21

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

### 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 128-37-0
 BHT
 2

 80-56-8
 pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow to Yellow (G2-4)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

Product: Crafter's Choice™ Oakmoss Fragrance Oil

Page 6 of 8 Print Date: 2023-04-21

Flashpoint (CCCFP): 199 F (92.78 C)
Auto flammability: Not determined
Explosive Properties: None Expected
Oxidizing properties: None Expected

 Vapor Pressure (mmHg@20 C):
 0.1573

 %VOC:
 2.65

 Specific Gravity @ 25 C:
 1.0110

 Density (g/mL) @ 25 C:
 1.0080

 Refractive Index @ 20 C:
 1.5200

 Soluble in:
 Oil

### 10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2285.8564) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2833.2175) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 64.0077) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

**Skin sensitization** May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Oakmoss Fragrance Oil

Page 7 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 12. Ecological Information

### 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (30 - 40 %): Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

### 15. Regulatory Information

### **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

**U.S. State Regulations** 



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Oakmoss Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 8 of 8 Print Date: 2023-04-21

California Proposition 65 Warning

123-35-3(NF 204-622-5 <= 90 ppm

94-59-7 202-345-4 <= 19 ppm

93-15-2 202-223-0 <= 5 ppm

This product contains the following components:

beta-Myrcene (Natural Source)

Safrole (Natural Source)

Methyl Eugenol (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt. The following

components are NOT on the List:

94201-73-7 303-662-1 <= 80 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H301 : Toxic if swallowed

H302 : Harmful if swallowed and enters airways

H314 : Causes severe skin burns and eye damage
H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage

H320 : Causes eye irritation H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(78.12) Acute Toxicity Inhalation, Category 5 (59.69) Aquatic Chronic Toxicity, Category 3

(35.00) Sensitization, Skin, Category 1A (20.00) Sensitization, Skin, Category 1B (5.97) Aquatic Chronic Toxicity, Category 2 (4.80) Skin Corrosion/Irritation, Category

(5.97) Aquatic Chronic Toxicity, Category 2 (4.80) Skin Corrosion/Irritation, Category 3 (3.24) Skin Corrosion/Irritation, Category 2 (3.03) Aquatic Chronic Toxicity, Category 4

(2.19) Acute Toxicity Oral, Category 5 (2.03) Aquatic Acute Toxicity, Category 1

(1.76) Acute Toxicity Dermal, Category 5 (1.71) Eye Damage/Eye Irritation, Category 2A

### Department issuing data sheet:

#### **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.