

Product: Crafter's Choice™ Ocean Rain Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# . Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Crafter's Choice™ Ocean Rain Fragrance Oil

### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

## 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H319: Causes serious eye irritation

H333: May be harmful if inhaled

H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

# Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

### 2.2 Label elements

Labelling (GHS)



Product: Crafter's Choice™ Ocean

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

use

Print Date: 2023-04-21

Rain Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### Hazard pictograms







# **Signal Word: Warning**

#### **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

### Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

### Response

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not a direct water jet on burning material
P391	Collect Spillage

# 2.3 Other Hazards

### no data available





Product: Crafter's Choice<sup>TM</sup> Ocean Rain Fragrance Oil Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-04-21

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

# 3. Composition/Information on Ingredients

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
60-12-8	200-456-2	10 - 20 %	H302; H313; H316; H319			
phenethyl	phenethyl alcohol					
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412			
Limonene						
140-11-4	205-399-7	5 - 10 %	H303; H401; H412			
Benzyl ac	etate					
68912-13-0	272-805-7	5 - 10 %	H401; H411			
Hexahydro	Hexahydro-methanoindenyl Propionate					
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411			
Hexyl cinn	namal					
107-75-5	203-518-7	2 - 5 %	H317; H319; H402			
Hydroxyci	tronellal					
98-55-5	202-680-6	2 - 5 %	H227; H303; H315; H319; H401			
Terpineol						
2050-08-0	218-080-2	2 - 5 %	H302; H400; H410			
Amyl salic	ylate					
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402			
Linalool						
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411			
Benzyl Be	nzoate					
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402			
Linalyl Ace	etate					
6259-76-3	228-408-6	2 - 5 %	H316; H317; H400; H410			
Hexyl salid	cylate					
8007-35-0	232-357-5	2 - 5 %	H316; H401; H411			
Terpineol	acetate					
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411			
a-Isometh	yl ionone					
67634-15-5	266-819-2	1 - 2 %	H315; H317; H400; H411			
Ethyl 2,2-0	dimethylhydroci	nnamal				
32210-23-4	250-954-9	1 - 2 %	H303; H317; H401			
4-tert-Buty	ılcyclohexyl ace	etate				
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;			
Dimethylte	etrahydro Benza	aldehyde	H411			
93-53-8	202-255-5	0.1 - 1.0 %	H227; H303; H315; H317; H319; H361;			
Hydratrop	ic aldehyde (2-l	Phenylpropionald				
• •						



SDS v1 GHS/OSHA

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

Product: Crafter's Choice™ Ocean Rain Fragrance Oil

Page 4 of 8

Print Date: 2023-04-21

CAS# Ingredient EC# Conc.

Range GHS Classification

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 9.90

### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

## 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

**Unsuitable** Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:**Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

# 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.



Rain Fragrance Oil

Crafter's Choice™ Ocean

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

#### Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Product:

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available

# **Exposure Controls/Personal Protection**

### 8.1 Control parameters

**Exposure Limits:** 

ACGIH OSHA ACGIH **OSHA** Component TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate

**Engineering Controls:** Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Avoid Skin contact. Use chemically resistant gloves as needed. Skin protection:

### **Physical and Chemical Properties**

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Yellow to Greenish Yellow (G2-5) Color:

**Viscosity:** Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): 170 F (76.67 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.1111



Crafter's Choice<sup>™</sup> Ocean Rain Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

 %VOC:
 18.75

 Specific Gravity @ 25 C:
 0.9600

 Density (g/mL) @ 25 C:
 0.9570

 Refractive Index @ 20 C:
 1.4880

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

Product:

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

# 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3558.7188) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 2836.6477) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 65.1932) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Suspected of damaging fertility or the unborn child

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

# 12. Ecological Information

# 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 8

Print Date: 2023-04-21

Crafter's Choice™ Ocean Product: Rain Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### **Disposal Conditions** 13.

## 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :

5989-27-5 : (5 - 10 %) : Limonene

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	l - Not Dangerou	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

#### 15. **Regulatory Information**

**U.S. Federal Regulations** 

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

**California Proposition 65 Warning** This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.



7820 E Pleasant Valley Road Independence, OH 44131

www.WholesaleSuppliesPlus.com

(800) 359-0944

# **Safety Data Sheet**

Product: Crafter's Choice<sup>TM</sup> Ocean Rain Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-04-21

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour
H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk (76.70) Acute Toxicity Inhalation, Category 5 (34.89) Aquatic Chronic Toxicity, Category 3 (24.00) Sensitization, Skin, Category 1 (24.00) Sensitization, Skin, Category 1A (9.63) Sensitization, Skin, Category 1B (4.92) Skin Corrosion/Irritation, Category 3 (3.42) Aquatic Chronic Toxicity, Category 2 (2.71) Eye Damage/Eye Irritation, Category 2A (2.17) Skin Corrosion/Irritation, Category 2 (1.81) Aquatic Chronic Toxicity, Category 4 (1.76) Acute Toxicity Dermal, Category 5 (1.50) Reproductive Toxicity, Category 2 (1.41) Acute Toxicity Oral, Category 5 (1.03) Aquatic Acute Toxicity, Category 1

### Department issuing data sheet:

### **Department E-mail address:**

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.