

Crafter's Choice™ Olive* -

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-04-21

Page 1 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

www.WholesaleSuppliesPlus.com

Trade Name: Crafter's Choice™ Olive* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9

Print Date: 2023-04-21

Crafter's Choice™ Olive* -Product: **EO & FO Blend**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Label elements

Labelling (GHS)

Hazard pictograms









Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airway
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention: P201

P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Obtain special instructions before use

Resp

P281	ose personal protective equipment as required
sponse:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

Collect Spillage P391





Product: Crafter's ChoiceTM Olive* EO & FO Blend

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-04-21

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
98-55-5	202-680-6	10 - 20 %	H227; H303; H315; H319; H401	
Terpineol				
115-95-7	204-116-4	10 - 20 %	H227; H315; H317; H320; H402	
Linalyl Ace				
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402	
Linalool				
2050-08-0	218-080-2	5 - 10 %	H302; H400; H410	
Amyl salic	-			
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412	
Limonene		0 50/	11000 11404 11440	
	205-399-7	2 - 5 %	H303; H401; H412	
Benzyl ac		0 5 0/	11202, 11242, 11400, 11444	
		2 - 5 %	H302; H313; H400; H411	
Benzyl Be 60-12-8	200-456-2	2 - 5 %	H302; H313; H316; H319	
phenethyl		2-5%	H302, H313, H310, H319	
120-57-0	204-409-7	2 - 5 %	H303; H317; H401	
Heliotropii		2-5/0	11303, 11317, 11401	
105-95-3	203-347-8	2 - 5 %	H401	
Ethylene k		_ 0 /0		
101-84-8	202-981-2	2 - 5 %	H303; H316; H319; H400; H412	
Diphenyl B	Diphenyl Ether			
106-24-1	203-377-1	2 - 5 %	H303; H315; H317; H318; H402	
Geraniol				
91-64-5	202-086-7	1 - 2 %	H301; H317; H402	
Coumarin				
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411	
a-Isometh	yl ionone			
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401	
Eugenol				
106-22-9	203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401	
Citronellol	1			



Crafter's Choice™ Olive* -**EO & FO Blend**

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 4 of 9

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Nerol 30-56-8 201-291-9 0.1 - 1.0 % H226; H302; H304; H315; H317; H400; H410 470-82-6 207-431-5 0.1 - 1.0 % H226; H303; H317; H320; H402 Eucalyptol B7-44-5 201-746-1 0.1 - 1.0 % H304; H317 Beta-Caryophyllene H226; H304; H315; H317; H400; H410 H410 H227-91-3 204-872-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H410 H228-4 202-794-6 0.1 - 1.0 % H226; H303; H304; H316; H361 H30-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; H412 H30-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate H227; H302; H313; H315; H317; H320; H317; H320; H331; H336; H401 4-terpineol H313; H315; H317; H319; H401	CAS# Ingredient	EC#	Conc. Range	GHS Classification
### H410 ###################################	106-25-2 <i>Nerol</i>	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Eucalyptol 37-44-5	80-56-8 pinene	201-291-9	0.1 - 1.0 %	
87-44-5 201-746-1 0.1 - 1.0 % H304; H317 Beta-Caryophyllene 127-91-3 204-872-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H410 beta Pinene 99-85-4 202-794-6 0.1 - 1.0 % H226; H303; H304; H316; H361 gamma-Terpinene 80-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; Butylphenyl Methylpropional H303; H317; H400; H411 Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; 4-terpineol 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	470-82-6		0.1 - 1.0 %	H226; H303; H317; H320; H402
Beta-Caryophyllene 127-91-3		Ol .		
127-91-3 204-872-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H410 beta Pinene 39-85-4 202-794-6 0.1 - 1.0 % H226; H303; H304; H316; H361 gamma-Terpinene 30-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; Butylphenyl Methylpropional H412 103-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; 4-terpineol H313; H315; H317; H319; H401	87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
beta Pinene 39-85-4 202-794-6 0.1 - 1.0 % H226; H303; H304; H316; H361 gamma-Terpinene 30-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; Butylphenyl Methylpropional H412 103-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; 4-terpineol H313; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	Beta-Car	yophyllene		
99-85-4 202-794-6 0.1 - 1.0 % H226; H303; H304; H316; H361 gamma-Terpinene 30-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; Butylphenyl Methylpropional H303; H317; H400; H411 Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; 4-terpineol H313; H336; H401 H313; H315; H317; H319; H401	127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
gamma-Terpinene 30-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; H412 103-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	beta Pine	ene		
30-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; H412 103-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate H227; H302; H313; H315; H317; H320; H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
30-54-6 201-289-8 0.1 - 1.0 % H227; H302; H315; H317; H360; H401; H412 103-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate H227; H302; H313; H315; H317; H320; H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	gamma-ī	Terpinene		
103-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; 4-terpineol H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	80-54-6	-	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
103-41-3 203-109-3 0.1 - 1.0 % H303; H317; H400; H411 Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; 4-terpineol H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401			nal	H412
Benzyl Cinnamate 562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; H331; H336; H401 4-terpineol H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	103-41-3			H303; H317; H400; H411
562-74-3 209-235-5 0.1 - 1.0 % H227; H302; H313; H315; H317; H320; H331; H336; H401 4-terpineol H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	Benzyl C	innamate		
4-terpineol H331; H336; H401 5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	562-74-3		0.1 - 1.0 %	H227; H302; H313; H315; H317; H320;
5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401	4-terpine	ol		
	5392-40-5		0.1 - 1.0 %	H313; H315; H317; H319; H401
	Citral	-		, , , - , , -
See Section 16 for full text of GHS classification codes	See Section	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 10.19

First Aid Measures 4.

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Refer to Section 2.2 "Hazard Statements" Risks:

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 9

Print Date: 2023-04-21

Product: Crafter's Choice™ Olive* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component			ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl acetate	10)		
101-84-8	Diphenyl Ether			1	
80-56-8	pinene	20)		
127-91-3	beta Pinene	20)		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Olive* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 9 Print Date: 2023-04-21

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

163 F (72.78 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.1471

 %VOC:
 16.89

 Specific Gravity @ 25 C:
 0.9480

 Density (g/mL) @ 25 C:
 0.9450

 Refractive Index @ 20 C:
 1.4820

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactionsNone known **10.4 Conditions to avoid**None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



Crafter's Choice™ Olive* -EO & FO Blend Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 7 of 9

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3193.8242) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3411.5085) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 71.7257) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye damage

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity

Not classified - the classification criteria are not met

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Crafter's Choice™ Olive* -

EO & FO Blend

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 9

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

Product:

2050-08-0 : (5 - 10 %) : Amyl salicylate

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) 9 Ш UN3082 **Environmentally Hazardous** Substance, Liquid, n.o.s. IATA (Air Cargo) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082

15. Regulatory Information

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

93-15-2 202-223-0 <= 13 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H301: Toxic if swallowed

H302: Harmful if swallowed H316: Causes mild skin irritation H317: May cause an allergic skin reaction H319: Causes serious eye irritation

H320 : Causes eye irritation H331: Toxic if inhaled

H336: May cause drowsiness or dizziness H361 : Suspected of damaging fertility or the unborn

H400: Very Toxic to aquatic life H401: Toxic to aquatic life

H402: Harmful to aquatic life H410: Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk



Crafter's Choice[™] Olive* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com _

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 9 of 9 Print Date: 2023-04-21

(48.10) Aquatic Chronic Toxicity, Category 3
(6.78) Eye Damage/Eye Irritation, Category 2A
(5.27) Reproductive Toxicity, Category 2
(4.76) Aquatic Chronic Toxicity, Category 2
(1.57) Acute Toxicity Oral, Category 5
(1.56) Sensitization, Skin, Category 1A
(1.42) Reproductive Toxicity, Category 1B
(1.25) Aquatic Chronic Toxicity, Category 4

(1.02) Aspiration Hazard, Category 1

Department issuing data sheet:

(69.71) Acute Toxicity Inhalation, Category 5
(10.57) Sensitization, Skin, Category 1B
(5.97) Skin Corrosion/Irritation, Category 3
(5.04) Skin Corrosion/Irritation, Category 2
(4.25) Reproductive Toxicity, Category 1B
(1.56) Sensitization, Skin, Category 1
(1.47) Acute Toxicity Dermal, Category 5
(1.30) Eye Damage/Eye Irritation, Category 2B

(1.16) Eye Damage/Eye Irritation, Category 1

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.