

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 1 of 8 Print Date: 2023-04-21

Crafter's Choice<sup>™</sup> Orange Product: Fragrance Oil - FF# 3

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Identification of the substance/mixture and of the company/undertaking

## Product identifier

Crafter's Choice™ Orange Fragrance Oil - FF# 3 Trade Name:

## 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

# 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

# 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

## Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

## Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects

## Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

## Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

## 2.2 Label elements

Labelling (GHS)



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8

Print Date: 2023-04-21

Crafter's Choice™ Orange Product: Fragrance Oil - FF# 3

# www.WholesaleSuppliesPlus.com **Hazard pictograms**

7820 E Pleasant Valley Road Independence, OH 44131



(800) 359-0944





# Signal Word: Danger

## **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

# **Precautionary Statements**

## Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

## Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

# 2.3 Other Hazards

## no data available



Fragrance Oil - FF# 3

Crafter's Choice™ Orange

D : 1D : 0000 00 00

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Composition/Information on Ingredients

Product:

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>5989-27-5</b> <i>Limonene</i>	227-813-5	30 - 40 %	H226; H304; H315; H317; H400; H412
<b>120-51-4</b> Benzyl Be	204-402-9 enzoate	10 - 20 %	H302; H313; H400; H411
<b>112-31-2</b> <i>Decanal</i>	203-957-4	2 - 5 %	H227; H316; H319; H401; H412
<b>124-13-0</b> Octanal	204-683-8	2 - 5 %	H226; H315; H319; H401; H412
<b>5392-40-5</b> <i>Citral</i>	226-394-6	1 - 2 %	H313; H315; H317; H319; H401
<b>5435-64-3</b> 3,5,5-Trim	226-603-0 nethylhexanal	0.1 - 1.0 %	H226; H303; H313; H315; H317; H319; H402
<b>112-45-8</b> Undecylei	203-973-1 nal	0.1 - 1.0 %	H316; H317; H332; H401; H412
<b>80-56-8</b> pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
<b>78-70-6</b> <i>Linalool</i>	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 32.95

# 4. First Aid Measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Orange Fragrance Oil - FF# 3

Page 4 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

## 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

# 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

# 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

## 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

## 7.3 Specific end uses

No information available

# 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

**Exposure Limits:** 

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

20

**80-56-8** *pinene* 



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Orange Fragrance Oil - FF# 3

Page 5 of 8 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G5) to Yellow/Golden Yellow (G9)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

144 F (62.22 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.3363

 %VOC:
 36.30

 Specific Gravity @ 25 C:
 0.9210

 Density (g/mL) @ 25 C:
 0.9180

 Refractive Index @ 20 C:
 1.4740

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

**10.3 Possibility of hazardous reactions**None known **10.4 Conditions to avoid**None known

**10.5 Incompatible materials** Strong oxidizing agents, strong acids, and alkalis

**10.6 Hazardous decomposition products**None known



Fragrance Oil - FF# 3

Product: Crafter's Choice™ Orange

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-04-21

# 11. Toxicological Information

# 11.1 Toxicological Effects

www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3374.2533) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 1301.9434) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

# 12. Ecological Information

# 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Harmful to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

# 13. Disposal Conditions

# 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 8 Print Date: 2023-04-21

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice™ Orange Product: Fragrance Oil - FF# 3 7820 E Pleasant Valley Road

#### 14. Transport Information

**Marine Pollutant** Yes. Ingredient of greatest environmental impact :

5989-27-5 : (30 - 40 %) : Limonene

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) 9 Ш UN3082 **Environmentally Hazardous** Substance, Liquid, n.o.s. IATA (Air Cargo) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082 Substance, Liquid, n.o.s.

#### 15. Regulatory Information

**U.S. Federal Regulations** 

**TSCA (Toxic Substance Control Act)** All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 100.00% of the components are listed or exempt.

#### 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226: Flammable liquid and vapour H302: Harmful if swallowed H316: Causes mild skin irritation H313: May be harmful in contact with skin H332: Harmful if inhaled H317: May cause an allergic skin reaction H401: Toxic to aquatic life H402: Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects H411: Toxic to aquatic life with long lasting effects

### **Total Fractional Values**

(TFV) Risk	(TFV) Risk
(32.06) Sensitization, Skin, Category 1B	(21.34) Aquatic Acute Toxicity, Category 2
(15.00) Sensitization, Skin, Category 1	(15.00) Sensitization, Skin, Category 1A
(11.11) Aquatic Chronic Toxicity, Category 3	(4.32) Skin Corrosion/Irritation, Category 3
(3.84) Acute Toxicity Inhalation, Category 5	(3.80) Skin Corrosion/Irritation, Category 2
(3.30) Aspiration Hazard, Category 1	(2.41) Aquatic Chronic Toxicity, Category 4



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice<sup>™</sup> Orange Fragrance Oil - FF# 3

(2.10) Aquatic Acute Toxicity, Category 1(1.02) Eye Damage/Eye Irritation, Category 2A

(1.48) Acute Toxicity Oral, Category 5

# Department issuing data sheet:

# **Department E-mail address:**

### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.