Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 1 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title 29)		
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation

Eye Damage/Eye Irritation, Category 2AH319 : Causes serious eye irritationReproductive Toxicity, Category 1BH360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Hazard pictograms





Product:

Signal Word: Danger Hazard statements

ard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 2 of 9 Print Date: 2023-04-21

Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Safety Data Sheet

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 3 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl Benzoate			
140-11-4	205-399-7	10 - 20 %	H303; H401; H412
Benzyl ace	etate		
24851-98-7	246-495-9	10 - 20 %	H402
Methyldihy	/drojasmonate		
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402
Linalool			
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412
Benzyl Sa	licylate		
63500-71-0	405-040-6	5 - 10 %	H319
Isobutyl M	ethyl Tetrahydro	pyranol	
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
104-61-0	203-219-1	2 - 5 %	H316
gamma-Ne	onalactone		
91-64-5	202-086-7	2 - 5 %	H301; H317; H402
Coumarin			
127-51-5	204-846-3	2 - 5 %	H316; H317; H320; H401; H411
a-Isometh	yl ionone		
105-95-3	203-347-8	2 - 5 %	H401
Ethylene k	-		
8007-35-0	232-357-5	2 - 5 %	H316; H401; H411
Terpineol			
120-57-0	204-409-7	2 - 5 %	H303; H317; H401
Heliotropir	ne		
706-14-9	211-892-8	1 - 2 %	H316
•	ecalactone		
104-67-6	203-225-4	1 - 2 %	H316; H402; H412
-	ndecalactone		
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H360; H401;
	yl Methylpropion		H412
98-55-5	202-680-6	1 - 2 %	H227; H303; H315; H319; H401
Terpineol			
123-11-5	204-602-6	1 - 2 %	H303; H402; H412
Anisaldehyde			

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 4 of 9 Print Date: 2023-04-21

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
128-37-0 BHT	204-881-4	1 - 2 %	H316; H400; H410	
106-25-2 Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401	
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410	
Acetyl ceo	drene			
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410	
Cedrol me	ethyl ether			
93-16-3	202-224-6	0.1 - 1.0 %	H303; H317; H402	
Methyl iso	peugenol (Isoeu	genyl methyl eth	er)	
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	
Eugenol				
See Section 1	6 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 5.79

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effects, both acute and delayed	
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical attention and special treatment needed	
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam

Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

Unsuitable

During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 5 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li	mits:	
Component		ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4	Benzyl acetate	10
128-37-0	BHT	2

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.
as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.Skin protection:Avoid Skin contact. Use chemically resistant gloves as needed.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 6 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Liquid
Conforms to Standard
Pale Yellow to Yellow (G3-7)
Liquid
Not determined
Not determined
Not determined
180 F (82.22 C)
Not determined
None Expected
None Expected
0.0850
17.95
1.0070
1.0040
1.4970
Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2352.6988) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 2767.7888) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 40.0679) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 7 of 9 Print Date: 2023-04-21

Skin sensitization	May cause an allergic skin reaction	
Germ cell mutagenicity	Not classified - the classification criteria are not met	
Carcinogenicity	Not classified - the classification criteria are not met	
Reproductive toxicity	May damage fertility or the unborn child	
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met	
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met	
Aspiration hazard	Not classified - the classification criteria are not met	

Ecological Information			
Toxicity			
Acute acquatic toxicity	Not classified - the classification criteria are not met		
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects		
Foxicity Data on soil	no data available		
Foxicity on other organisms	no data available		
2.2 Persistence and degradability	no data available		
2.3 Bioaccumulative potential	no data available		
2.4 Mobility in soil	no data available		
2.5 Other adverse effects	no data available		

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (10 - 20 %) : Benzyl Benzoate					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods		
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082	
IMDG (Sea)						

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Crafter's Choice[™] Orange Sugar & Product: Shea Fragrance Oil

7820 E Pleasant Valley R	oad			Shea Fragrance Oil	Page 8 of 9
Independence, OH 44131					Print Date: 2023-04-21
(800) 359-0944 www.WholesaleSupplies	Plus.com				
Environmentally H			9	III	UN3082
Substance, Liqu					
15. Regula	atory Infor	mation			
U.S. Federal Regul	-				
TSCA (Toxic Substance Control Act)			All components of the substance/mixtu	are listed or exempt	
40 CFR(EPCRA	, SARA, CEI	RCLA and CAA)	This product contains NO components	of concern.
U.S. State Regulat	ions				
California Prop	osition 65 W	arning		This product contains the following con	mponents:
123-35-3(NF	204-622-5	0.1 - 1.0 %	b	eta-Myrcene (Natural Source)	
93-15-2	202-223-0	<= 4 ppm	N	ethyl Eugenol (Natural Source)	
Canadian Regulati	ons				
DSL				100.00% of the components are listed components are NOT on the List:	or exempt. The following
815580-59-7	453-570-1	<= 7 ppm	3	Cyclohexene-1-carboxylic acid, 2,6,6-ti	imethyl-, methyl ester

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

ono motatementa referred to under section 5 and not list	
H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(124.79) Acute Toxicity Inhalation, Category 5	(16.50) Reproductive Toxicity, Category 1B
(16.38) Aquatic Chronic Toxicity, Category 3	(7.75) Sensitization, Skin, Category 1B
(5.50) Reproductive Toxicity, Category 1B	(3.34) Skin Corrosion/Irritation, Category 3
(2.13) Acute Toxicity Oral, Category 5	(2.07) Aquatic Chronic Toxicity, Category 4
(1.85) Eye Damage/Eye Irritation, Category 2A	(1.82) Skin Corrosion/Irritation, Category 2
(1.81) Acute Toxicity Dermal, Category 5	(1.52) Aquatic Chronic Toxicity, Category 2

(1.01) Eye Damage/Eye Irritation, Category 2B

Department issuing data sheet: **Department E-mail address:**



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Orange Sugar & Shea Fragrance Oil

Page 9 of 9 Print Date: 2023-04-21

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.