Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pear Fragrance

Oil - FF# 27

Page 1 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Pear Fragrance Oil - FF# 27

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

| Flammable Liquids, Cate | egory 4 | H227 : Combustible liquid |
|--|-----------------|--|
| Acute Toxicity Oral, Cate | egory 5 | H303 : May be harmful if swallowed |
| Acute Toxicity Dermal, C | Category 5 | H313 : May be harmful in contact with skin |
| Skin Corrosion/Irritation, | , Category 2 | H315 : Causes skin irritation |
| Sensitization, Skin, Cate | egory 1A | H317 : May cause an allergic skin reaction |
| Eye Damage/Eye Irritati | on, Category 2A | H319 : Causes serious eye irritation |
| Acute Toxicity Inhalatior | n, Category 5 | H333 : May be harmful if inhaled |
| Aquatic Chronic Toxicity | v, Category 2 | H411 : Toxic to aquatic life with long lasting effects |
| Classification OSHA (Provisions 1910.1200 of title 29) | | |

| Flammable Liquids, Category 4 | H227 : Combustible liquid |
|--|--|
| Skin Corrosion/Irritation, Category 2 | H315 : Causes skin irritation |
| Sensitization, Skin, Category 1A | H317 : May cause an allergic skin reaction |
| Eye Damage/Eye Irritation, Category 2A | H319 : Causes serious eye irritation |

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pear Fragrance

Oil - FF# 27

Page 2 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements

| H227 | Combustible liquid |
|------|---|
| H303 | May be harmful if swallowed |
| H313 | May be harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H333 | May be harmful if inhaled |
| H411 | Toxic to aquatic life with long lasting effects |
| | |

Precautionary Statements

Prevention:

| P235 | Keep cool |
|------|---|
| P264 | Wash hands thoroughly after handling |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment |

Response:

| P302 + P352 | IF ON SKIN: Wash with soap and water |
|--------------------|--|
| P304 + P312 | IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing |
| P312 | Call a POISON CENTER or doctor/physician if you feel unwell |
| P333 + P313 | If skin irritation or a rash occurs: Get medical advice/attention |
| P337 + P313 | If eye irritation persists: Get medical advice/attention |
| P362 | Take off contaminated clothing and wash before reuse |
| P363 | Wash contaminated clothing before reuse |
| P370 + P378 | In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material |
| P391 | Collect Spillage |
| | |

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

| CAS# | EC# | Conc. | GHS Classification |
|------------|-----|-------|--------------------|
| Ingredient | | Range | GH5 Classification |

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pear Fragrance

Oil - FF# 27

Page 3 of 8 Print Date: 2023-04-24

| CAS# Ingredient | EC# | Conc. Range | GHS Classification |
|--------------------|--------------------|--------------------|-------------------------------------|
| 142-92-7 | 205-572-7 | 20 - 30 % | H226; H316; H401; H411 |
| Hexyl ace | | | -,, -, |
| 105-87-3 | 203-341-5 | 5 - 10 % | H315; H317; H401; H412 |
| Geranyl A | Acetate | | |
| 88-41-5 | 201-828-7 | 5 - 10 % | H227; H303; H316; H401; H411 |
| 2-t-Butylc | yclohexyl aceta | te | |
| 101-86-0 | 202-983-3 | 5 - 10 % | H303; H316; H317; H400; H411 |
| Hexyl cin | namal | | |
| 107-75-5 | 203-518-7 | 2 - 5 % | H317; H319; H402 |
| Hydroxyc | itronellal | | |
| 141-12-8 | 205-459-2 | 2 - 5 % | H317; H401 |
| Neryl ace | tate | | |
| 120-51-4 | 204-402-9 | 1 - 2 % | H302; H313; H400; H411 |
| Benzyl Be | enzoate | | |
| 105-53-3 | 203-305-9 | 1 - 2 % | H227; H319; H402 |
| Diethyl m | alonate | | |
| 103-45-7 | 203-113-5 | 1 - 2 % | H303; H318; H402 |
| Phenethy | l acetate | | |
| 8007-35-0 | 232-357-5 | 1 - 2 % | H316; H401; H411 |
| Terpineol | acetate | | |
| 5989-27-5 | 227-813-5 | 1 - 2 % | H226; H304; H315; H317; H400; H412 |
| Limonene | 9 | | |
| 104-67-6 | 203-225-4 | 1 - 2 % | H316; H402; H412 |
| gamma-L | Indecalactone | | |
| 93-92-5 | 202-288-5 | 1 - 2 % | H227; H402 |
| methylbel | nzyl acetate | | |
| 150-84-5 | 205-775-0 | 1 - 2 % | H315; H401; H411 |
| Citronelly | l Acetate | | |
| 68737-61-1 | 272-113-5 | 0.1 - 1.0 % | H227; H303; H313; H315; H317; H401; |
| Dimethylt | etrahydro Benza | aldehyde | H411 |
| 52475-86-2 | 257-942-2 | 0.1 - 1.0 % | H315; H317; H318; H400; H410 |
| 1-Methyl- | 4-(4-methyl-3-pe | entenyl)cyclohex | -3-ene-1-carbaldehyde |
| 115-95-7 | 204-116-4 | 0.1 - 1.0 % | H227; H315; H317; H320; H402 |
| Linalyl Ac | etate | | |
| 1335-66-6 | 215-638-7 | 0.1 - 1.0 % | H227; H303; H317; H319; H401; H412 |
| lsoCyclo(| Citral | | |
| See Section 1 | 6 for full text of | GHS classification | on codes |

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 1.49



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pear Fragrance Oil - FF# 27

OII - FF# 27

Page 4 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

| 4. First Aid Measures | |
|--|---|
| 4.1 Description of first aid measures | |
| Inhalation: | Remove from exposure site to fresh air and keep at rest. Obtain medical advice. |
| Eye Exposure: | Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. |
| Skin Exposure: | Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. |
| Ingestion: Rinse mouth with water and obtain medical advice. | |
| 4.2 Most important symptoms and effe | ects, both acute and delayed |
| Symptoms: | no data available |
| Risks: Refer to Section 2.2 "Hazard Statements" | |
| 4.3 Indication of any immediate medic | cal attention and special treatment needed |
| Treatment: | Refer to Section 2.2 "Response" |
| 5. Fire-Fighting measures | |
| 5.1 Extinguishing media | |
| Suitable: | Carbon dioxide (CO2), Dry chemical, Foam |
| Unsuitable | Do not use a direct water jet on burning material |
| 5.2 Special hazards arising from the s | ubstance or mixture |
| During fire fighting: 5.3 Advice for firefighters | Water may be ineffective |
| Further information: | Standard procedure for chemical fires |
| | |

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Crafter'sChoice[®]

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8

Print Date: 2023-04-24

Product: Crafter's Choice[™] Pear Fragrance

Oil - FF# 27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

| Exposure Limits: | Contains no substances with occupational exposure limit values. | |
|---|---|--|
| Engineering Controls: | Use local exhaust as needed. | |
| 8.2 Exposure controls - Personal protective equipment | | |
| Eye protection: | Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure | |
| Respiratory protection: | Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. | |
| Skin protection: | Avoid Skin contact. Use chemically resistant gloves as needed. | |

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance: | Liquid |
|-----------------------------|--------------------------------|
| Odor: | Conforms to Standard |
| Color: | Yeelow/ Greenish Yelow (G1/G3) |
| Viscosity: | Liquid |
| Freezing Point: | Not determined |
| Boiling Point: | Not determined |
| Melting Point: | Not determined |
| Flashpoint (CCCFP): | 156 F (68.89 C) |
| Auto flammability: | Not determined |
| Explosive Properties: | None Expected |
| Oxidizing properties: | None Expected |
| Vapor Pressure (mmHg@20 C): | 0.4213 |
| %VOC: | 36.51 |
| Specific Gravity @ 25 C: | 0.9190 |
| Density (g/mL) @ 25 C: | 0.9160 |
| Refractive Index @ 20 C: | 1.4470 |
| Soluble in: | Oil |

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pear Fragrance Oil - FF# 27

Page 6 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10. Stability and Reactivity

| 10.1 Reactivity | None |
|---|--|
| 10.2 Chemical stability | Stable |
| 10.3 Possibility of hazardous reactions | None known |
| 10.4 Conditions to avoid | None known |
| 10.5 Incompatible materials | Strong oxidizing agents, strong acids, and alkalis |
| 10.6 Hazardous decomposition products | None known |

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

| Acute toxicity - Oral - (Rat) mg/kg | (LD50: 4807.8155) May be harmful if swallowed |
|--|--|
| Acute toxicity - Dermal - (Rabbit) mg/kg | (LD50: 4399.1116) May be harmful in contact with skin |
| Acute toxicity - Inhalation - (Rat) mg/L/4hr | (LD50: 35.6281) May be harmful if inhaled |
| Skin corrosion / irritation | Causes skin irritation |
| Serious eye damage / irritation | Causes serious eye irritation |
| Respiratory sensitization | Not classified - the classification criteria are not met |
| Skin sensitization | May cause an allergic skin reaction |
| Germ cell mutagenicity | Not classified - the classification criteria are not met |
| Carcinogenicity | Not classified - the classification criteria are not met |
| Reproductive toxicity | Not classified - the classification criteria are not met |
| Specific target organ toxicity - single exposure | Not classified - the classification criteria are not met |
| Specific target organ toxicity - repeated exposure | Not classified - the classification criteria are not met |
| Aspiration hazard | Not classified - the classification criteria are not met |

12. Ecological Information

| Not classified - the classification criteria are not met |
|--|
| Toxic to aquatic life with long lasting effects |
| no data available |
| |



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pear Fragrance Oil - FF# 27

Page 7 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

| Marine Pollutant | Yes. Ingredient of greatest environmental impact : 142-92-7 : (20 - 30 %) : Hexyl acetate | | | | |
|--|--|---------------|---|-------------------------------|--------|
| Regulator | | Class | Pack Group | Sub Risk | UN-nr. |
| U.S. DOT (Non-Bulk) | | Not Regulated | - Not Dangerous | Goods | |
| Chemicals NOI | | | | | |
| ADR/RID (International Roa | d/Rail) | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | 111 | | UN3082 |
| IATA (Air Cargo) | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | III | | UN3082 |
| IMDG (Sea) | | | | | |
| Environmentally Hazardous Substance, Liquid, n.o.s. | | 9 | 111 | | UN3082 |
| 15. Regulatory Inf | ormation | | | | |
| U.S. Federal Regulations | | | | | |
| TSCA (Toxic Substance | Control Act) | All compor | ents of the subs | tance/mixture are listed or e | exempt |
| 40 CFR(EPCRA, SARA, 0 U.S. State Regulations | CERCLA and CAA) |) This produ | ct contains NO c | omponents of concern. | |
| California Proposition 6 123-35-3(NF 204-622 | • | • | ct contains the fore (Natural Source | bllowing components: | |
| Canadian Regulations | | | | | |
| DSL | | 100.00% o | f the component | s are listed or exempt. | |

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

| H226 : Flammable liquid and vapour | H302 : Harmful if swallowed |
|---|------------------------------------|
| H304 : May be fatal if swallowed and enters airways | H316 : Causes mild skin irritation |
| H317 : May cause an allergic skin reaction | H318 : Causes serious eye damage |
| H320 : Causes eye irritation | H400 : Very Toxic to aquatic life |
| H401 : Toxic to aquatic life | H402 : Harmful to aquatic life |
| | |

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-04-24

Product: Crafter's Choice[™] Pear Fragrance

Oil - FF# 27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

H410 : Very toxic to aquatic life with long lasting effects

| Total Fractional Values |
|--|
| (TFV) Risk |
| (140.34) Acute Toxicity Inhalation, Category 5 |
| (82.20) Sensitization, Skin, Category 1A |
| (7.06) Sensitization, Skin, Category 1B |
| (2.80) Eye Damage/Eye Irritation, Category 2A |
| (2.31) Aquatic Chronic Toxicity, Category 2 |
| (1.14) Acute Toxicity Dermal, Category 5 |
| |

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk
(82.20) Sensitization, Skin, Category 1
(23.57) Aquatic Chronic Toxicity, Category 3
(5.76) Skin Corrosion/Irritation, Category 3
(2.44) Aquatic Chronic Toxicity, Category 4
(1.27) Skin Corrosion/Irritation, Category 2
(1.04) Acute Toxicity Oral, Category 5