

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 1 of 8

Print Date: 2023-04-24

Product: Crafter's Choice™ Pear Glace* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Pear Glace* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other


Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Revised Date: 2023-02-06 00:00

Product: Crafter's Choice™ Pear Glace* EO & FO Blend

Page 2 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Warning

Hazard statements

11007

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Conc.

Ingredient EC# Range GHS Classification





Product: Crafter's Choice™ Pear Glace* -EO & FO Blend

Page 3 of 8 Print Date: 2023-04-24

Revised Date: 2023-02-06 00:00

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
107-75-5	203-518-7	5 - 10 %	H317; H319; H402
Hydroxyd	itronellal		
60-12-8	200-456-2	5 - 10 %	H302; H313; H316; H319
phenethy	l alcohol		
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412
Benzyl S	alicylate		
24851-98-7	246-495-9	2 - 5 %	H402
Methyldih	nydrojasmonate		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene	9		
104-67-6	203-225-4	2 - 5 %	H316; H402; H412
gamma-l	Indecalactone		
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ad			
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ad			
6259-76-3	228-408-6	1 - 2 %	H316; H317; H400; H410
Hexyl sal			
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
	hyl ionone		
93-92-5	202-288-5	1 - 2 %	H227; H402
	nzyl acetate		
66068-84-6	266-100-3	1 - 2 %	H316; H400; H411
		nol (mixed isome	
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl A			
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool		011 110 70	,,,
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411
	ohexylpropionate		11002, 11012, 11017, 11100, 11111
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
	tetrahydro Benza		H411
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401
Neryl ace		3 1.0 /0	
79-78-7	201-225-9	0.1 - 1.0 %	H317; H401; H411
Allyl a-ior		3.1 1.0 /0	
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol	200 011 1	0.1 1.0 /0	1.000, 11010, 11010, 11702
Colanio			



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice™ Pear Glace* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 8 Print Date: 2023-04-24

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
5392-40-5 <i>Citral</i>	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401		
106-25-2 Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401		
See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.64

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice™ Pear Glace* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 8 Print Date: 2023-04-24

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

140-11-4 Benzyl acetate 10

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Colorless to Greenish Yellow (G3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

191 F (88.33 C)



EO & FO Blend

Crafter's Choice™ Pear Glace* -

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 6 of 8

Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected

Product:

 Vapor Pressure (mmHg@20 C):
 0.3025

 %VOC:
 6.39

 Specific Gravity @ 25 C:
 0.9490

 Density (g/mL) @ 25 C:
 0.9460

 Refractive Index @ 20 C:
 1.4730

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4154.1208) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3885.1712) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 77.3035) May be harmful if inhaled

Skin corrosion / irritationCauses mild skin irritationSerious eye damage / irritationCauses serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 7 of 8

Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Pear Glace* -EO & FO Blend

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

6259-76-3: (1 - 2%): Hexyl salicylate

Regulator	Class	Pack Group	Sub Risk	UN-nr.				
U.S. DOT (Non-Bulk)	Not Regulated	d - Not Dangerou	s Goods					
Chemicals NOI								
ADR/RID (International Road/Rail)								
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082				
IATA (Air Cargo)								
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082				
IMDG (Sea)								
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082				

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 8 of 8

Print Date: 2023-04-24

Product: Crafter's Choice™ Pear Glace* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

123-35-3(NF 204-622-5 <= 36 ppm

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H312 : Harmful in contact with skin

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H320 : Causes eye irritation H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(64.68) Acute Toxicity Inhalation, Category 5 (13.72) Aquatic Chronic Toxicity, Category 3

(13.00) Sensitization, Skin, Category 1 (13.00) Sensitization, Skin, Category 1A

(8.50) Sensitization, Skin, Category 1B (3.28) Skin Corrosion/Irritation, Category 3

(2.12) Eye Damage/Eye Irritation, Category 2A (1.32) Aquatic Chronic Toxicity, Category 2

(1.29) Acute Toxicity Dermal, Category 5 (1.20) Acute Toxicity Oral, Category 5

Department issuing data sheet:

(1.13) Aquatic Chronic Toxicity, Category 4

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.