

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pink* -EO & FO Blend

Page 1 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Pink* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

Eye Damage/Eye Irritation, Category 2A

Reproductive Toxicity, Category 1B

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

- H319 : Causes serious eye irritation
 - H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Labelling (GHS)

Hazard pictograms





Signal Word: Danger

Hazard statements H227 Combustible liquid H303 May be harmful if swallowed H313 May be harmful in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H333 May be harmful if inhaled H360 May damage fertility or the unborn child H400 Very Toxic to aquatic life Toxic to aquatic life with long lasting effects H411

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

Safety Data Sheet

Product: Crafter's Choice[™] Pink* -EO & FO Blend SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-04-24



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pink* -EO & FO Blend

Page 3 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl Bei	nzoate		
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
80-54-6	201-289-8	10 - 20 %	H227; H302; H315; H317; H360; H401;
Butylpheny	/I Methylpropiona	al	H412
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412
Benzyl Sal	licylate		
24851-98-7	246-495-9	5 - 10 %	H402
Methyldihy	rdrojasmonate		
1222-05-5	214-946-9	5 - 10 %	H316; H400; H410
Hexameth	ylindanopyran		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
10339-55-6	233-732-6	5 - 10 %	H227; H303; H316; H317; H319; H402
Ethyl Linal	ool		
1205-17-0	214-881-6	2 - 5 %	H303; H317; H361; H401; H411
a-Methyl-1	,3-benzodioxole	-5-propionaldehy	/de
31906-04-4	250-863-4	2 - 5 %	H317; H402
Hydroxyiso	ohexyl 3-cyclohe	xene carboxalde	hyde
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronellol			
4180-23-8	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401
Anethole			
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl Ad			
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
-	• •	e carboxaldehyde	
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
-	trahydro Benzald	-	H411
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pink* -EO & FO Blend

Page 4 of 8 Print Date: 2023-04-24

(800) 35			Print Date: 2023-04-24		
CAS#	ient	Conc. Range	GHS Classification		
141-12	-8 205-459-2	0.1 - 1.0 %	H317; H401		
	ryl acetate				
See Se	ection 16 for full text of	GHS classificatio	n codes		
	See Section 16 for fu	Il text of GHS clas	ssification codes which where not shown in section 2		
	Total Hydrocarbon C	ontent (% w/w) =	5.87		
4.	First Aid Meas				
4.1 D	escription of first aid	Imeasures			
Inh	alation:		Remove from exposure site to fresh air and keep at rest. Obtain medical advice.		
Eye	Exposure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
Ski	n Exposure:		Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.		
Ing	estion:		Rinse mouth with water and obtain medical advice.		
4.2 N	lost important sympt	oms and effects	, both acute and delayed		
Syr	nptoms:		no data available		
Ris	ks:		Refer to Section 2.2 "Hazard Statements"		
4.3 lı	ndication of any imme	ediate medical a	ttention and special treatment needed		
Tre	atment:		Refer to Section 2.2 "Response"		
5.	Fire-Fighting	measures			
-	xtinguishing media	incucui co			
Sui	table:		Carbon dioxide (CO2), Dry chemical, Foam		
Uns	suitable		Do not use a direct water jet on burning material		
•	pecial hazards arisin	g from the subs			
Dur	ing fire fighting:		Water may be ineffective		
	dvice for firefighters				
Fur	ther information:		Standard procedure for chemical fires		
6.	Accidental Re	lease Measur	es		

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pink* -EO & FO Blend

Page 5 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

- **Exposure Limits:** Contains no substances with occupational exposure limit values.
- Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless G0 to Pale Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	181 F (82.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-04-24

Product: Crafter's Choice[™] Pink* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Vapor Pressure (mmHg@20 C):	0.0646
%VOC:	6.17
Specific Gravity @ 25 C:	1.0000
Density (g/mL) @ 25 C:	0.9970
Refractive Index @ 20 C:	1.5210
Soluble in:	Oil

0.0646 6.17 1.0000

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2345.1690) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4442.1473) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 35.2587) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Chronic acquatic toxicity Toxicity Data on soil Very Toxic to aquatic life Toxic to aquatic life with long lasting effects no data available

7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pink* -EO & FO Blend

Page 7 of 8 Print Date: 2023-04-24

(800) 359-0944 www.WholesaleSuppliesPlus.com		
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods		
Chemicals NOI						
ADR/RID (International Roa	d/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082	
IMDG (Sea)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082	
15. Regulatory Inf	ormation					
U.S. Federal Regulations						
TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt					d or exempt	
40 CFR(EPCRA, SARA, G	CERCLA and CAA)	This produc	ct contains the fo	ollowing components:		
1222-05-5 214-946-9 5 - 10 %		Hexamethylin	Hexamethylindanopyran			
U.S. State Regulations						
California Proposition 6	5 Warning	This produc	ct contains the fo	ollowing components:		
123-35-3(NF 204-622	2-5 0.01 - 0.1%	beta-Myrcene	(Natural Source	e)		
Canadian Regulations						
DSL			the components	are listed or exempt.T	he following	
		component	s are NOT on th	e List:	0	

Safety Data Sheet

Product: Crafter's Choice[™] Pink* -EO & FO Blend SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8 Print Date: 2023-04-24

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

94201-73-7 303-662-1 <= 0 ppm

Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

- H304 : May be fatal if swallowed and enters airways
- H317 : May cause an allergic skin reaction
- H320 : Causes eye irritation
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(141.81) Acute Toxicity Inhalation, Category 5
(46.67) Reproductive Toxicity, Category 1B
(30.00) Reproductive Toxicity, Category 2
(17.20) Sensitization, Skin, Category 1B
(4.37) Aquatic Chronic Toxicity, Category 2
(3.24) Aquatic Chronic Toxicity, Category 4
(2.20) Aquatic Acute Toxicity, Category 1
(1.34) Eye Damage/Eye Irritation, Category 2A
(1.00) Reproductive Toxicity, Category 2

- H302 : Harmful if swallowed
 H316 : Causes mild skin irritation
 H318 : Causes serious eye damage
 H361 : Suspected of damaging fertility or the unborn child
 H402 : Harmful to aquatic life
 H412 : Harmful to aquatic life with long lasting effects
 (TFV) Risk
 (140.00) Dependenting Taxisity Octobergy 4D
- (140.00) Reproductive Toxicity, Category 1B
 (44.84) Aquatic Chronic Toxicity, Category 3
 (20.00) Sensitization, Skin, Category 1A
 (5.22) Skin Corrosion/Irritation, Category 3
 (3.50) Sensitization, Skin, Category 1
 (2.35) Skin Corrosion/Irritation, Category 2
 (2.13) Acute Toxicity Oral, Category 5
 (1.13) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.