# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>™</sup> Plum Rain\* Product: Fragrance Oil

Page 1 of 7 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier 1.1

Crafter's Choice<sup>™</sup> Plum Rain\* Fragrance Oil Trade Name:

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. **Hazards Identification**

#### Classification of the substance or mixture 2.1

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects
lassification OSHA (Provisions 1910.1200 of t	title 29)

# Cla

Flammable Liquids, Category 4	H227 : Combustible liquid
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms



#### 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Safety Data Sheet

Product: Crafter's Choice<sup>™</sup> Plum Rain\* Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 7 Print Date: 2023-04-25

Signal Word: Warning	
Hazard statements	
H227	Combustible liquid
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
Precautionary Statemen	its
Prevention:	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
2.3 Other Hazards	

# no data available

## 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
6413-10-1	229-114-0	2 - 5 %	H227; H316
Ethyl 2-me	thyl-1,3-dioxolan	e-2-acetate	
35044-57-6	252-333-8	1 - 2 %	H227; H317; H412
2,4-Cyclohexadiene-1-carboxylic Acid, 2,6,6-triemethyl-, ethyl ester			

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

# Safety Data Sheet

## Product: Crafter's Choice<sup>™</sup> Plum Rain\* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 7 Print Date: 2023-04-25

CAS# Ingredient	EC#	Conc. Range	GHS Classification
103-36-6	203-104-6	1 - 2 %	H303; H401
Ethyl cinr	namate		
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ac	cetate		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac	cetate		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	tetrahydro Benza	aldehyde	H411
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	Ferpinene		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411
alpha-dar	mascone		
Son Sontion 1	6 for full toxt of		n eedee

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 5.29

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effect	ts, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical	attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	

### 5.1 Extinguishing media

Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

### Product: Crafter's Choice<sup>™</sup> Plum Rain\* Fragrance Oil

Water may be ineffective

Page 4 of 7 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.2 Special hazards arising from the substance or mixture

#### During fire fighting:

#### 5.3 Advice for firefighters

**Further information:** 

Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

Exposure Li	mits:					
Component	t		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
140-11-4	Benzyl ac	etate	10	1		
80-56-8	pinene		20	1		
Engineering	Controls:	Use local exhaust as needed.				

### 8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.<br/>as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.Skin protection:Avoid Skin contact. Use chemically resistant gloves as needed.

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Plum Rain\* Fragrance Oil

Page 5 of 7 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Liquid
Conforms to Standard
Pale Yellow(G2)-Yellow(G4)
Liquid
Not determined
Not determined
Not determined
198 F (92.22 C)
Not determined
None Expected
None Expected
0.0625
7.50
0.9310
0.9280
1.4500
Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 436.4233) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Plum Rain\* Fragrance Oil

Page 6 of 7 Print Date: 2023-04-25

(800) 359-0944 www.WholesaleSuppliesPlus.com	
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

# **12.** Ecological Information 12.1 Toxicity

•		
Acute acquatic toxicity		Toxic to aquatic life
Chronic acquatic tox	licity	Harmful to aquatic life with long lasting effects
Toxicity Data on soil		no data available
Toxicity on other org	janisms	no data available
12.2 Persistence and degradability		no data available
12.3 Bioaccumulative potential		no data available
12.4 Mobility in soil		no data available
12.5 Other adverse effects		no data available

## 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant No				
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated	d - Not Dangerou	s Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
IATA (Air Cargo)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
IMDG (Sea)	Not Regulated	d - Not Dangerou	s Goods	
Chemicals NOI				

7820 E Pleasant Valley Road

Independence, OH 44131 (800) 359-0944

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Plum Rain\* Fragrance Oil

Page 7 of 7 Print Date: 2023-04-25

www.WholesaleSuppliesPlus.com				
15. Regulatory Information				
U.S. Federal Regulations				
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt			
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	This product contains NO components of concern.			
California Proposition 65 Warning	This product contains the following components:			
123-35-3(NF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)			
Canadian Regulations				
DSL	100.00% of the components are listed or exempt.			

### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed		
H303 : May be harmful if swallowed	H304 : May be fatal if swallowed and enters airways		
H313 : May be harmful in contact with skin	H315 : Causes skin irritation		
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation		
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life		
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects		
H411 : Toxic to aquatic life with long lasting effects			
Total Fractional Values			
(TFV) Risk	(TFV) Risk		
(11.46) Acute Toxicity Inhalation, Category 5	(5.02) Sensitization, Skin, Category 1B		
(2.28) Aquatic Acute Toxicity, Category 2	(1.16) Reproductive Toxicity, Category 2		
(1.12) Skin Corrosion/Irritation, Category 3	(1.10) Aquatic Chronic Toxicity, Category 3		

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.