

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Pure Seduction* -Product:

EO & FO Blend

Page 1 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Crafter's Choice[™] Pure Seduction* - EO & FO Blend Trade Name:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. **Hazards Identification**

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Cla	ssification OSHA (Provisions 1910.1200 of title	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation

С

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2A

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms



EO & FO Blend

Crafter's Choice[™] Pure Seduction* -

Revised Date: 2023-02-07 00:00

Page 2 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

••	
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
ponse:	

Resp

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pure Seduction* -EO & FO Blend

Page 3 of 8 Print Date: 2023-04-25

www.WholesaleS	SuppliesPlus.com		
CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411
Benzyl B	enzoate		
1222-05-5	214-946-9	10 - 20 %	H316; H400; H410
Hexamet	hylindanopyran		
88-41-5	201-828-7	10 - 20 %	H227; H303; H316; H401; H411
2-t-Butylo	cyclohexyl aceta	te	
123-25-1	204-612-0	5 - 10 %	H227; H402
Diethyl sı	uccinate		
68912-13-0	272-805-7	5 - 10 %	H401; H411
Hexahyd	ro-methanoinde	nyl Propionate	
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402
Linalool			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cin			,, - ,,
103-95-7	203-161-7	2 - 5 %	H227; H303; H315; H317; H401; H412
	n Aldehyde		,,, - , - ,
77-83-8	201-061-8	2 - 5 %	H317; H401; H411
	thylphenylglycida		
7452-79-1	231-225-4	2 - 5 %	H226
	ethylbutyrate		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
24851-98-7	246-495-9	2 - 5 %	H402
	ydrojasmonate	2 0 /0	
10094-34-5	233-221-8	2 - 5 %	H401; H411
	Phenethyl Butyl		
928-96-1	213-192-8	1 - 2 %	H226; H319
3-Hexend		//	
105-54-4	203-306-4	1 - 2 %	H226; H319
Ethyl buty		//	
706-14-9	211-892-8	1 - 2 %	H316
	Decalactone	//	
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac		. 270	
105-95-3	203-347-8	1 - 2 %	H401
	brassylate	. 270	
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
<i>Ethyl 2,2-dimethylhydrocinnamal</i> 2705-87-5 220-292-5 0.1 - 1.0 % H302; H312; H317; H400; H411			
	220-292-3 phexylpropionate		1002, 1012, 1017, 11400, 11411
	••••	GHS classification	an codes
See Section		GID LIASSIILALL	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pure Seduction* -EO & FO Blend

Page 4 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Hydrocarbon Content (% w/w) = 3.47

4. First Aid Measures					
4.1 Description of first aid measures					
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.				
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.				
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.				
Ingestion:	Rinse mouth with water and obtain medical advice.				
4.2 Most important symptoms and effects,	both acute and delayed				
Symptoms:	no data available				
Risks:	Refer to Section 2.2 "Hazard Statements"				
4.3 Indication of any immediate medical att	ention and special treatment needed				
Treatment:	Refer to Section 2.2 "Response"				
5. Fire-Fighting measures					
5.1 Extinguishing media					
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam				
Unsuitable	Do not use a direct water jet on burning material				
5.2 Special hazards arising from the substance or mixture					
During fire fighting:	Water may be ineffective				
5.3 Advice for firefighters					
Further information:	Standard procedure for chemical fires				

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 8

Print Date: 2023-04-25

Product: Crafter's Choice[™] Pure Seduction* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values.				
Engineering Controls:	Use local exhaust as needed.				
8.2 Exposure controls - Personal protective equipment					
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure				
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.				
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.				

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid		
Odor:	Conforms to Standard		
Color:	Colorless to Pale Yellow (G3)		
Viscosity:	Liquid		
Freezing Point:	Not determined		
Boiling Point:	Not determined		
Melting Point:	Not determined		
Flashpoint (CCCFP):	146 F (63.33 C)		
Auto flammability:	Not determined		
Explosive Properties:	None Expected		
Oxidizing properties:	None Expected		
Vapor Pressure (mmHg@20 C):	1.2711		
%VOC:	11.98		
Specific Gravity @ 25 C:	0.9810		
Density (g/mL) @ 25 C:	0.9780		
Refractive Index @ 20 C:	1.4860		
Soluble in:	Oil		

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pure Seduction* -EO & FO Blend

Page 6 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3354.5906) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4666.6734) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 29.1787) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life			
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects			
Toxicity Data on soil	no data available			
Toxicity on other organisms	no data available			
12.2 Persistence and degradability	no data available			
12.3 Bioaccumulative potential	no data available			
12.4 Mobility in soil	no data available			
12.5 Other adverse effects	no data available			





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pure Seduction* -EO & FO Blend

Page 7 of 8 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (10 - 20 %) : Benzyl Benzoate					
Regulator	,	Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods		
Chemicals NOI						
ADR/RID (International Roa	d/Rail)					
Environmentally Hazardous		9	III		UN3082	
Substance, Liquid, n.o.s.						
IATA (Air Cargo)						
Environmentally Hazardous		9	III		UN3082	
Substance, Liquid, n.o.s.						
IMDG (Sea)						
Environmentally Hazardous		9	III		UN3082	
Substance, Liquid, n.o.s.						
15. Regulatory Int	formation					
U.S. Federal Regulations						
TSCA (Toxic Substance	TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt					
40 CFR(EPCRA, SARA, (40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:					
1222-05-5 214-946	1222-05-5 214-946-9 10 - 20 % Hexamethylindanopyran					
U.S. State Regulations						
California Proposition 6	5 Warning	This produc	ct contains the fo	llowing components:		

beta-Myrcene (Natural Source)

Canadian Regulations

DSL

100.00% of the components are listed or exempt.

16. Other Information

123-35-3(NF 204-622-5 0.01 - 0.1%

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H312 : Harmful in contact with skin
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H320 : Causes eye irritation	H401 : Toxic to aquatic life
H320 : Causes eye irritation	H401 : Toxic to aquatic life

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Pure Seduction* -EO & FO Blend

Page 8 of 8 Print Date: 2023-04-25

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

- (TFV) Risk
 (171.36) Acute Toxicity Inhalation, Category 5
 (7.10) Sensitization, Skin, Category 1B
 (4.72) Skin Corrosion/Irritation, Category 3
- (2.00) Sensitization, Skin, Category 1
- (1.68) Skin Corrosion/Irritation, Category 2
- (1.49) Acute Toxicity Oral, Category 5
- (1.07) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk
(68.31) Aquatic Chronic Toxicity, Category 3
(6.80) Aquatic Chronic Toxicity, Category 2
(2.75) Aquatic Chronic Toxicity, Category 4
(2.00) Sensitization, Skin, Category 1A
(1.51) Aquatic Acute Toxicity, Category 1
(1.12) Eye Damage/Eye Irritation, Category 2A