Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10

Page 1 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Rain Fragrance Oil - FF# 10

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid		
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin		
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation		
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child		
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Classification OSHA (Provisions 1910.1200 of title 29)			
Flammable Liquids, Category 4	H227 : Combustible liquid		
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		

- Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation
 - H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

Reproductive Toxicity, Category 1B

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Hazard pictograms





Safety Data Sheet

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10

Signal Word: Danger

Hazard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Safety Data Sheet

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10

CAS# Ingredient	EC#	Conc. Range	GHS Classification
24851-98-7	246-495-9	10 - 20 %	H402
Methyldihy	/drojasmonate		
78-70-6	201-134-4	10 - 20 %	H227; H303; H315; H317; H319; H402
Linalool			
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Be	nzoate		
105-95-3	203-347-8	5 - 10 %	H401
Ethylene b	orassylate		
80-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401;
Butylphen	yl Methylpropiona	al	H412
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
140-11-4	205-399-7	2 - 5 %	H303; H401; H412
Benzyl ace	etate		
106-24-1	203-377-1	1 - 2 %	H303; H315; H317; H318; H402
Geraniol			
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
a-Isomethy	yl ionone		
106-22-9	203-375-0	1 - 2 %	H303; H313; H315; H317; H319; H401
Citronellol			
31906-04-4		1 - 2 %	H317; H402
	ohexyl 3-cyclohe		-
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319
phenethyl			
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
	clohexyl acetate		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410
Acetyl ced			
151-05-3		1 - 2 %	H303; H402
	hyl-2-phenylethyl		
1205-17-0	214-881-6	1 - 2 %	H303; H317; H361; H401; H411
•	,3-benzodioxole		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ace			
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9 Print Date: 2023-04-25

CAS# Ingredient	EC#	Conc. Range	GHS Classification
6259-76-3	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410
Hexyl sali	icylate		
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene	;		
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402
Hydroxyc	itronellal		
93-16-3	202-224-6	0.1 - 1.0 %	H303; H317; H402
Methyl isoeugenol (Isoeugenyl methyl ether)			er)
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethyltetrahydro Benzaldehyde			H411
63314-79-4	429-900-5	0.1 - 1.0 %	H317; H400; H412
5-Cyclopentadecen-1-one, 3-methyl-			
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411
alpha-damascone			
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319
Lauraldehyde			
See Section 16 for full text of GHS classification codes			

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.59

4. First Aid Measures				
4.1 Description of first aid measures				
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.			
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.			
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.			
Ingestion:	Rinse mouth with water and obtain medical advice.			
4.2 Most important symptoms and ef	ifects, both acute and delayed			
Symptoms:	no data available			
Risks:	Refer to Section 2.2 "Hazard Statements"			
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment:	Refer to Section 2.2 "Response"			
5. Fire-Fighting measures				

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10

Water may be ineffective

Page 5 of 9 Print Date: 2023-04-25

www.WholesaleSuppliesPlus.com

5.2 Special hazards arising from the substance or mixture

During fire fighting:

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Specific end uses 7.3

No information available

8. **Exposure Controls/Personal Protection**

8.1 Control parameters

Exposure Limits: Component

ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm 10

140-11-4 Benzyl acetate

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10 SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9 Print Date: 2023-04-25

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint (G1)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	198 F (92.22 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0361
%VOC:	4.14
Specific Gravity @ 25 C:	0.9580
Density (g/mL) @ 25 C:	0.9550
Refractive Index @ 20 C:	1.4750
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3429.1993) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4941.9850) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 40.6279) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

. .

Safety Data Sheet

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10 SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 9 Print Date: 2023-04-25

••		
	Skin sensitization	May cause an allergic skin reaction
	Germ cell mutagenicity	Not classified - the classification criteria are not met
	Carcinogenicity	Not classified - the classification criteria are not met
	Reproductive toxicity	May damage fertility or the unborn child
	Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
	Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
	Aspiration hazard	Not classified - the classification criteria are not met

2. Ecological Information		
2.1 Toxicity		
Acute acquatic toxicity	Not classified - the classification criteria are not met	
Chronic acquatic toxicity	atic toxicity Toxic to aquatic life with long lasting effects	
Toxicity Data on soil	no data available	
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 32388-55-9 : (1 - 2 %) : Acetyl cedrene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10

Page 8 of 9 Print Date: 2023-04-25

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com	0	Print Date: 2023-04-25
Environmentally Hazardous Substance, Liquid, n.o.s.	9	UN3082
15. Regulatory Information U.S. Federal Regulations		
TSCA (Toxic Substance Control Act) 40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations	All components of the substance/mixture This product contains NO components of	
California Proposition 65 Warning 123-35-3(NF 204-622-5 0.01 - 0.1% Canadian Regulations	This product contains the following com beta-Myrcene (Natural Source)	ponents:
DSL 815580-59-7 453-570-1 <= 4 ppm	100.00% of the components are listed o components are NOT on the List: 3-Cyclohexene-1-carboxylic acid, 2,6,6-trir	

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H320 : Causes eye irritation	H361 : Suspected of damaging fertility or the unborn child
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(123.07) Acute Toxicity Inhalation, Category 5	(47.00) Reproductive Toxicity, Category 1B
(15.67) Reproductive Toxicity, Category 1B	(15.43) Aquatic Chronic Toxicity, Category 3
(14.00) Sensitization, Skin, Category 1A	(11.25) Sensitization, Skin, Category 1B
(10.00) Reproductive Toxicity, Category 2	(8.00) Sensitization, Skin, Category 1
(3.63) Eye Damage/Eye Irritation, Category 2A	(3.40) Skin Corrosion/Irritation, Category 3
(2.29) Skin Corrosion/Irritation, Category 2	(1.51) Aquatic Chronic Toxicity, Category 2
(1.46) Acute Toxicity Oral, Category 5	(1.09) Aquatic Chronic Toxicity, Category 4
(1.01) Acute Toxicity Dermal, Category 5	

Department issuing data sheet:

Department E-mail address:



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

Safety Data Sheet

Product: Crafter's Choice[™] Rain Fragrance Oil - FF# 10 SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-04-25

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.