

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 9

Print Date: 2023-04-25

Product: Crafter's Choice™ Rainforest* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Rainforest* - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

H333: May be harmful if inhaled

H371: May cause damage to organs

Exposure, Category 2

Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Target Organ Systemic Toxicity - Single H371 : May cause damage to organs

Exposure, Category 2

Classification Other



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Rainforest* -Product: **EO & FO Blend**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Page 2 of 9 Print Date: 2023-04-25

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms







Signal Word: Warning

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201

	·
P202	Do not handle until all safety precautions have been read and understood
P233	Keep container tightly closed
P235	Keep cool
P260	Do not breathe dust/fume/gas/mist/vapors/spray
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
esponse:	
D000 . D050	IF ON CIVIN. Week with open and water

Obtain special instructions before use

Res

sponse:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P309	IF exposed or you feel unwell:
P311	Call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell





Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Rainforest* -EO & FO Blend

Page 3 of 9 Print Date: 2023-04-25

• •	
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411		
Benzyl Be					
125-12-2	204-727-6	10 - 20 %	H227; H316; H401		
Isobornyl	acetate				
100-51-6	202-859-9	5 - 10 %	H302; H313; H319		
Benzyl Al	cohol				
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411		
Tetrameth	nyl Acetyloctahyo	dronaphthalenes	:		
32388-55-9	251-020-3	5 - 10 %	H303; H317; H400; H410		
Acetyl cedrene					
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412		
Limonene)				
76-22-2	200-945-0	2 - 5 %	H228; H302; H315; H318; H332; H371;		
Camphor			H401; H411		
469-61-4	207-418-4	1 - 2 %	H304; H315; H400; H410		
alpha-Ced	drene				
77-53-2	201-035-6	1 - 2 %	H401; H411		
Cedrol					
141-97-9	205-516-1	1 - 2 %	H227		
Ethyl acetoacetate					
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411		
Pentamethylcyclopent-3-ene-butanol					
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410		
beta Pine			· · · · · · · · · · · · · · · · · · ·		



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9

Print Date: 2023-04-25

t* -

Product: Crafter's Choice™ Rainforest* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSu	ppiicai ida.com	0			
CAS# Ingredient	EC#	Conc. Range	GHS Classification		
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412		
IsoCycloC	itral				
122-78-1	204-574-5	0.1 - 1.0 %	H227; H302; H313; H314; H317; H318;		
Phenylace	taldehyde		H401; H412		
112-45-8	203-973-1	0.1 - 1.0 %	H316; H317; H332; H401; H412		
Undecylen	nal				
27939-60-2	248-742-6	0.1 - 1.0 %	H227; H303; H315; H317; H319; H401;		
Dimethylcyclohex-3-ene-1-carboxaldehyde		-carboxaldehyde	H411		
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402		
Linalool					
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361		
gamma-Te	erpinene				
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401		
Citral					
10458-14-7	233-944-9	0.1 - 1.0 %	H227; H303; H315; H317; H402; H412		
Menthone	(isomer unspec	ified)			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;		
Dimethyltetrahydro Benzaldehyde		ldehyde	H411		
63314-79-4	429-900-5	0.1 - 1.0 %	H317; H400; H412		
5-Cyclope	ntadecen-1-one	, 3-methyl-			
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;		
delta-3-Ca	rene		H401; H411		
See Section 16	6 for full text of 0	GHS classification	codes		

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 6.62

4. First Aid Measures

I.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 9

Print Date: 2023-04-25

Product: Crafter's Choice™ Rainforest* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component	ACGIH	ACGIH	OSHA	OSHA
F. F.	TWA ppm	STEL ppm	TWA ppm	STEL ppm

76-22-2 *Camphor* 2 3

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Rainforest* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 9 Print Date: 2023-04-25

13466-78-9 *delta-3-Carene* 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Pale Yellow (G1-3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

176 F (80.00 C)

Auto flammability:

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0832

 %VOC:
 9.02

 Specific Gravity @ 25 C:
 0.9980

 Density (g/mL) @ 25 C:
 0.9950

 Refractive Index @ 20 C:
 1.5000

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 9

Print Date: 2023-04-25

Product: Crafter's Choice™ Rainforest* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2515.6528) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4600.3571) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 78.7447) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicityNot classified - the classification criteria are not metCarcinogenicityNot classified - the classification criteria are not metReproductive toxicitySuspected of damaging fertility or the unborn child

Specific target organ toxicity - single exposure May cause damage to organs

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:

Crafter's Choice™ Rainforest* -EO & FO Blend

Page 8 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4: (30 - 40 %): Benzyl Benzoate

Regulator Class **Pack Group** Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods Chemicals NOI ADR/RID (International Road/Rail) 9 Ш UN3082 **Environmentally Hazardous** Substance, Liquid, n.o.s. IATA (Air Cargo) Ш **Environmentally Hazardous** 9 UN3082 Substance, Liquid, n.o.s. IMDG (Sea) **Environmentally Hazardous** 9 Ш UN3082

15. Regulatory Information

U.S. Federal Regulations

Substance, Liquid, n.o.s.

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source) 89-82-7 201-943-2 0.01 - 0.1% Pulegone (Natural Source)

140-67-0 205-427-8 <= 9 ppm Estragole (Methyl chavicol) (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

94201-73-7 303-662-1 <= 20 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H228 : Flammable Solid

H302 : Harmful if swallowed and enters airways

H314 : Causes severe skin burns and eye damage H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction H318 : Causes serious eye damage H332 : Harmful if inhaled H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects



Data Sheet

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-04-25

Product: Crafter's Choice™ Rainforest* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Fractional Values

(TFV) Risk

(63.50) Acute Toxicity Inhalation, Category 5

(5.00) Sensitization, Skin, Category 1B

(3.49) Eye Damage/Eye Irritation, Category 2A

(2.43) Reproductive Toxicity, Category 2

(2.02) Skin Corrosion/Irritation, Category 2

(1.99) Acute Toxicity Oral, Category 5

(1.47) Sensitization, Skin, Category 1

(1.09) Acute Toxicity Dermal, Category 5

(TFV) Risk

(48.94) Aquatic Chronic Toxicity, Category 3

(4.87) Aquatic Chronic Toxicity, Category 2

(3.37) Skin Corrosion/Irritation, Category 3

(2.21) Aquatic Chronic Toxicity, Category 4

(2.01) Target Organ Systemic Toxicity - Single

Exposure, Category 2

(1.71) Aquatic Acute Toxicity, Category 1

(1.47) Sensitization, Skin, Category 1A

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.