

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Crafter's Choice[™] Rattan & Sea Salt Product:

Fragrance Oil

Page 1 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. **Hazards Identification**

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
lassification OSHA (Provisions 1910.1200 of title	e 29)
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation

Cla

Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2A Reproductive Toxicity, Category 2

- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation
- H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

Page 2 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#	EC#	Conc.	
Ingredient	L0#	Range	GHS Classification

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

Page 3 of 9 Print Date: 2023-05-15

CAS# Ingredient	EC#	Conc. Range	GHS Classification
105-95-3	203-347-8	- 5 - 10 %	H401
	brassylate	0 10 /0	
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cini		0 10 /0	
24851-98-7	246-495-9	5 - 10 %	H402
	ydrojasmonate	5 10 /0	11702
78-70-6	201-134-4	5 - 10 %	H227; H303; H315; H317; H319; H402
Linalool	201 104 4	5 10 /0	1227, 11000, 11010, 11017, 11010, 11402
6259-76-3	228-408-6	2 - 5 %	H316; H317; H400; H410
		2-5 %	11310, 11317, 11400, 11410
Hexyl sali 32210-23-4	250-954-9	2 5 9/	H303; H317; H401
		2 - 5 %	П303, П317, П401
-	ylcyclohexyl ace		
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411
		dronaphthalenes	
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
	hyloct-7-en-2-ol		
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Linalyl Ac			
63500-71-0	405-040-6	1 - 2 %	H319
Isobutyl N	lethyl Tetrahydı	opyranol	
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411
Ethyl trim	ethylcyclopente	ne butenol	
1205-17-0	214-881-6	1 - 2 %	H303; H317; H361; H401; H411
a-Methyl-	1,3-benzodioxol	le-5-propionaldel	hyde
107-75-5	203-518-7	1 - 2 %	H317; H319; H402
Hydroxyc	itronellal		
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411
Benzyl Be	enzoate		
103694-68-4	403-140-4	1 - 2 %	H303; H316; H402; H412
.ß.,.ß.,3-7	rimethyl benzer	nepropanol	
88-41-5	201-828-7	1 - 2 %	H227; H303; H316; H401; H411
2-t-Butylc	yclohexyl aceta	te	
68608-32-2	294-461-7	1 - 2 %	H304; H400; H410
Cedarwoo	od oil terpenes		
10339-55-6	233-732-6	0.1 - 1.0 %	H227; H303; H316; H317; H319; H402
Ethyl Lina	lool		
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
	dimethylhydroci		
-	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
127-51-5	204-040-3	0.1 - 1.0 /0	

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

Page 4 of 9 Print Date: 2023-05-15

www.WholesaleS	SuppliesPlus.com	Conc.	
Ingredient	20//	Range	GHS Classification
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	erpinene		
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	etrahydro Benza	aldehyde	H411

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.45

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects,	both acute and delayed	
Symptoms:	no data available	
Risks: Refer to Section 2.2 "Hazard Statements"		
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substance or mixture		
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective	
Further information:	Standard procedure for chemical fires	



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt

Fragrance Oil

Page 5 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li	mits:					
Component	t	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
80-56-8	pinene	20)			
127-91-3	beta Pinene	20)			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

Page 6 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

ww.wholesaleSuppliesFlus.com	
Color:	Nearly Colorless (G0) - Pale Yellow (G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	202 F (94.44 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0441
%VOC:	3.05
Specific Gravity @ 25 C:	0.9450
Density (g/mL) @ 25 C:	0.9420
Refractive Index @ 20 C:	1.4670
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula" Acute toxicity - Oral - (Rat) mg/kg (LD50: 4316.9912) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 57.5690) May be harmful if inhaled Skin corrosion / irritation Causes skin irritation Serious eye damage / irritation Causes serious eye irritation **Respiratory sensitization** Not classified - the classification criteria are not met May cause an allergic skin reaction Skin sensitization Not classified - the classification criteria are not met Germ cell mutagenicity Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Suspected of damaging fertility or the unborn child

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

Page 7 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Aspiration hazard

Not classified - the classification criteria are not met Not classified - the classification criteria are not met Not classified - the classification criteria are not met

12. Ecological Information 12.1 Toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 6259-76-3 : (2 - 5 %) : Hexyl salicylate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	i	9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.	i	9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	i	9	III		UN3082

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

Page 8 of 9 Print Date: 2023-05-15

4 -			
15.	Regulatory Infor	mation	
U.S. Fede	eral Regulations		
TSCA (Toxic Substance Control Act)		ntrol Act)	All components of the substance/mixture are listed or exempt
	R(EPCRA, SARA, CEF Regulations	CLA and CAA)	This product contains NO components of concern.
California Proposition 65 Warning		arning	This product contains the following components:
123	3-35-3(NF 204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
Canadian	Regulations		
DSL			99.67% of the components are listed or exempt. The following components are NOT on the List:
125	5109-85-5 412-050-4	0.1 - 1.0 %	Isopropylphenylbutanal
Giv	#2100719	0.01 - 0.1%	Yuzu Zest ABJ7091N (Givaudan Compound)

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

GHS H-Statements referred to under section 3 and not I	isted in section 2
H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H320 : Causes eye irritation
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(86.85) Acute Toxicity Inhalation, Category 5	(39.52) Sensitization, Skin, Category 1
(39.52) Sensitization, Skin, Category 1A	(29.42) Aquatic Chronic Toxicity, Category 3
(13.00) Reproductive Toxicity, Category 2	(7.15) Sensitization, Skin, Category 1B
(4.09) Skin Corrosion/Irritation, Category 3	(2.93) Aquatic Chronic Toxicity, Category 2
(2.53) Skin Corrosion/Irritation, Category 2	(2.21) Eye Damage/Eye Irritation, Category 2A
(1.16) Acute Toxicity Oral, Category 5	(1.01) Aquatic Chronic Toxicity, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Rattan & Sea Salt Fragrance Oil

Page 9 of 9 Print Date: 2023-05-15

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com