

# Safety Data Sheet

according to Federal Register | Vol. 77, No. 58 | Monday, March 26, 2012 | Rules and Regulations

Issue date: 10/24/2019 | Revision date: 08/29/2023 | Supersedes: 08/06/2021

Version: 1.2

## **SECTION 1: Identification**

Identification 1.1.

 Mixture Product form

Product name RUSTIC ESCENTUALS™ RED CURRANT FRAGRANCE OIL

CAS-No. MIXTURE

#### Recommended use and restrictions on use

No additional information available

#### **Supplier**

IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4. **Emergency telephone number**

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands **Emergency number** 

+1 813 248-0585 International

## SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

#### **GHS US classification**

Flammable liquids H227 Combustible liquid

Category 4

Skin corrosion/irritation H315 Causes skin irritation

Category 2

Serious eye damage/eye H319 Causes serious eve irritation

irritation Category 2

Skin sensitization, H317 May cause an allergic skin reaction

Category 1 Carcinogenicity Category 2 H351

Suspected of causing cancer

Full text of H statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) H227 - Combustible liquid H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation H351 - Suspected of causing cancer

: P201 - Obtain special instructions before use. Precautionary statements (GHS US)

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P321 - Specific treatment (see supplemental first aid instruction on this label).

08/29/2023 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
BENZYL BENZOATE	(CAS-No.) 120-51-4	10 – 30	Acute Tox. 4 (Oral), H302
beta-Pinene	(CAS-No.) 127-91-3	5 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304
GERANIOL	(CAS-No.) 106-24-1	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
CYCLOMETHYLENE CITRONELLOL	(CAS-No.) 15760-18-6	1 – 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
CITRONELLOL	(CAS-No.) 106-22-9	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
BENZOPHENONE	(CAS-No.) 119-61-9	0.5 – 1	Carc. 2, H351 STOT RE 2, H373
LINALYL ACETATE	(CAS-No.) 115-95-7	0.5 – 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
LIMONENE	(CAS-No.) 5989-27-5	< 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

08/29/2023 EN (English US) 2/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain

special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands

out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## BENZOPHENONE (119-61-9)

Not applicable

#### **BENZYL BENZOATE (120-51-4)**

Not applicable

BETA PINENE (127-91-3)				
ACGIH	Local name	β-Pimene		
ACGIH	ACGIH OEL TWA [ppm]	20 ppm		
ACGIH	Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)		
ACGIH	Regulatory reference	ACGIH 2018		

08/29/2023 EN (English US) 3/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **CITRONELLOL (106-22-9)**

Not applicable

# **CYCLOMETHYLENE CITRONELLOL (15760-18-6)**

Not applicable

#### **GERANIOL (106-24-1)**

Not applicable

## LINALYL ACETATE (115-95-7)

Not applicable

## **D-LIMONENE (5989-27-5)**

Not applicable

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

## Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## Personal protective equipment symbol(s):







## SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Mixture contains one or more component(s) which have the following colour(s):

White Colourless Colourless to light amber Colourless to light yellow

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Floral odour Fruity odour Aromatic odour Mild odour Pleasant odour Pine odour Sweet odour

Characteristic odour Strong odour Lemon odour

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available Flash point : ≈ 77.8 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability : Not applicable. Vapor pressure : No data available Relative vapor density at 20°C : No data available

08/29/2023 EN (English US) 4/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available No data availableViscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** : No data available Explosive properties : No data available Oxidizing properties : No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

BENZOPHENONE (119-61-9)

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

(,				
LD50 dermal rabbit	35535 mg/kg body weight (Rabbit, Experimental value, Dermal)			
ATE US (oral)	2895 mg/kg body weight			
ATE US (dermal)	3535 mg/kg body weight			
BENZYL BENZOATE (120-51-4)				
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))			
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)			
ATE US (oral)	1500 mg/kg body weight			
ATE US (dermal)	4000 mg/kg body weight			
BETA PINENE (127-91-3)				
LD50 oral rat	4700 mg/kg (Rat, Oral)			
ATE US (oral)	4700 mg/kg body weight			
CITRONELLOL (106-22-9)				
ATE US (oral)	3450 mg/kg body weight			
ATE US (dermal)	2650 mg/kg body weight			
CYCLOMETHYLENE CITRONELLOL (15760-18-6)				
ATE US (oral)	2640 mg/kg body weight			

08/29/2023 EN (English US) 5/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)
ATE US (oral)	3600 mg/kg body weight
D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
BENZOPHENONE (119-61-9)	
IARC group	2B - Possibly carcinogenic to humans
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
<u> </u>	
STOT-repeated exposure	: Not classified
BENZOPHENONE (119-61-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Agniration bazard	: Not classified
Aspiration hazard	
/iscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
SECTION 12: Ecological informat	ion
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
BENZOPHENONE (119-61-9)	
LC50 - Fish [1]	15.3 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	6.784 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value)
ErC50 algae	3.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
ErC50 algae  BENZYL BENZOATE (120-51-4)	3.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata,
	3.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata,
BENZYL BENZOATE (120-51-4)	3.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)  2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental
BENZYL BENZOATE (120-51-4) LC50 - Fish [1]	3.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)  2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)  3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static
BENZYL BENZOATE (120-51-4) LC50 - Fish [1] EC50 - Crustacea [1]	3.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)  2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)  3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static

08/29/2023 EN (English US) 6/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BETA PINENE (127-91-3)			
ErC50 algae	0.826 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata,		
	Static system, Fresh water, Weight of evidence, GLP)		
GERANIOL (106-24-1)			
LC50 - Fish [1]	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)		
EC50 - Crustacea [1]	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
ErC50 algae  13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, St system, Fresh water, Experimental value, GLP)			
LINALYL ACETATE (115-95-7)			
LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)		
EC50 - Crustacea [1]	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)		
D-LIMONENE (5989-27-5)			
LC50 - Fish [1]	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)		
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
2.2. Persistence and degradability			
BENZOPHENONE (119-61-9)			
Persistence and degradability	Readily biodegradable in water.		
BENZYL BENZOATE (120-51-4)			
Persistence and degradability	Readily biodegradable in water.		
,	Trodaily bloddy addbo in water.		
BETA PINENE (127-91-3) Persistence and degradability	Readily biodegradable in water.		
	Readily biodegradable III water.		
CITRONELLOL (106-22-9)	D 0111		
Persistence and degradability	Readily biodegradable in water.		
Chemical oxygen demand (COD) ThOD	2.05 g O <sub>2</sub> /g substance		
IIIOD	2.961 g O <sub>2</sub> /g substance		
GERANIOL (106-24-1)			
Persistence and degradability	Readily biodegradable in water.		
LINALYL ACETATE (115-95-7)			
Persistence and degradability	Readily biodegradable in water.		
D-LIMONENE (5989-27-5)			
Persistence and degradability	Readily biodegradable in water.		
ThOD	3.29 g O₂/g substance		
2.3. Bioaccumulative potential			
BENZOPHENONE (119-61-9)			
BCF - Fish [1]	3.4 – 12 (8 week(s), Oryzias latipes, Literature)		
Partition coefficient n-octanol/water (Log Pow)	3.18 (Weight of evidence approach, Other, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
BENZYL BENZOATE (120-51-4)			
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
BETA PINENE (127-91-3)			
BCF - Other aquatic organisms [1]	1125 (BCFBAF v3.00, Fresh water, QSAR, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	4.425 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)		
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).		
CITRONELLOL (106-22-9)			
Partition coefficient n-octanol/water (Log Pow)	3.41 – 3.91		
8/20/2022	EN (English LIC)		

08/29/2023 EN (English US) 7/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GERANIOL (106-24-1)			
Partition coefficient n-octanol/water (Log Pow) 2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 2°C)			
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
LINALYL ACETATE (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.93 (Experimental value)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
D-LIMONENE (5989-27-5)			
BCF - Fish [1]	864.8 – 1022 (Pisces, QSAR, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)		
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).		

## 12.4. Mobility in soil

BENZOPHENONE (119-61-9)				
Surface tension	45.1 mN/m (20 °C)			
Ecology - soil	Low potential for mobility in soil.			
BENZYL BENZOATE (120-51-4)				
Surface tension	0.027 N/m (210 °C)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)			
Ecology - soil	Low potential for mobility in soil.			
BETA PINENE (127-91-3)				
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.01 – 3.82 (log Koc, Calculated value)			
Ecology - soil	Low potential for mobility in soil.			
GERANIOL (106-24-1)				
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)			
Ecology - soil	Highly mobile in soil.			
LINALYL ACETATE (115-95-7)				
Ecology - soil	Adsorbs into the soil.			

## 12.5. Other adverse effects

**D-LIMONENE (5989-27-5)** 

No additional information available

Ecology - soil

## **SECTION 13: Disposal considerations**

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Adsorbs into the soil.

## **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Transport document description (DOT) : UN3082 Environmentally hazardous substances, liquid, n.o.s. (BENZYL BENZOATE(120-51-

4)), 9, III : UN3082

UN-No.(DOT) : UN3082
Proper Shipping Name (DOT) : Environmentally hazardous substances, liquid, n.o.s.

BENZYL BENZOATE(120-51-4)

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

08/29/2023 EN (English US) 8/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (DOT) : III - Minor Danger

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203 DOT Packaging Bulk (49 CFR 173.xxx)

**DOT Symbols** 

DOT Special Provisions (49 CFR 172.102)

: 241

: G - Identifies PSN requiring a technical name

: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

173 - An appropriate generic entry may be used for this material.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 155 DOT Quantity Limitations Passenger aircraft/rail : No limit

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : No limit

CFR 175.75)

**DOT Vessel Stowage Location** 

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Emergency Response Guide (ERG) Number : 171

Other information

: No supplementary information available.

**Transportation of Dangerous Goods** 

Transport document description (TDG) : UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL

BENZOATE(120-51-4)), 9, III

UN-No. (TDG)

Proper Shipping Name (TDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. TDG Primary Hazard Classes : 9 - Class 9 - Miscellaneous Products, Substances or Organisms

Packing group (TDG) : III - Minor Danger

08/29/2023 EN (English US) 9/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Special Provisions

: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:

(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;

(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;

(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or

(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.

(3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:

(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or

(b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS, 99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport.

(2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082,

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous

goods that could endanger public safety.

**Explosive Limit and Limited Quantity Index** : 5 L

## Transport by sea

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL Transport document description (IMDG)

BENZOATE(120-51-4)), 9, III

UN-No. (IMDG)

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

Limited quantities (IMDG) : 5 L

#### Air transport

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE(120-51-

4)), 9, III

UN-No. (IATA) : 3082

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. Class (IATA) : 9 - Miscellaneous Dangerous Substances and Articles

Packing group (IATA) : III - Low danger

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

08/29/2023 EN (English US) 10/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

BENZOPHENONE	CAS-No. 119-61-9	0.5 – 1%
BENZYL BENZOATE	CAS-No. 120-51-4	10 – 30%
beta-Pinene	CAS-No. 127-91-3	5 – 10%
CITRONELLOL	CAS-No. 106-22-9	1 – 5%
CYCLOMETHYLENE CITRONELLOL	CAS-No. 15760-18-6	1 – 5%
GERANIOL	CAS-No. 106-24-1	1 – 5%
LINALYL ACETATE	CAS-No. 115-95-7	0.5 – 1%
LIMONENE	CAS-No. 5989-27-5	< 0.5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

BENZOPHENONE (119-61-9)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a final TSCA section 4 test rule.

CYCLOMETHYLENE CITRONELLOL (15760-18-6)		
EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.	

## 15.2. International regulations

#### **CANADA**

D	176	<b>JDL</b>		_ /	440	-61-91	

Listed on the Canadian DSL (Domestic Substances List)

## **BENZYL BENZOATE (120-51-4)**

Listed on the Canadian DSL (Domestic Substances List)

# **BETA PINENE (127-91-3)**

Listed on the Canadian DSL (Domestic Substances List)

## **CITRONELLOL (106-22-9)**

Listed on the Canadian DSL (Domestic Substances List)

#### **CYCLOMETHYLENE CITRONELLOL (15760-18-6)**

Listed on the Canadian NDSL (Non-Domestic Substances List)

## **GERANIOL (106-24-1)**

Listed on the Canadian DSL (Domestic Substances List)

# LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

## **D-LIMONENE (5989-27-5)**

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

No additional information available

#### **National regulations**

08/29/2023 EN (English US) 11/13

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### BENZOPHENONE (119-61-9)

Listed on IARC (International Agency for Research on Cancer)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on KECI (Korean Existing Chemicals Inventory)

#### **BENZYL BENZOATE (120-51-4)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed on the Australian HSIS Consolidated List

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

#### **BETA PINENE (127-91-3)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

#### **CITRONELLOL (106-22-9)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

## **CYCLOMETHYLENE CITRONELLOL (15760-18-6)**

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on KECI (Korean Existing Chemicals Inventory)

08/29/2023 EN (English US) 12/13

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **GERANIOL (106-24-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

#### LINALYL ACETATE (115-95-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

#### **D-LIMONENE (5989-27-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the EC Inventory

Listed on the Australian HSIS Consolidated List

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 08/29/2023

## Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure

### SDS US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

08/29/2023 EN (English US) 13/13