

Product: Crafter's Choice[™] Redwood Vanilla Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 1 of 7

Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

I. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Redwood Vanilla Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Warning Hazard statements



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Redwood Vanilla Fragrance Oil

Page 2 of 7 Print Date: 2023-04-25

www.vviioicsaicouppiicsi ius.com	
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

_					- 4	•	_		
$\mathbf{-}$	r	וכ	"	31	٦t		n	n	•
		- 1	,	71		·	v		

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification				
	121-32-4	204-464-7	2 - 5 %	H303; H320; H402				
	Ethyl Vanili	lin						
	54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411				
	Tetramethyl Acetyloctahydronaphthalenes							
	28219-61-6	248-908-8	2 - 5 %	H315; H319; H401; H411				
Ethyl trimethylcyclopentene butenol								
	33704-61-9	251-649-3	2 - 5 %	H303; H315; H317; H319; H401; H411				
	6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)							
	1222-05-5	214-946-9	2 - 5 %	H316; H400; H410				
	Hexamethylindanopyran							
	101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411				
	Hexyl cinnamal							
	20665-85-4	243-956-6	1 - 2 %	H401				
	Vanillin iso	butyrate						



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Redwood Vanilla Fragrance Oil

Page 3 of 7 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410		
Acetyl ced	drene				
63500-71-0	405-040-6	1 - 2 %	H319		
Isobutyl M	/lethyl Tetrahydr	ropyranol			
104-21-2	203-185-8	1 - 2 %	H317; H402		
p-Anisyl a	icetate				
105-13-5	203-273-6	1 - 2 %	H313; H315; H317; H319		
Anise Alc	ohol				
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412		
Benzyl Sa	alicylate				
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410		
Cedrol me	ethyl ether				
70788-30-6	274-892-7	0.1 - 1.0 %	H315; H317; H411		
Trimethyl-	-propylcyclohex	anepropanol			
See Section 16 for full text of GHS classification codes					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.47

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Redwood Vanilla Fragrance Oil

Page 4 of 7 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard



Vanilla Fragrance Oil

Crafter's Choice™ Redwood

Revised Date: 2023-04-18 00:00

SDS v1 GHS / OSHA

Page 5 of 7 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> Color: Yellow Tint - Pale Yellow (G1-3)

Product:

Viscosity: Liquid

Freezing Point: Not determined Not determined **Boiling Point: Melting Point:** Not determined Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0012 %VOC: 0.30 Specific Gravity @ 25 C: 0.9460 Density (g/mL) @ 25 C: 0.9430 Refractive Index @ 20 C: 1.4640 Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None 10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4753.3750) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 143.0444) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Not classified - the classification criteria are not met Germ cell mutagenicity Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Redwood Vanilla Fragrance Oil

Page 6 of 7 Print Date: 2023-04-25

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Marine Pollutant

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

1222-05-5 : (2 - 5 %) : Hexamethylindanopyran							
Regulator	Class	Pack Group	Sub Risk	UN-nr.			
U.S. DOT (Non-Bulk)	Not Regulat	Not Regulated - Not Dangerous Goods					
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			
IATA (Air Cargo)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			
IMDG (Sea)							
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082			

Yes. Ingredient of greatest environmental impact :



_ . ._ ._

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 7 of 7 Print Date: 2023-04-25

Product: Crafter's Choice™ Redwood Vanilla Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning No Warning required

Canadian Regulations

DSL 99.81% of the components are listed or exempt. The following

components are NOT on the List:

67801-20-1 267-140-4 0.1 - 1.0 % 3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol

198404-98-7 427-900-1 0.01 - 0.1% Cyclopropanemethanol,

1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(34.95) Acute Toxicity Inhalation, Category 5 (23.73) Aquatic Chronic Toxicity, Category 3 (3.60) Sensitization, Skin, Category 1B (2.36) Aquatic Chronic Toxicity, Category 2 (1.48) Skin Corrosion/Irritation, Category 3 (1.05) Acute Toxicity Oral, Category 5

(1.01) Skin Corrosion/Irritation, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.