

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 1 of 8

Print Date: 2023-05-19

Product: **Redwood Fragrance Oil**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Redwood Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Rustic Escentuals 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. **Hazards Identification**

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid		
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin		
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation		
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Classification OSHA (Provisions 1910.1200 of title 29)			
Flammable Liquids, Category 4	H227 : Combustible liquid		

С

Sensitization, Skin, Category 1A

H317 : May cause an allergic skin reaction

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)







Signal Word: Warning

Safety Data Sheet

Product: Redwood Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 2 of 8 Print Date: 2023-05-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

Hazard statementsH227Combustible liquidH303May be harmful if swallowedH313May be harmful in contact with skinH316Causes mild skin irritationH317May cause an allergic skin reactionH333May be harmful if inhaledH411Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
sponse:	

Response:

•	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
the sullane sale	

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
125-12-2	204-727-6	30 - 40 %	H227; H316; H401	
Isobornyl a	acetate			
8050-15-5	232-476-2	20 - 30 %	H402; H412	
Methyl ester of rosin (partially hydrogenated)				
120-51-4	204-402-9	10 - 20 %	H302; H313; H400; H411	
Benzyl Benzoate				
84-66-2	201-550-6	10 - 20 %	H316; H402	
Diethyl phthalate				



7820 E Pleasant Vallev Road

Independence, OH 44131 (800) 350 0044

Safety Data Sheet

Product: Redwood Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 3 of 8 Print Date: 2023-05-19

(800) 359-0944 www.RusticEsce	ntuals.com		
CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
79-92-5	201-234-8	1 - 2 %	H228; H320; H400; H410
Campher	ne		
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412
Limonene	;		
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin	ו		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410
Cedrol m	ethyl ether		
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;
delta-3-C	arene		H401; H411
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Car	yophyllene		
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402
Hydroxyc	itronellal		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
586-62-9	209-578-0	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400;
Terpinole	ne		H410
See Section 1	6 for full text of	GHS classification	on codes
See 9	Section 16 for fu	II text of GHS cla	ssification codes which where not shown in section 2

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 4.80

First Aid Measures 4. 4.1 **Description of first aid measures** Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available **Risks:** Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 4 of 8

Print Date: 2023-05-19

Product: **Redwood Fragrance Oil**

7820 E Pleasant Vallev Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

Treatment:

Refer to Section 2.2 "Response"

5.Fire-Fighting measures5.1Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from the subst	Do not use a direct water jet on burning material ance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. **Accidental Release Measures**

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up 6.3

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

Precautions for safe handling 7.1

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Exposure Controls/Personal Protection 8.

8.1 Control parameters

Exposure Limits:

Component

84-66-2 Diethyl phthalate 80-56-8 pinene

ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm 5

20



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Redwood Fragrance Oil

7820 E Pleasant Valle Independence, OH 44 (800) 359-0944 www.RusticEscentuals	131			Page 5 of 8 Print Date: 2023-05-19
127-91-3	beta Pinen	9	20	
13466-78-9	delta-3-Car	ene	20	
Engineering C	Controls:	Use local exhaust as needed.		
8.2 Exposure cor	ntrols - Pers	onal protective equipment		
Eye protection	n:	Tightly sealed goggles, face shi as may be appropriate for the e	ield, or safety glasses with brow guards exposure	s and side shields, etc.
Respiratory p	rotection:	Avoid excessive inhalation of co	oncentrated vapors. Apply local ventilat	ion where appropriate.
Skin protectio	in protection: Avoid Skin contact. Use chemically resistant gloves as needed.			

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow (G2) to Greenish Yellow (G5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	165 F (73.89 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0658
%VOC:	5.38
Specific Gravity @ 25 C:	1.0250
Density (g/mL) @ 25 C:	1.0220
Refractive Index @ 20 C:	1.5000
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known



Product: Redwood Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Page 6 of 8

Print Date: 2023-05-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3788.6168) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4080.5875) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 41.5057) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Product:

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00 Redwood Fragrance Oil

Page 7 of 8 Print Date: 2023-05-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 79-92-5 : (1 - 2 %) : Camphene				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	Ш		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regi	Ilatory Information		
U.S. Federal Regulations			
TSCA (Toxic Substance Control Act)		All components of the substance/mixture are listed or exempt	
40 CFR(EPCF	RA, SARA, CERCLA and CAA)	This product contains the following components:	
84-66-2	201-550-6 10 - 20 %	Diethyl phthalate	
U.S. State Regul	ations		
California Proposition 65 Warning		This product contains the following components:	
123-35-3(N	IF 204-622-5 0.01 - 0.1%	beta-Myrcene (Natural Source)	
93-15-2	202-223-0 <= 9 ppm	Methyl Eugenol (Natural Source)	
Canadian Regul	ations		
DSL		100.00% of the components are listed or exempt.	

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H228 : Flammable Solid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H332 : Harmful if inhaled
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects	
Total Fractional Values	

(TFV) Risk

(TFV) Risk



SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Redwood Fragrance Oil

Page 8 of 8 Print Date: 2023-05-19

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.RusticEscentuals.com

(120.47) Acute Toxicity Inhalation, Category 5

(5.72) Skin Corrosion/Irritation, Category 3(2.40) Sensitization, Skin, Category 1A

(2.25) Aquatic Chronic Toxicity, Category 2

(1.32) Acute Toxicity Oral, Category 5

(23.34) Aquatic Chronic Toxicity, Category 3
(2.40) Sensitization, Skin, Category 1
(2.32) Sensitization, Skin, Category 1B
(1.77) Aquatic Chronic Toxicity, Category 4
(1.23) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.