Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Royal Tonka Fragrance Oil

Page 1 of 9 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Royal Tonka Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid		
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation		
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child		
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Classification OSHA (Provisions 1910.1200 of title 29)			

Flammable Liquids, Category 4	H227 : Combustible liquid
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Flevention.	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

Safety Data Sheet

Product: Crafter's Choice™ Royal **Tonka Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-04-26



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Safety Data Sheet

Product: Crafter's Choice[™] Royal Tonka Fragrance Oil

CAS# Ingredient	EC#	Conc. Range	GHS Classification
24851-98-7	246-495-9	10 - 20 %	H402
Methyldihy	/drojasmonate		
54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahyd	ronaphthalenes	
105-95-3	203-347-8	5 - 10 %	H401
Ethylene k	orassylate		
5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
Limonene			
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
10339-55-6	233-732-6	2 - 5 %	H227; H303; H316; H317; H319; H402
Ethyl Linal	lool		
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402
2,6-dimeth	nyloct-7-en-2-ol		
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Benzyl Be	nzoate		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	ylindanopyran		
31906-04-4	250-863-4	1 - 2 %	H317; H402
	ohexyl 3-cyclohe		ahyde
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411
lonone			
60-12-8	200-456-2	1 - 2 %	H302; H313; H316; H319
phenethyl	alcohol		
1205-17-0	214-881-6	1 - 2 %	H303; H317; H361; H401; H411
•	,3-benzodioxole	-5-propionaldehy	
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
	yl Methylpropion	al	H412
32388-55-9	251-020-3	0.1 - 1.0 %	H303; H317; H400; H410
Acetyl cea			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	erpinene		

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

Safety Data Sheet

Product: Crafter's Choice[™] Royal Tonka Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9 Print Date: 2023-04-26

www.WholesaleS	uppliesPlus.com		
CAS# Ingredient	EC#	Conc. Range	GHS Classification
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Ethyl 2,2-	dimethylhydroc	innamal	
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
6,7-Dihyd	lro-1,1,2,3,3-pei	ntamethyl-4(5H)-i	indanone (Cashmeran)
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello	Ι		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin	1		
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary	/ophyllene		
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412
Geranyl A	lcetate		
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	ol		
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethylt	etrahydro Benz	aldehyde	H411
See Section 1	6 for full text of	GHS classificatio	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 5.72

4. First Aid Measures	
4.1 Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effe	ects, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medic	al attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Royal Tonka Fragrance Oil

Page 5 of 9 Print Date: 2023-04-26

5. Fire-Fighting measure 5.1 Extinguishing media	es estatution estatu
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable 5.2 Special hazards arising from th	Do not use a direct water jet on burning material e substance or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li	mits:						
Component	t		ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
80-56-8	pinene		20)			
127-91-3	beta Pinene		20)			
Engineering	Controls:	Use local exhaust as needed.					

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

Product: Crafter's Choice[™] Royal Tonka Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9 Print Date: 2023-04-26

8.2 Exposure controls - Personal protective equipment		
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure	
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.	
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.	

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow to Greenish Yellow (G2-6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	186 F (85.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0658
%VOC:	6.59
Specific Gravity @ 25 C:	0.9410
Density (g/mL) @ 25 C:	0.9380
Refractive Index @ 20 C:	1.4670
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Toxicological Information

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

11.1 Toxicological Effects

11.

Safety Data Sheet

Product: Crafter's Choice[™] Royal Tonka Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 9 Print Date: 2023-04-26

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"		
Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4331.4493) May be harmful if swallowed	
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met	
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 65.6518) May be harmful if inhaled	
Skin corrosion / irritation	Causes skin irritation	
Serious eye damage / irritation	Causes serious eye irritation	
Respiratory sensitization	Not classified - the classification criteria are not met	
Skin sensitization	May cause an allergic skin reaction	
Germ cell mutagenicity	Not classified - the classification criteria are not met	
Carcinogenicity	Not classified - the classification criteria are not met	
Reproductive toxicity	May damage fertility or the unborn child	
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met	
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met	
Aspiration hazard	Not classified - the classification criteria are not met	

12. Ecological Information

12.1 Toxicity	
Acute acquatic toxicity	Not classified - the classification criteria are not met
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (2 - 5 %) : Hexamethylindanopyran				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s		9	111		UN3082

Safety Data Sheet

Product: Crafter's Choice[™] Royal Tonka Fragrance Oil

15. Regulatory Information	n	
U.S. Federal Regulations		
TSCA (Toxic Substance Control A	ct) All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA a	nd CAA) This product contains the following components:	
1222-05-5 214-946-9 2 - 5 %	6 Hexamethylindanopyran	
U.S. State Regulations		
California Proposition 65 Warning	This product contains the following components:	
123-35-3(NF 204-622-5 0.01 -	0.1% beta-Myrcene (Natural Source)	
140-67-0 205-427-8 <= 2 p	ppm Estragole (Methyl chavicol) (Natural Source)	
89-82-7 201-943-2 <= 1 p	ppm Pulegone (Natural Source)	
Canadian Regulations		

DSL

100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage
H320 : Causes eye irritation	H361 : Suspected of damaging fertility or the unborn child
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 9 Print Date: 2023-04-26

Crafter'sChoice[®]

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Fractional Values

(TFV) Risk (76.16) Acute Toxicity Inhalation, Category 5 (15.00) Sensitization, Skin, Category 1A (9.00) Reproductive Toxicity, Category 1B (3.03) Skin Corrosion/Irritation, Category 3 (2.42) Skin Corrosion/Irritation, Category 2 (1.57) Sensitization, Skin, Category 1

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

Safety Data Sheet

Product: Crafter's Choice[™] Royal **Tonka Fragrance Oil**

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-04-26

(TFV) Risk

(24.06) Aquatic Chronic Toxicity, Category 3

(10.00) Reproductive Toxicity, Category 2

(6.00) Sensitization, Skin, Category 1B

(3.00) Reproductive Toxicity, Category 1B

(2.39) Aquatic Chronic Toxicity, Category 2

(1.32) Eye Damage/Eye Irritation, Category 2A

SDS v1 GHS / OSHA

- (1.15) Acute Toxicity Oral, Category 5