



Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 9 Print Date: 2023-04-26

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Sandalwood Sage Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

Page 2 of 9 Print Date: 2023-04-26

Fr









Signal Word: Warning

Hazard statements

H227 Combustible liquid
H303 May be harmful if swallowed
H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H333 May be harmful if inhaled

H361 Suspected of damaging fertility or the unborn child
H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P235 Keep cool

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P281 Use personal protective equipment as required

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P308 + P313 IF exposed or concerned: Get medical advice/attention

P312 Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

2.3 Other Hazards

no data available





Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 9 Print Date: 2023-04-26

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification				
107-41-5	203-489-0	40 - 50 %	H315; H319				
Hexylene	Hexylene Glycol						
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411				
Hexyl cinn	Hexyl cinnamal						
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412				
Limonene							
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402				
Linalool							
18479-58-8	242-362-4	2 - 5 %	H227; H303; H315; H319; H402				
2,6-dimeth	nyloct-7-en-2-ol						
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401				
	rlcyclohexyl aceta	ate					
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411				
Tetrameth	yl Acetyloctahyd	ronaphthalenes					
120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411				
Benzyl Be	nzoate						
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402				
Linalyl Ace	Linalyl Acetate						
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410				
Hexameth	ylindanopyran						
105-95-3	203-347-8	1 - 2 %	H401				
•	Ethylene brassylate						
28219-61-6	248-908-8	1 - 2 %	H315; H319; H401; H411				
-	ethylcyclopentene						
81782-77-6		1 - 2 %	H227; H400; H411				
-	Methyl Decenol						
54982-83-1	259-423-6	1 - 2 %	H303; H400; H412				
Ethylene Dodecanedioate							
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411				
a-Isometh	a-Isomethyl ionone						
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361				
•	gamma-Terpinene						
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;				
Dimethylte	nethyltetrahydro Benzaldehyde H411						
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;				
pinene			H410				





Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 4 of 9 Print Date: 2023-04-26

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402		
Hydroxycitronellal					
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410		
Cedrol methyl ether					
67634-15-5	266-819-2	0.1 - 1.0 %	H315; H317; H400; H411		
Ethyl 2,2-dimethylhydrocinnamal					
67633-96-9	266-797-4	0.1 - 1.0 %	H227; H317; H401		
cis-3-Hexenyl methyl carbonate					
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401		
Eugenol					
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401		
Citral	000 075 0	0.4.4.0.0/	11000-11040-11045-11047-11040-11404		
106-22-9 Citronello	203-375-0 I	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401		
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411		
Allyl cyclohexylpropionate					
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402		
Eucalyptol					
68738-94-3	272-119-8	0.1 - 1.0 %	H303; H317; H401; H411		
Dimethyloctahydro-2-naphthaldehyde					

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 7.35

See Section 16 for full text of GHS classification codes

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 9 Print Date: 2023-04-26

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

80-56-8 *pinene* 20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

Page 6 of 9 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Yellow (G1-6)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

174 F (78.89 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.1239

 %VOC:
 9.11

 Specific Gravity @ 25 C:
 0.9250

 Density (g/mL) @ 25 C:
 0.9220

 Refractive Index @ 20 C:
 1.4590

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 3547.2114) May be harmful if swallowed

Acute toxicity - Oral - (Rat) mg/kg



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 9 Print Date: 2023-04-26

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 26.7211) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Carcinogenicity Not classified - the classification criteria are not met

Reproductive toxicity

Suspected of damaging fertility or the unborn child

Specific target organ toxicity - single exposure Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

1222-05-5: (2 - 5%): Hexamethylindanopyran

Regulator Class Pack Group Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)





Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage

7820 E Pleasant Valley Road Print Date: 2023-04-26 Print Date: 2023-04-26

(800) 359-0944 www.WholesaleSuppliesPlus.com

www.WholesaleSuppliesPlus.com			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IATA (Air Cargo)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082
IMDG (Sea)			
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III	UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 2 - 5 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

Canadian Regulations

DSL 99.15% of the components are listed or exempt. The following

components are NOT on the List:

1450625-49- 0.1 - 1.0 % Clearwood

54440-17-4 0.1 - 1.0 % 2,3,3-Trimethylindanone

476332-65-7 0.01 - 0.1% 2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H312 : Harmful in contact with skin

H313 : May be harmful in contact with skin

H316 : Causes mild skin irritation

H317 : May cause an allergic skin reaction

H320 : Causes eye irritation

H400 : Very Toxic to aquatic life

H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk	(TFV) Risk
(187.12) Acute Toxicity Inhalation, Category 5	(22.60) Aquatic Chronic Toxicity, Category 3
(9.22) Reproductive Toxicity, Category 2	(8.71) Skin Corrosion/Irritation, Category 3
(7.50) Skin Corrosion/Irritation, Category 2	(6.30) Sensitization, Skin, Category 1B
(6.00) Eye Damage/Eye Irritation, Category 2A	(2.23) Aquatic Chronic Toxicity, Category 2
(1.50) Sensitization, Skin, Category 1	(1.50) Sensitization, Skin, Category 1A
(1.41) Acute Toxicity Oral, Category 5	(1.31) Aquatic Chronic Toxicity, Category 4



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sandalwood Sage Fragrance Oil

Page 9 of 9 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.