

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Sands of Morocco -

EO & FO Blend

Page 1 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Sands of Morocco - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	0	
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Clas	ssification OSHA (Provisions 1910.1200 of title	29)
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2B	H320 : Causes eye irritation
	Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS) Hazard pictograms



Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Sands of Morocco -

EO & FO Blend

Page 2 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





Signal Word: Danger

Hazard statements

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Sands of Morocco -

EO & FO Blend

Page 3 of 8 Print Date: 2023-04-26

CAS#	EC#	Conc.	GHS Classification
ngredient		Range	GHS Classification
20-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl B	enzoate		
21-32-4	204-464-7	5 - 10 %	H303; H320; H402
Ethyl Var	nillin		
118-58-1	204-262-9	5 - 10 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
121-33-5	204-465-2	2 - 5 %	H303; H313; H319; H402
vanillin			
30-54-6	201-289-8	2 - 5 %	H227; H302; H315; H317; H360; H401;
Butylphei	nyl Methylpropio	nal	H412
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexamet	hylindanopyran		
21145-77-7	244-240-6	2 - 5 %	H302; H400; H410
Acetyl he	xamethyl tetralir	ו	
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarir	ז		
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
93-16-3	202-224-6	0.1 - 1.0 %	H303; H317; H402
Methyl is	oeugenol (Isoeu	genyl methyl eth	
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402
Hvdroxvi	sohexvl 3-cvcloh	exene carboxalo	-
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
104-54-1	203-212-3	0.1 - 1.0 %	H302; H316; H317; H401
Cinnamy			,,,
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Limonene			-,,,,,
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
	hyl ionone	0	
77-54-3	201-036-1	0.1 - 1.0 %	H317; H400; H410
Cedryl ac		0.1 1.0 /0	
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac		0.1 1.0 /0	1227, 1010, 1017, 1020, 11702
122-40-7	204-541-5	0.1 - 1.0 %	H303; H316; H317; H401; H411
Amyl Cin		0.1 - 1.0 /0	1600, 11010, 11017, 11401, 11411
29461-13-0	249-648-8	0.1 - 1.0 %	H316; H317; H401; H411
23401-13-0	243-040-0	0.1 - 1.0 70	1310, 1317, 1401, 1411

See Section 16 for full text of GHS classification codes

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Sands of Morocco -

EO & FO Blend

Page 4 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Total Hydrocarbon Content (% w/w) = 0.85

4.	First Aid Measures		
4.1	Description of first aid measures		
	Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
	Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
	Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
	Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2	Most important symptoms and effects, b	both acute and delayed	
	Symptoms:	no data available	
	Risks:	Refer to Section 2.2 "Hazard Statements"	
4.3	4.3 Indication of any immediate medical attention and special treatment needed		
	Treatment:	Refer to Section 2.2 "Response"	
5.	Fire-Fighting measures		
5.1	Extinguishing media		
	Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
	Unsuitable	Do not use a direct water jet on burning material	
5.2	5.2 Special hazards arising from the substance or mixture		
	During fire fighting: Advice for firefighters	Water may be ineffective	
	Further information:	Standard procedure for chemical fires	

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Sands of Morocco -

EO & FO Blend

Page 5 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values.		
Engineering Controls: Use local exhaust as needed.			
8.2 Exposure controls - Personal protective equipment			
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure		
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.		
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.		

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow to Greenish Yellow (G2-5)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0097
%VOC:	1.21
Specific Gravity @ 25 C:	1.0300
Density (g/mL) @ 25 C:	1.0270
Refractive Index @ 20 C:	1.5160
Soluble in:	Oil

Crafter'sChoice®

Safety Data Sheet

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Sands of Morocco -EO & FO Blend

Page 6 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2338.1682) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 3897.4901) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 114.7651) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Causes eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available





Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Sands of Morocco -EO & FO Blend

Page 7 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient o 120-51-4 : (20 - 3			:	
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods	
Chemicals NOI					
ADR/RID (International Roa	ıd/Rail)				
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IATA (Air Cargo)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					
IMDG (Sea)					
Environmentally Hazardous		9	III		UN3082
Substance, Liquid, n.o.s.					

15. Regulatory Information

U.S. Federal Regulations					
TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA	, SARA, CEF	RCLA and CAA)	This product contains the following components:		
1222-05-5	214-946-9	2 - 5 %	Hexamethylindanopyran		
U.S. State Regulations					
California Propo	osition 65 W	arning	This product contains the following components:		
123-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)		
140-67-0	205-427-8	<= 42 ppm	Estragole (Methyl chavicol) (Natural Source)		
93-15-2	202-223-0	<= 31 ppm	Methyl Eugenol (Natural Source)		
Canadian Regulations					
DSL			99.79% of the components are listed or exempt.The following components are NOT on the List:		
67801-20-1	267-140-4	0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol		
198404-98-7	427-900-1	0.01 - 0.1%	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]		
131812-67-4	412-950-7	<= 48 ppm	2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3- dioxolane (Okoumal)		
54440-17-4		<= 0 ppm	2,3,3-Trimethylindanone		



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 8 of 8

Print Date: 2023-04-26

Product: Crafter's Choice[™] Sands of Morocco -

EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H301 : Toxic if swallowed
- H304 : May be fatal if swallowed and enters airways
- H317 : May cause an allergic skin reaction
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(43.76) Aquatic Chronic Toxicity, Category 3
(32.00) Reproductive Toxicity, Category 1B
(8.00) Sensitization, Skin, Category 1A
(4.34) Aquatic Chronic Toxicity, Category 2
(2.02) Aquatic Chronic Toxicity, Category 4
(1.31) Skin Corrosion/Irritation, Category 3
(1.23) Eye Damage/Eye Irritation, Category 2B

- H227 : Combustible liquid
 H302 : Harmful if swallowed
 H315 : Causes skin irritation
 H319 : Causes serious eye irritation
 H402 : Harmful to aquatic life
 H412 : Harmful to aquatic life with long lasting effects
- (TFV) Risk
- (43.57) Acute Toxicity Inhalation, Category 5
- (10.67) Reproductive Toxicity, Category 1B
- (5.22) Sensitization, Skin, Category 1B
- (2.14) Acute Toxicity Oral, Category 5
- (1.56) Aquatic Acute Toxicity, Category 1
- (1.28) Acute Toxicity Dermal, Category 5

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.