Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Crafter's Choice[™] Santal 33* Product: Fragrance Oil

Page 1 of 7 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Crafter's Choice[™] Santal 33* Fragrance Oil Trade Name:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. **Hazards Identification**

Classification of the substance or mixture 2.1

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of tit	le 29)

CI

Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Santal 33* Fragrance Oil

Page 2 of 7 Print Date: 2023-04-26

Signal Word: Danger	
Hazard statements	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwel
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
2.3 Other Hazards	

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H411	
Tetramethy	yl Acetyloctahydi	ronaphthalenes		
105-95-3	203-347-8	2 - 5 %	H401	
Ethylene brassylate				
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	
Benzyl Benzoate				
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (Cashmeran)				

7820 E Pleasant Valley Road

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Santal 33* Fragrance Oil

Page 3 of 7 Print Date: 2023-04-26

Independence, C (800) 359-0944 www.Wholesales	OH 44131 SuppliesPlus.com		Print Date: 2023-04-2	
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
91771-62-9	294-955-2	0.1 - 1.0 %	H317; H411	
cyperus s	scariosus, ext.			
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;	
Butylphei	nyl Methylpropie	onal	H412	
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401	
	tylcyclohexyl ac			
See Section '	16 for full text of	f GHS classification	on codes	
See	Section 16 for fu	ull text of GHS cla	assification codes which where not shown in section 2	
Total	Hydrocarbon C	Content (% w/w)	= 0.15	
4. F i	irst Aid Mea	sures		
4.1 Descrip	otion of first ai	d measures		
Inhalatior	ו:		Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Expo	sure:		Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:			Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:			Rinse mouth with water and obtain medical advice.	
4.2 Most in	nportant symp	toms and effects	s, both acute and delayed	
Symptom	IS:		no data available	
			Refer to Section 2.2 "Hazard Statements"	
Risks:				
	ion of any imm	ediate medical a	attention and special treatment needed	

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substa	nce or mixture
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Crafter'sChoice®

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Santal 33* Fragrance Oil

Page 4 of 7 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.
as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Nearly Colorless(G0) - Pale Yellow(G2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)

7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Crafter's Choice[™] Santal 33* Product: **Fragrance Oil**

Page 5 of 7 Print Date: 2023-04-26

(800) 359-0944 www.WholesaleSuppliesPlus.com		
Auto flammability:	Not determined	
Explosive Properties:	None Expected	
Oxidizing properties:	None Expected	
Vapor Pressure (mmHg@20 C):	0.0043	
%VOC:	0.23	
Specific Gravity @ 25 C:	0.9380	
Density (g/mL) @ 25 C:	0.9350	
Refractive Index @ 20 C:	1.4560	
Soluble in:	Oil	

10. **Stability and Reactivity**

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Toxicological Information 11.

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 646.1713) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-06 00:00

Product: Crafter's Choice[™] Santal 33* Fragrance Oil

Page 6 of 7 Print Date: 2023-04-26

12.	Ecological Information	
12.1 To	xicity	
Acut	te acquatic toxicity	Toxic to aquatic life
Chro	onic acquatic toxicity	Harmful to aquatic life with long lasting effects
Toxi	city Data on soil	no data available
Тохі	city on other organisms	no data available
12.2	Persistence and degradability	no data available
12.3	Bioaccumulative potential	no data available
12.4	Mobility in soil	no data available
12.5	Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Class	Pack Group Sub Risk	UN-nr.
Not Regulate	d - Not Dangerous Goods	
Not Regulate	d - Not Dangerous Goods	
Not Regulate	d - Not Dangerous Goods	
Not Regulate	d - Not Dangerous Goods	
	Not Regulate Not Regulate Not Regulate	ClassPack GroupSub RiskNot Regulated - Not Dangerous GoodsNot Regulated - Not Dangerous GoodsNot Regulated - Not Dangerous GoodsNot Regulated - Not Dangerous Goods

15. Regulatory Information	
U.S. Federal Regulations	
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.
U.S. State Regulations	
California Proposition 65 Warning	This product contains the following components:
123-35-3(NF 204-622-5 <= 7 ppm	beta-Myrcene (Natural Source)
Canadian Regulations	

Crafter'sChoice®

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

DSL

91771-62-9 294-955-2 0.1 - 1.0 %

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

Product:

H227 : Combustible liquid

H303 : May be harmful if swallowed

H317 : May cause an allergic skin reaction

H400 : Very Toxic to aquatic life

Total Fractional Values

(TFV) Risk

(12.00) Sensitization, Skin, Category 1B

(7.00) Sensitization, Skin, Category 1

(6.94) Aquatic Chronic Toxicity, Category 3

(1.53) Aquatic Acute Toxicity, Category 2

(1.36) Skin Corrosion/Irritation, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2023-02-06 00:00

Page 7 of 7 Print Date: 2023-04-26

99.34% of the components are listed or exempt. The following components are NOT on the List: cyperus scariosus, ext.

Safety Data Sheet

Fragrance Oil

Crafter's Choice[™] Santal 33*

H302 : Harmful if swallowed H313 : May be harmful in contact with skin H319 : Causes serious eye irritation H411 : Toxic to aquatic life with long lasting effects

(TFV) Risk

(7.74) Acute Toxicity Inhalation, Category 5

(7.00) Sensitization, Skin, Category 1A

(4.00) Reproductive Toxicity, Category 1B

(1.39) Skin Corrosion/Irritation, Category 3

(1.33) Reproductive Toxicity, Category 1B

