

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Crafter's Choice<sup>™</sup> Santal Evergreen Product: Fragrance Oil

Page 1 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier 1.1

Trade Name: Crafter's Choice<sup>™</sup> Santal Evergreen Fragrance Oil

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. **Hazards Identification**

#### 2.1 Classification of the substance or mixture

Sensitization, Skin, Category 1B

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation		
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction		
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
lassification OSHA (Provisions 1910.1200 of title 29)			

#### C

H317 : May cause an allergic skin reaction

#### **Classification Other**

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

#### 2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning Hazard statements H303

May be harmful if swallowed

# **Crafter's**Choice<sup>®</sup>

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

### Product: Crafter's Choice<sup>™</sup> Santal Evergreen Fragrance Oil

Page 2 of 8 Print Date: 2023-04-26

n

ww.wholesaleSuppliesPlus.com	
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

### 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
125-12-2	204-727-6	2 - 5 %	H227; H316; H401	
Isobornyl a	acetate			
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411	
Tetramethy	yl Acetyloctahydi	ronaphthalenes		
28219-61-6	248-908-8	2 - 5 %	H315; H319; H401; H411	
Ethyl trime	thylcyclopentene	e butenol		
32210-23-4	250-954-9	2 - 5 %	H303; H317; H401	
4-tert-Butylcyclohexyl acetate				
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	
Benzyl Benzoate				
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411	
a-Isomethyl ionone				
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410	
Hexamethy	Hexamethylindanopyran			
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411	
Pentamethylcyclopent-3-ene-butanol				

7820 E Pleasant Valley Road Independence, OH 44131

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

### Product: Crafter's Choice<sup>™</sup> Santal Evergreen Fragrance Oil

Page 3 of 8 Print Date: 2023-04-26

(800) 359-0944 www.WholesaleS				1111 Date: 2020 04 2
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317	
Beta-Cary	yophyllene			
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401	
Eugenol				
118-58-1	204-262-9	0.1 - 1.0 %	H303; H317; H320; H401; H412	
Benzyl Sa	alicylate			
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	
6,7-Dihya	lro-1,1,2,3,3-pei	ntamethyl-4(5H)-	indanone (Cashmeran)	
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402	
Eucalypto	bl			
110-41-8	203-765-0	0.1 - 1.0 %	H227; H315; H317; H402; H410	
2-Methylu	Indecanal			
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	
Dimethylt	etrahydro Benz	aldehyde	H411	
See Section 1	6 for full text of	GHS classification	on codes	
Coo (	Castian 10 for fr		posification codes which where not shown in costion O	

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 1.10

4. First Aid Measures					
4.1 Description of first aid measures					
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.				
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.				
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.				
Ingestion:	Rinse mouth with water and obtain medical advice.				
4.2 Most important symptoms and effects	4.2 Most important symptoms and effects, both acute and delayed				
Symptoms:	no data available				
Risks:	Refer to Section 2.2 "Hazard Statements"				
4.3 Indication of any immediate medical attention and special treatment needed					
Treatment:	Refer to Section 2.2 "Response"				
5. Fire-Fighting measures					
5.1 Extinguishing media					
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam				
Unsuitable	Do not use a direct water jet on burning material				
5.2 Special hazards arising from the subs	tance or mixture				
During fire fighting:	Water may be ineffective				

# **Crafter's**Choice<sup>®</sup>

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

#### Product: Crafter's Choice<sup>™</sup> Santal Evergreen Fragrance Oil

Page 4 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 5.3 Advice for firefighters

#### Further information:

Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

#### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

-				
Exposure Limits:	Contains no substances with occupational exposure limit values.			
Engineering Controls:	Use local exhaust as needed.			
8.2 Exposure controls - Pers	onal protective equipment			
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure			
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.			
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.			

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

### Product: Crafter's Choice<sup>™</sup> Santal Evergreen Fragrance Oil

Page 5 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

www.wholesaleSuppliesFlus.com	
Color:	Nearly Colorless to Yellow (G4)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0084
%VOC:	0.59
Specific Gravity @ 25 C:	0.9340
Density (g/mL) @ 25 C:	0.9310
Refractive Index @ 20 C:	1.4570

### 10. Stability and Reactivity

Soluble in:

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

Oil

#### 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"			
Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4972.4150) May be harmful if swallowed		
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met		
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 163.7576) May be harmful if inhaled		
Skin corrosion / irritation	Causes mild skin irritation		
Serious eye damage / irritation	Not classified - the classification criteria are not met		
Respiratory sensitization	Not classified - the classification criteria are not met		
Skin sensitization	May cause an allergic skin reaction		
Germ cell mutagenicity	Not classified - the classification criteria are not met		
Carcinogenicity	Not classified - the classification criteria are not met		
Reproductive toxicity	Not classified - the classification criteria are not met		

Aspiration hazard

## **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

#### Crafter's Choice<sup>™</sup> Santal Evergreen Product: Fragrance Oil

Page 6 of 8 Print Date: 2023-04-26

Specific target organ toxicity - single exposu	re
www.WholesaleSuppliesPlus.com	
(800) 359-0944	
Independence, OH 44131	
7820 E Pleasant Valley Road	

Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met Not classified - the classification criteria are not met

12. **Ecological Information** 12.1 Toxicity

	-		
Ac	cute acquatic toxicity	Not classified - the classification criteria are not met	
Cł	hronic acquatic toxicity	Toxic to aquatic life with long lasting effects	
Тс	oxicity Data on soil	no data available	
Тс	oxicity on other organisms	no data available	
12	2.2 Persistence and degradability	no data available	
12	2.3 Bioaccumulative potential	no data available	
12	2.4 Mobility in soil	no data available	
12	2.5 Other adverse effects	no data available	

#### 13. **Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

#### 14. **Transport Information**

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (1 - 2 %) : Hexamethylindanopyran					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods				
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082	
IMDG (Sea)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082	

## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

### Product: Crafter's Choice<sup>™</sup> Santal Evergreen Fragrance Oil

Page 7 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

15. Regulatory Information							
U.S. Federal Regulations							
TSCA (Toxic Substance Control Act)			All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA)			This product contains the following components:				
1222-05-5	214-946-9	1 - 2 %	Hexamethylindanopyran				
U.S. State Regulations							
California Proposition 65 Warning		arning	This product contains the following components:				
94-59-7	202-345-4	<= 37 ppm	Safrole (Natural Source)				
123-35-3(NF	204-622-5	<= 21 ppm	beta-Myrcene (Natural Source)				
93-15-2	202-223-0	<= 4 ppm	Methyl Eugenol (Natural Source)				
Canadian Regulations							
DSL			99.50% of the components are listed or exempt.The following components are NOT on the List:				
67801-20-1	267-140-4	0.1 - 1.0 %	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol				

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H313 : May be harmful in contact with skin	H315 : Causes skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(30.53) Acute Toxicity Inhalation, Category 5	(11.52) Aquatic Chronic Toxicity, Category 3
(3.00) Sensitization, Skin, Category 1B	(1.64) Skin Corrosion/Irritation, Category 3
(1.15) Aquatic Chronic Toxicity, Category 2	(1.01) Acute Toxicity Oral, Category 5

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



## Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice<sup>™</sup> Santal Evergreen Fragrance Oil

Page 8 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com