

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 1 of 8 Print Date: 2023-04-26

Crafter's Choice™ Satsuma Product: **Guava Fragrance Oil**

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade Name: Crafter's Choice™ Satsuma Guava Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

> 7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333: May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227: Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Reproductive Toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Guava Fragrance Oil

Crafter's Choice™ Satsuma

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Print Date: 2023-04-26

Page 2 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com







Product:

Signal Word: Danger

Hazard statements

H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

-	ponse.	
	P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse
	P363	Wash contaminated clothing before reuse
	P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
	P391	Collect Spillage

2.3 Other Hazards

no data available



Guava Fragrance Oil

Crafter's Choice™ Satsuma

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8

Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Composition/Information on Ingredients

Product:

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification			
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412			
Limonene						
140-11-4	205-399-7	5 - 10 %	H303; H401; H412			
Benzyl ac	etate					
93-18-5	202-226-7	2 - 5 %	H303; H315; H401; H411			
beta-Naphthyl ethyl ether (Nerolin Bromelia)						
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411			
Hexyl cinr	namal					
112-31-2	203-957-4	2 - 5 %	H227; H316; H319; H401; H412			
Decanal						
24851-98-7	246-495-9	2 - 5 %	H402			
Methyldihydrojasmonate						
5392-40-5	226-394-6	1 - 2 %	H313; H315; H317; H319; H401			
Citral						
37677-14-8	253-617-4	1 - 2 %	H315; H317; H318; H400; H410			
Isohexenyl cyclohexenyl carboxaldehyde (Vertomugal)						
4180-23-8	224-052-0	1 - 2 %	H303; H316; H317; H401			
Anethole						
85-91-6	201-642-6	1 - 2 %	H227; H303; H402; H412			
Methyl N-	Methyl N-methylanthranilate					
106-25-2	203-378-7	1 - 2 %	H303; H315; H317; H319; H401			
Nerol						
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402			
Linalool						
128-37-0	204-881-4	1 - 2 %	H316; H400; H410			
BHT						
99-87-6	202-796-7	0.1 - 1.0 %	H226; H303; H304; H331; H361; H401;			
p-cymene			H411			
78-69-3	201-133-9	0.1 - 1.0 %	H227; H315; H317; H319; H401			
Tetrahydr	olinalool					
112-45-8	203-973-1	0.1 - 1.0 %	H316; H317; H332; H401; H412			
Undecylei	nal					
Soc Section 1	0 4 4-11 44 -4	0110 -1:				

See Section 16 for full text of GHS classification codes



Crafter's Choice™ Satsuma

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 8 Print Date: 2023-04-26

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Guava Fragrance Oil 7820 E Pleasant Valley Road

Product:

First Aid Measures

4.1 **Description of first aid measures**

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Remove contaminated clothes. Wash thoroughly with water (and soap). **Skin Exposure:**

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements" 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. **Fire-Fighting measures**

5.1 **Extinguishing media**

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections 6.4

Not Applicable



Guava Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice™ Satsuma

Page 5 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7. Handling and Storage

Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Exposure Controls/Personal Protection 8.

8.1 Control parameters

Exposure Limits:

ACGIH ACGIH **OSHA OSHA** Component TWA ppm STEL ppm TWA ppm STEL ppm

140-11-4 Benzyl acetate 10 128-37-0 BHT 2

Product:

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. Eye protection:

as may be appropriate for the exposure

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Respiratory protection:

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. **Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow to Greenish Yellow (G4-5)

Viscosity: Liquid

Freezing Point: Not determined **Boiling Point:** Not determined **Melting Point:** Not determined Flashpoint (CCCFP): 145 F (62.78 C) Auto flammability: Not determined **Explosive Properties:** None Expected Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.2357 %VOC: 25.46 Specific Gravity @ 25 C: 0.9660



ŀ

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Product: Crafter's ChoiceTM Satsuma

Guava Fragrance Oil

Page 6 of 8 Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Density (g/mL) @ 25 C: 0.9630

Refractive Index @ 20 C: 1.4670

Soluble in: Oil

10. Stability and Reactivity

10.1 ReactivityNone10.2 Chemical stabilityStable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 83.6922) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Carcinogenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradability

no data available



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Satsuma
Guava Fragrance Oil

Page 7 of 8 Print Date: 2023-04-26

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

37677-14-8: (1 - 2%): Isohexenyl cyclohexenyl carboxaldehyde (Vertomugal)

Regulator	Class	Pack Group	Sub Risk (UN-nr.	
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods				
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.1 - 1.0 % beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

815580-59-7 453-570-1 <= 11 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester



Guava Fragrance Oil

Crafter's Choice™ Satsuma

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Page 8 of 8

Print Date: 2023-04-26

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

Product:

H226 : Flammable liquid and vapour
H303 : May be harmful if swallowed
H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage

H331 : Toxic if inhaled
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(59.74) Acute Toxicity Inhalation, Category 5
(16.00) Sensitization, Skin, Category 1
(16.00) Sensitization, Skin, Category 1A
(15.03) Aquatic Chronic Toxicity, Category 3
(14.44) Sensitization, Skin, Category 1B
(5.00) Reproductive Toxicity, Category 2
(3.54) Skin Corrosion/Irritation, Category 3
(2.56) Skin Corrosion/Irritation, Category 2
(1.59) Aquatic Chronic Toxicity, Category 4
(1.39) Aquatic Chronic Toxicity, Category 2

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.