

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sea Minerals & Oud
Fragrance Oil**

Page 1 of 7
Print Date: 2023-04-27

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Sea Minerals & Oud Fragrance Oil

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus
7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
----------------------------------	--

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Hazard statements

H316	Causes mild skin irritation
H317	May cause an allergic skin reaction

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sea Minerals & Oud
Fragrance Oil**

Page 2 of 7

Print Date: 2023-04-27

H333 May be harmful if inhaled
H411 Toxic to aquatic life with long lasting effects

Precautionary Statements**Prevention:**

P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P363 Wash contaminated clothing before reuse
P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients**3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
54464-57-2 <i>Tetramethyl Acetyloctahydronaphthalenes</i>	259-174-3	5 - 10 %	H315; H317; H401; H411
6259-76-3 <i>Hexyl salicylate</i>	228-408-6	2 - 5 %	H316; H317; H400; H410
118-58-1 <i>Benzyl Salicylate</i>	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
105-95-3 <i>Ethylene brassylate</i>	203-347-8	2 - 5 %	H401
5462-06-6 <i>4-Methoxy-alpha-methylbenzenepropanal</i>	226-749-5	0.1 - 1.0 %	H303; H317; H401
63314-79-4 <i>5-Cyclopentadecen-1-one, 3-methyl-</i>	429-900-5	0.1 - 1.0 %	H317; H400; H412
4180-23-8 <i>Anethole</i>	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401
80-56-8 <i>pinene</i>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
97-53-0 <i>Eugenol</i>	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
141-13-9 <i>2,6,10-Trimethyl-9-undecenal</i>	205-460-8	0.1 - 1.0 %	H317; H400; H410

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sea Minerals & Oud
Fragrance Oil**

Page 3 of 7

Print Date: 2023-04-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification
4707-47-5 <i>Methyl atrarate</i>	225-193-0	0.1 - 1.0 %	H317; H401

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.46

4. First Aid Measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion:	Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:	Refer to Section 2.2 "Response"
-------------------	---------------------------------

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting:	Water may be ineffective
------------------------------	--------------------------

5.3 Advice for firefighters

Further information:	Standard procedure for chemical fires
-----------------------------	---------------------------------------

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sea Minerals & Oud
Fragrance Oil**

Page 4 of 7
Print Date: 2023-04-27

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

80-56-8 *pinene*

ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm
			20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Pale Yellow to Golden Yellow (G3-6)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sea Minerals & Oud
Fragrance Oil**

Page 5 of 7
Print Date: 2023-04-27

Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0056
%VOC:	0.50
Specific Gravity @ 25 C:	0.9430
Density (g/mL) @ 25 C:	0.9400
Refractive Index @ 20 C:	1.4570
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 264.3796) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sea Minerals & Oud
Fragrance Oil**

Page 6 of 7

Print Date: 2023-04-27

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity	Not classified - the classification criteria are not met
Chronic aquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 6259-76-3 : (2 - 5 %) : Hexyl salicylate			
Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning	This product contains the following components:
-----------------------------------	---

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sea Minerals & Oud
Fragrance Oil**

Page 7 of 7

Print Date: 2023-04-27

123-35-3(NF)	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)
140-67-0	205-427-8	<= 60 ppm	Estragole (Methyl chavicol) (Natural Source)
94-59-7	202-345-4	<= 38 ppm	Safrole (Natural Source)
93-15-2	202-223-0	<= 10 ppm	Methyl Eugenol (Natural Source)

Canadian Regulations

DSL

211299-54-6	427-580-1	0.01 - 0.1%	99.95% of the components are listed or exempt. The following components are NOT on the List: 4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole,octahydro-2,2,5,8,89a-hexamethyl-,(4aR,5R,7aS,9R)-
-------------	-----------	-------------	--

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H303 : May be harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H315 : Causes skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk	(TFV) Risk
(40.00) Sensitization, Skin, Category 1	(40.00) Sensitization, Skin, Category 1A
(20.24) Aquatic Chronic Toxicity, Category 3	(18.91) Acute Toxicity Inhalation, Category 5
(5.00) Sensitization, Skin, Category 1B	(2.01) Aquatic Chronic Toxicity, Category 2
(1.19) Skin Corrosion/Irritation, Category 3	

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.