

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 1 of 9 Print Date: 2023-04-27

110110

Product: Crafter's Choice™ Seaside Escape* Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Seaside Escape* Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid
Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid
Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed
Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)



Product: Crafter's Choice[™] Seaside Escape* Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 0

Page 2 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Hazard pictograms







Signal Word: Danger

Hazard statements

H227	Combustible liquid
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life

Precautionary Statements

Prevention:

H411

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

Toxic to aquatic life with long lasting effects

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available





Product: Crafter's Choice™ Seaside Escape* Fragrance Oil Revised Date: 2023-02-07 00:00

Print Date: 2023-04-27

Page 3 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

120-51-4 204-402-9 40 - 50 % H302; H313; H400; H411 Benzyl Benzoate B0-54-6 201-289-8 5 - 10 % H227; H302; H315; H317; H360; H40 Butylphenyl Methylpropional H412	1;		
80-54-6 201-289-8 5 - 10 % H227; H302; H315; H317; H360; H40	1;		
11440	1;		
Butylphenyl Methylpropional H412			
Zaty priority motify propional			
104-61-0 203-219-1 5 - 10 % H316			
gamma-Nonalactone			
88-41-5 201-828-7 2 - 5 % H227; H303; H316; H401; H411			
2-t-Butylcyclohexyl acetate			
5989-27-5 227-813-5 2 - 5 % H226; H304; H315; H317; H400; H412	2		
Limonene			
1205-17-0 214-881-6 2 - 5 % H303; H317; H361; H401; H411			
a-Methyl-1,3-benzodioxole-5-propionaldehyde			
18479-58-8 242-362-4 2 - 5 % H227; H303; H315; H319; H402			
2,6-dimethyloct-7-en-2-ol			
78-70-6 201-134-4 1 - 2 % H227; H303; H315; H317; H319; H402	2		
Linalool			
77-83-8 201-061-8 1 - 2 % H317; H401; H411			
Ethyl Methylphenylglycidate			
115-95-7 204-116-4 1 - 2 % H227; H315; H317; H320; H402			
Linalyl Acetate			
105-95-3 203-347-8 1 - 2 % H401			
Ethylene brassylate			
123-68-2 204-642-4 1 - 2 % H227; H301; H311; H331; H400; H412	2		
Allyl caproate			
101-86-0 202-983-3 1 - 2 % H303; H316; H317; H400; H411			
Hexyl cinnamal			
91-64-5 202-086-7 1 - 2 % H301; H317; H402			
Coumarin			
5392-40-5 226-394-6 0.1 - 1.0 % H313; H315; H317; H319; H401			
Citral			
67634-15-5 266-819-2 0.1 - 1.0 % H315; H317; H400; H411			
Ethyl 2,2-dimethylhydrocinnamal			
103-26-4 203-093-8 0.1 - 1.0 % H303; H317			
Methyl cinnamate			
106-22-9 203-375-0 0.1 - 1.0 % H303; H313; H315; H317; H319; H40	1		
Citronellol			



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Seaside Escape* Fragrance Oil

Page 4 of 9

Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401		
Neryl ace	tate				
104-21-2	203-185-8	0.1 - 1.0 %	H317; H402		
p-Anisyl a	cetate				
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;		
Dimethylt	etrahydro Benza	aldehyde	H411		
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401		
Eugenol					
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411		
Methoxy o	dicyclopentadiei	ne carboxaldehyd	de		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;		
pinene			H410		
141-13-9	205-460-8	0.1 - 1.0 %	H317; H400; H410		
2,6,10-Tri	methyl-9-undec	enal			
See Section 1	6 for full text of	GHS classification	on codes		

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 2.76

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Seaside Escape* Fragrance Oil

Page 5 of 9

Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

 Component
 ACGIH
 ACGIH
 OSHA
 OSHA

 TWA ppm
 STEL ppm
 TWA ppm
 STEL ppm
 STEL ppm

80-56-8 *pinene* 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



Escape* Fragrance Oil

Crafter's Choice™ Seaside

Revised Date: 2023-02-07 00:00

SDS v1 GHS / OSHA

Print Date: 2023-04-27

Page 6 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint to Yellow (G0-4)

Product:

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

183 F (83.89 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.1034

 %VOC:
 6.73

 Specific Gravity @ 25 C:
 1.0140

 Density (g/mL) @ 25 C:
 1.0110

 Refractive Index @ 20 C:
 1.5090

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1882.4256) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3059.5938) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 49.6318) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation

Not classified - the classification criteria are not met

Respiratory sensitization

Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

9

101.000 20.01 2020 02 01 00.00

Page 7 of 9 Print Date: 2023-04-27

UN-nr.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice™ Seaside Escape* Fragrance Oil

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Regulator

IMDG (Sea)

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soilno data availableToxicity on other organismsno data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Pack Group

Sub Risk

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4 : (40 - 50 %) : Benzyl Benzoate

. togulato.	0.000	. ack C. Cap	Out Hior	•
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods		Goods	
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Seaside Escape* Fragrance Oil

Page 8 of 9 Print Date: 2023-04-27

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

9 III UN3082

Environmentally Hazardous Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

123-35-3(NF 204-622-5 0.01 - 0.1%

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

beta-Myrcene (Natural Source)

This product contains the following components:

815580-59-7 453-570-1 <= 12 ppm 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H301 : Toxic if swallowed

H303 : May be harmful if swallowed H304 : May be fatal if swallowed and enters airways

H311 : Toxic in contact with skin H316 : Causes mild skin irritation

H317: May cause an allergic skin reaction H319: Causes serious eye irritation

H320 : Causes eye irritation H331 : Toxic if inhaled

H361 : Suspected of damaging fertility or the unborn child H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(100.74) Acute Toxicity Inhalation, Category 5 (64.00) Reproductive Toxicity, Category 1B

(24.00) Reproductive Toxicity, Category 2 (22.34) Aquatic Chronic Toxicity, Category 3

(21.33) Reproductive Toxicity, Category 1B (6.40) Sensitization, Skin, Category 1B

(5.18) Sensitization, Skin, Category 1 (5.18) Sensitization, Skin, Category 1A

(2.96) Skin Corrosion/Irritation, Category 3 (2.55) Aquatic Chronic Toxicity, Category 4

90) Skill Collosion/illitation, Category 5 (2.55) Aquatic Chloric Toxicity, Category 4

(2.19) Aquatic Chronic Toxicity, Category 2 (1.97) Aquatic Acute Toxicity, Category 1

(1.67) Skin Corrosion/Irritation, Category 2 (1.63) Acute Toxicity Dermal, Category 5 (1.06) Acute Toxicity Oral, Category 4

Department issuing data sheet:

Department E-mail address:



Product: Crafter's Choice™ Seaside Escape* Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-04-27

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.