Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sensual Amber * -

EO & FO Blend

Page 1 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Sensual Amber * - EO & FO Blend

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Flammable Liquids, Category 4	H227 : Combustible liquid
	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Clas	ssification OSHA (Provisions 1910.1200 of title	29)
	Flammable Liquids, Category 4	H227 : Combustible liquid
	Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
	Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sensual Amber * -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 Page 2 of 9 Print Date: 2023-04-25

е

(800) 359-0944 www.WholesaleSuppliesPlus.com Hazard pictograms





Signal Word: Danger

Hazard statements	
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

Prevention:	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not us a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available



Safety Data Sheet

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sensual Amber * -EO & FO Blend

Page 3 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	40 - 50 %	H302; H313; H400; H411
Benzyl Bel	nzoate		
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
24851-98-7	246-495-9	5 - 10 %	H402
	rdrojasmonate		
10339-55-6		2 - 5 %	H227; H303; H316; H317; H319; H402
Ethyl Linal			
118-58-1	204-262-9	2 - 5 %	H303; H317; H320; H401; H412
Benzyl Sa	-	/	
78-70-6	201-134-4	2 - 5 %	H227; H303; H315; H317; H319; H402
Linalool		• • • (
1222-05-5		2 - 5 %	H316; H400; H410
-	ylindanopyran	4 0 %	
127-51-5	204-846-3	1 - 2 %	H316; H317; H320; H401; H411
a-Isomethy 32388-55-9		1 - 2 %	L202. L217. L400. L410
Acetyl ced		1 - 2 70	H303; H317; H400; H410
4940-11-8		1 - 2 %	H302; H401
Ethyl Malto		1 2 /0	1002, 11401
-	243-384-7	1 - 2 %	H317; H400; H410
Cedrol me		/.	
121-33-5	•	1 - 2 %	H303; H313; H319; H402
vanillin			,,, -
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ace	etate		
14901-07-6	238-969-9	1 - 2 %	H303; H401; H411
lonone			
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	erpinene		
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;
pinene			H410
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			



7820 E Pleasant Valley Road

Independence, OH 44131

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sensual Amber * -

EO & FO Blend

Page 4 of 9 Print Date: 2023-04-25

CAS# Ingredient	EC#	Conc. Range	GHS Classification
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Pine	ne		
67633-96-9	266-797-4	0.1 - 1.0 %	H227; H317; H401
cis-3-Hex	enyl methyl carl	bonate	
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411
6,7-Dihyd	lro-1,1,2,3,3-per	ntamethyl-4(5H)-i	indanone (Cashmeran)
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 10.31

4. **First Aid Measures** 4.1 Description of first aid measures Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Ingestion: Rinse mouth with water and obtain medical advice. 4.2 Most important symptoms and effects, both acute and delayed Symptoms: no data available Refer to Section 2.2 "Hazard Statements" Risks: 4.3 Indication of any immediate medical attention and special treatment needed Treatment: Refer to Section 2.2 "Response" 5. Fire-Fighting measures 5.1 **Extinguishing media** Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material 5.2 Special hazards arising from the substance or mixture **During fire fighting:** Water may be ineffective 5.3 Advice for firefighters Further information: Standard procedure for chemical fires

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sensual Amber * -

EO & FO Blend

Page 5 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Li	mits:	
Component	t	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm
140-11-4	Benzyl acetate	10
80-56-8	pinene	20
127-91-3	beta Pinene	20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.
as may be appropriate for the exposureRespiratory protection:Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.Skin protection:Avoid Skin contact. Use chemically resistant gloves as needed.

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sensual Amber * -EO & FO Blend

Page 6 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow/Greenish Yellow (G4-9)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	168 F (75.56 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1062
%VOC:	11.64
Specific Gravity @ 25 C:	1.0250
Density (g/mL) @ 25 C:	1.0220
Refractive Index @ 20 C:	1.5300
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2120.0147) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4084.5365) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 61.4821) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice[™] Sensual Amber * -Product: EO & FO Blend

Page 7 of 9 Print Date: 2023-04-25

Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not me
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	May be fatal if swallowed and enters airways

12.	Ecological Information	
12.1 To		
Acu	te acquatic toxicity	Very Toxic to aquatic life
Chro	onic acquatic toxicity	Toxic to aquatic life with long lasting effects
Тохі	city Data on soil	no data available
Тохі	city on other organisms	no data available
12.2	Persistence and degradability	no data available
12.3	Bioaccumulative potential	no data available
12.4	Mobility in soil	no data available
12.5	Other adverse effects	no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant	Marine PollutantYes. Ingredient of greatest environmental impact : 120-51-4 : (40 - 50 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Ro	oad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product:	Crafter's Choice [™] Sensual Amber *			
EO & FO Blend				

Page 8 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com		EO & FO Blend	Page 8 of 9 Print Date: 2023-04-25	
Environmentally Hazardous Substance, Liquid, n.o.s.		III	UN3082	
15. Regulatory Inform	ation			
U.S. Federal Regulations				
TSCA (Toxic Substance Cont	rol Act)	All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA, SARA, CERCLA and CAA) 1222-05-5 214-946-9 2 - 5 %		This product contains the following components: Hexamethylindanopyran		
U.S. State Regulations				
California Proposition 65 Warning 123-35-3(NF 204-622-5 0.1 - 1.0 %		This product contains the following components: beta-Myrcene (Natural Source)		
Canadian Regulations				
DSL		100.00% of the components are list	ted or exempt.	

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed		
H302 : Harmful if swallowed	H316 : Causes mild skin irritation		
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation		
H320 : Causes eye irritation	H401 : Toxic to aquatic life		
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects		
H412 : Harmful to aquatic life with long lasting effects			
Total Fractional Values			
(TFV) Risk	(TFV) Risk		
(81.32) Acute Toxicity Inhalation, Category 5	(44.48) Aquatic Chronic Toxicity, Category 3		
(9.60) Sensitization, Skin, Category 1B	(4.39) Aquatic Chronic Toxicity, Category 2		
(4.00) Reproductive Toxicity, Category 2	(3.21) Aquatic Chronic Toxicity, Category 4		
(3.10) Skin Corrosion/Irritation, Category 3	(2.91) Aquatic Acute Toxicity, Category 1		
(2.36) Acute Toxicity Oral, Category 5	(1.28) Skin Corrosion/Irritation, Category 2		
(1.22) Acute Toxicity Dermal, Category 5	(1.03) Aspiration Hazard, Category 1		

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Sensual Amber * -EO & FO Blend

Page 9 of 9 Print Date: 2023-04-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com