

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 1 of 8

Print Date: 2023-04-27

Nevised Date: 2025-0

Product: Crafter's Choice™ Shea & Santal Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Shea & Santal Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318: Causes serious eye damage

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms









SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product

Crafter's Choice™ Shea & Santal Fragrance Oil

Page 2 of 8 Print Date: 2023-04-27

(800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Independence, OH 44131

Hazard	statements
i iazai u	Statements

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P310 Immediately call a POISON CENTER or doctor/physician
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse
P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	
	1222-05-5	214-946-9	5 - 10 %	H316; H400; H410	
Hexamethylindanopyran					
	122-99-6	204-589-7	5 - 10 %	H302; H318; H335	
	Phenoxyet	hanol			
	54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411	
Tetramethyl Acetyloctahydronaphthalenes					
	104-50-7	203-208-1	2 - 5 %	H303; H315; H402	
gamma-Octalactone					



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice[™] Shea & Santal Fragrance Oil

Page 3 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
28219-61-6	248-908-8	2 - 5 %	H315; H319; H401; H411
Ethyl trim	ethylcyclopente	ne butenol	
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
Benzyl Sa	alicylate		
24851-98-7	246-495-9	1 - 2 %	H402
Methyldih	nydrojasmonate		
65405-77-8	265-745-8	1 - 2 %	H303; H400; H411
cis-3-Hex	enyl salicylate		
6259-76-3	228-408-6	1 - 2 %	H316; H317; H400; H410
Hexyl sal	icylate		
105-95-3	203-347-8	1 - 2 %	H401
Ethylene	brassylate		
713-95-1	211-932-4	1 - 2 %	H316
delta-Doo	decalactone		
104-21-2	203-185-8	1 - 2 %	H317; H402
p-Anisyl a	acetate		
91-64-5	202-086-7	1 - 2 %	H301; H317; H402
Coumarir	1		
121-32-4	204-464-7	1 - 2 %	H303; H320; H402
Ethyl Var	nillin		
70788-30-6	274-892-7	0.1 - 1.0 %	H315; H317; H411
Trimethyl	-propylcyclohex	ranepropanol	
See Section 1	16 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.00

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 4 of 8

Print Date: 2023-04-27

Product:

uct: Crafter's Choice™ Shea & Santal Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

UnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Shea & Santal Fragrance Oil

Page 5 of 8 Print Date: 2023-04-27

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Colorless to Pale Yellow (G3)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

>200 F (93.33 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.0105

 %VOC:
 1.52

 Specific Gravity @ 25 C:
 0.9610

 Density (g/mL) @ 25 C:
 0.9580

 Refractive Index @ 20 C:
 1.4690

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4035.4251) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg

Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 88.4902) May be harmful if inhaled



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice™ Shea & Santal Fragrance Oil

Page 6 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> Skin corrosion / irritation Causes skin irritation

Causes serious eye damage Serious eye damage / irritation

Not classified - the classification criteria are not met Respiratory sensitization

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard

Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Acute acquatic toxicity Not classified - the classification criteria are not met

Toxic to aquatic life with long lasting effects Chronic acquatic toxicity

Toxicity Data on soil no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available

13. **Disposal Conditions**

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. **Transport Information**

Marine Pollutant Yes. Ingredient of greatest environmental impact:

1222-05-5 : (5 - 10 %) : Hexamethylindanopyran

Regulator Class **Pack Group** Sub Risk UN-nr.

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous 9 Ш UN3082

Substance, Liquid, n.o.s.

IATA (Air Cargo)



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's ChoiceTM Shea & Santal

Fragrance Oil

Page 7 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944

www.WholesaleSuppliesPlus.com

Environmentally Hazardous 9 III UN3082 Substance, Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)This product contains the following components:

1222-05-5 214-946-9 5 - 10 % Hexamethylindanopyran

122-99-6 204-589-7 5 - 10 % Phenoxyethanol

U.S. State Regulations

California Proposition 65 Warning No Warning required

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H301 : Toxic if swallowed H302 : Harmful if swallowed

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation
H320 : Causes eye irritation
H335 : May cause respiratory irritation
H400 : Very Toxic to aquatic life

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410: Very toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(56.50) Acute Toxicity Inhalation, Category 5 (35.80) Aquatic Chronic Toxicity, Category 3

(15.00) Sensitization, Skin, Category 1 (15.00) Sensitization, Skin, Category 1A

(5.73) Eye Damage/Eye Irritation, Category 2A (5.00) Sensitization, Skin, Category 1B

(3.57) Aquatic Chronic Toxicity, Category 2 (2.10) Skin Corrosion/Irritation, Category 3

(1.77) Eye Damage/Eye Irritation, Category 1 (1.24) Acute Toxicity Oral, Category 5

Department issuing data sheet:

(1.18) Skin Corrosion/Irritation, Category 2

Department E-mail address:



Product:

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Page 8 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Crafter's Choice™ Shea & Santal **Fragrance Oil**

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.