

SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentual<sup>TM</sup> Silver Birch & Vetiver Fragrance Oil

Print Date: 2023-08-25

Page 1 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade Name:** Rustic Escentuals™ Silver Birch & Vetiver Fragrance Oil

# 1.2 Relevant indentified product use

**Intended use:** Compound used in customer substance/mixture/product

# 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

# 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

# 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227: Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

### 2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentual<sup>TM</sup> Silver Birch & Vetiver Fragrance Oil

Print Date: 2023-08-25

Page 2 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com





# Signal Word: Warning

# **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

# **Precautionary Statements**

# Prevention:

P235	Keep cool		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace		
P273	Avoid release to the environment		
Response:			
P302 + P352	IF ON SKIN: Wash with soap and water		

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse
P363 Wash contaminated clothing before reuse

P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use

a direct water jet on burning material

P391 Collect Spillage

### 2.3 Other Hazards

no data available

# 3. Composition/Information on Ingredients

# 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>125-12-2</b> Isobornyl	204-727-6 acetate	20 - 30 %	H227; H316; H401
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411
Benzyl B	erizoate		



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentual<sup>TM</sup> Silver Birch & Vetiver Fragrance Oil

Page 3 of 8 Print Date: 2023-08-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

54464-57-2       259-174-3       5 - 10 %       H315; H317; H401; H411         Tetramethyl Acetyloctahydroraphthalenes         65113-99-7       265-453-0       2 - 5 %       H316; H319; H401; H411         Pentamethylcyclopent-3-er-butanol         105-53-3       203-305-9       2 - 5 %       H227; H319; H402         Diethyl malorate         1222-05-5       214-946-9       1 - 2 %       H316; H400; H410         Hexamethylindanopyran         28219-61-6       248-908-8       1 - 2 %       H315; H319; H401; H411         Ethyl trimethylcyclopentene butenol         79-92-5       201-234-8       1 - 2 %       H228; H320; H400; H410         Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401; H411         80-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H412         Limonene         13466-78-9       236-719-3       0.1 - 1.0 %
65113-99-7 265-453-0 2 - 5 % H316; H319; H401; H411  Pentamethylcyclopent-3-ene-butanol  105-53-3 203-305-9 2 - 5 % H227; H319; H402  Diethyl malonate  1222-05-5 214-946-9 1 - 2 % H316; H400; H410  Hexamethylindanopyran  28219-61-6 248-908-8 1 - 2 % H315; H319; H401; H411  Ethyl trimethylcyclopentene butenol  79-92-5 201-234-8 1 - 2 % H228; H320; H400; H410  Camphene  68737-61-1 272-113-5 0.1 - 1.0 % H227; H303; H313; H315; H317; H401;  Dimethyltetrahydro Benzaldehyde H411  80-56-8 201-291-9 0.1 - 1.0 % H226; H302; H304; H315; H317; H400; h410  5989-27-5 227-813-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H412  Limonene  13466-78-9 236-719-3 0.1 - 1.0 % H226; H303; H304; H315; H317; H332;
Pentamethylcyclopent-3-ene-butanol         105-53-3       203-305-9       2 - 5 %       H227; H319; H402         Diethyl malonate       1222-05-5       214-946-9       1 - 2 %       H316; H400; H410         Hexamethylindanopyran         28219-61-6       248-908-8       1 - 2 %       H315; H319; H401; H411         Ethyl trimethylcyclopentene butenol         79-92-5       201-234-8       1 - 2 %       H228; H320; H400; H410         Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401;         Dimethyltetrahydro Benzaldehyde         80-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400;         5989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H332;
105-53-3       203-305-9       2 - 5 %       H227; H319; H402         Diethyl malonate         1222-05-5       214-946-9       1 - 2 %       H316; H400; H410         Ethyl trimethylcyclopentene butenol         79-92-5       201-234-8       1 - 2 %       H228; H320; H400; H410         Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401;         Dimethyltetrahydro Benzaldehyde       H411         80-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H412         5989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H302;
Diethyl malonate         1222-05-5       214-946-9       1 - 2 %       H316; H400; H410         Hexamethylindanopyran         28219-61-6       248-908-8       1 - 2 %       H315; H319; H401; H411         Ethyl trimethylcyclopentene butenol         79-92-5       201-234-8       1 - 2 %       H228; H320; H400; H410         Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401; H411         Dimethyltetrahydro Benzaldehyde       H411         80-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H412         F989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H332;
1222-05-5       214-946-9       1 - 2 %       H316; H400; H410         Hexamethylindanopyran         28219-61-6       248-908-8       1 - 2 %       H315; H319; H401; H411         Ethyl trimethylcyclopentene butenol         79-92-5       201-234-8       1 - 2 %       H228; H320; H400; H410         Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401; H411         B0-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H412         5989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H302;
## Hexamethylindanopyran  28219-61-6
28219-61-6       248-908-8       1 - 2 %       H315; H319; H401; H411         Ethyl trimethylcyclopentene butenol         79-92-5       201-234-8       1 - 2 %       H228; H320; H400; H410         Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401; H411         B0-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H410         5989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H332;
### Table 10 Page 13 Page 14 Page 14 Page 14 Page 14 Page 14 Page 14 Page 15 Page 15 Page 15 Page 16 P
79-92-5       201-234-8       1 - 2 %       H228; H320; H400; H410         Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401; H411         80-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H410         5989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H332;
Camphene         68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401; H411         80-56-8       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H410         5989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene       Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H332;
68737-61-1       272-113-5       0.1 - 1.0 %       H227; H303; H313; H315; H317; H401; H411         80-56-8 pinene       201-291-9       0.1 - 1.0 %       H226; H302; H304; H315; H317; H400; H410         5989-27-5 227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene       Limonene         13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H332;
Dimethyltetrahydro Benzaldehyde       H411         80-56-8 pinene       201-291-9 0.1 - 1.0 % H410         5989-27-5 pinene       227-813-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H412         Limonene       13466-78-9 236-719-3 0.1 - 1.0 % H226; H303; H304; H315; H317; H332;
80-56-8 201-291-9 0.1 - 1.0 % H226; H302; H304; H315; H317; H400; H410  5989-27-5 227-813-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H412  Limonene  13466-78-9 236-719-3 0.1 - 1.0 % H226; H303; H304; H315; H317; H332;
pinene       H410         5989-27-5       227-813-5       0.1 - 1.0 %       H226; H304; H315; H317; H400; H412         Limonene       13466-78-9       236-719-3       0.1 - 1.0 %       H226; H303; H304; H315; H317; H332;
<b>5989-27-5</b> 227-813-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H412 <i>Limonene</i> <b>13466-78-9</b> 236-719-3 0.1 - 1.0 % H226; H303; H304; H315; H317; H332;
<i>Limonene</i> 13466-78-9 236-719-3 0.1 - 1.0 % H226; H303; H304; H315; H317; H332;
<b>13466-78-9</b> 236-719-3 0.1 - 1.0 % H226; H303; H304; H315; H317; H332;
11404 11444
delta-3-Carene H401; H411
<b>127-91-3</b> 204-872-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H410
beta Pinene
<b>586-62-9</b> 209-578-0 0.1 - 1.0 % H227; H303; H304; H316; H317; H400;
Terpinolene H410
<b>87-44-5</b> 201-746-1 0.1 - 1.0 % H304; H317
Beta-Caryophyllene
See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 3.85

# 4. First Aid Measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

**Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

**Ingestion:** Rinse mouth with water and obtain medical advice.

# 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms:** no data available



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentual<sup>TM</sup> Silver Birch & Vetiver Fragrance Oil

Print Date: 2023-08-25

Page 4 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Risks: Refer to Section 2.2 "Hazard Statements"

# 4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

# 5. Fire-Fighting measures

# 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

**During fire fighting:** Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

# 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

# 7. Handling and Storage

# 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

# 7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentual<sup>TM</sup> Silver Birch & Vetiver Fragrance Oil

Print Date: 2023-08-25

Page 5 of 8

(800) 359-0944 www.WholesaleSuppliesPlus.com

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

7820 E Pleasant Valley Road Independence, OH 44131

**Exposure Limits:** 

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

 13466-78-9
 delta-3-Carene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

# 9. Physical and Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Golden Yellow (G3)- Pale Orange(G9)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Not determined

Melting Point:

Not determined

Not determined

190 F (87.78 C)

Auto flammability:

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0533

 %VOC:
 6.83

 Specific Gravity @ 25 C:
 0.9850

 Density (g/mL) @ 25 C:
 0.9820

 Refractive Index @ 20 C:
 1.4850

 Soluble in:
 Oil

# 10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Rustic Escentual<sup>™</sup> Silver Birch & Vetiver Product: Fragrance Oil

Print Date: 2023-08-25

Page 6 of 8

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

#### 11. **Toxicological Information**

# 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3611.3563) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 155.1712) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Not classified - the classification criteria are not met Serious eye damage / irritation Not classified - the classification criteria are not met Respiratory sensitization

Skin sensitization May cause an allergic skin reaction

Not classified - the classification criteria are not met Germ cell mutagenicity Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

#### 12. **Ecological Information**

#### 12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

**Toxicity Data on soil** no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentual<sup>TM</sup> Silver Birch & Vetiver Fragrance Oil

Print Date: 2023-08-25

Page 7 of 8

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

# 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

120-51-4 : (20 - 30 %) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)	Not Regulated - Not Dangerous Goods				
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082	

# 15. Regulatory Information

# **U.S. Federal Regulations**

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains the following components:

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

II C. Ctata Danulations

**U.S. State Regulations** 

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

**Canadian Regulations** 

**DSL** 99.76% of the components are listed or exempt. The following components are NOT on the List:

components are NOT on the List.

67801-20-1 267-140-4 0.1 - 1.0 % Trimethylcyclopentenyl Methylisopentenol

198404-98-7 427-900-1 0.01 - 0.1% Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]

131812-67-4 412-950-7 <= 20 ppm 2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-

dioxolane (Okoumal)

54440-17-4 <= 0 ppm 2,3,3-Trimethylindanone



SDS v1 GHS / OSHA

Revised Date: 2023-04-19 00:00

Product: Rustic Escentual<sup>TM</sup> Silver Birch & Vetiver Fragrance Oil

Page 8 of 8 Print Date: 2023-08-25

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

# 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H228 : Flammable Solid

H302 : Harmful if swallowed and enters airways

H313 : May be harmful in contact with skin
H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation

H320 : Causes eye irritation H332 : Harmful if inhaled H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk (TFV) Risk

(33.31) Aquatic Chronic Toxicity, Category 3 (32.22) Acute Toxicity Inhalation, Category 5

(6.50) Sensitization, Skin, Category 1B (4.35) Skin Corrosion/Irritation, Category 3

(3.33) Aquatic Chronic Toxicity, Category 2 (2.50) Sensitization, Skin, Category 1

(2.50) Sensitization, Skin, Category 1A (1.61) Aquatic Chronic Toxicity, Category 4

(1.38) Acute Toxicity Oral, Category 5 (1.21) Skin Corrosion/Irritation, Category 2 (1.13) Aquatic Acute Toxicity, Category 1

# Department issuing data sheet:

# **Department E-mail address:**

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.