

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood

Fragrance Oil

Page 1 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Soothing Sandalwood Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Skin Corrosion/Irritation, Category 3
Sensitization, Skin, Category 1A
Acute Toxicity Inhalation, Category 5
Aquatic Chronic Toxicity, Category 2

- H316 : Causes mild skin irritation
- H317 : May cause an allergic skin reaction
- H333 : May be harmful if inhaled
- H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A Reproductive Toxicity, Category 1B H317 : May cause an allergic skin reaction

H360 : May damage fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Danger Hazard statements H316



Causes mild skin irritation

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood

Page 2 of 8 Fragrance Oil 7820 E Pleasant Valley Road Independence, OH 44131 Print Date: 2023-04-27 (800) 359-0944 www.WholesaleSuppliesPlus.com H317 May cause an allergic skin reaction May be harmful if inhaled H333 H360 May damage fertility or the unborn child H411 Toxic to aquatic life with long lasting effects **Precautionary Statements Prevention:** P201 Obtain special instructions before use P202 Do not handle until all safety precautions have been read and understood P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment P281 Use personal protective equipment as required Response: P302 + P352 IF ON SKIN: Wash with soap and water P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell IF exposed or concerned: Get medical advice/attention P308 + P313 P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention P363 Wash contaminated clothing before reuse P391 **Collect Spillage**

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
66068-84-6	266-100-3	5 - 10 %	H316; H400; H411
Isocamphe	enyl cyclohexano	l (mixed isomers	s)
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410
Hexamethy	ylindanopyran		
28219-60-5	248-907-2	1 - 2 %	H315; H319; H400
2-Methyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol			
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
Benzyl Sal	licylate		
65113-99-7	265-453-0	1 - 2 %	H316; H319; H401; H411
Pentameth	Pentamethylcyclopent-3-ene-butanol		
91-64-5	202-086-7	0.1 - 1.0 %	H301; H317; H402
Coumarin			
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood

7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Fragrance Oil

Page 3 of 8 Print Date: 2023-04-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402
Linalool			
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronello			
101-86-0	202-983-3	0.1 - 1.0 %	H303; H316; H317; H400; H411
Hexyl cin	namal		
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
Geraniol			
101-39-3	202-938-8	0.1 - 1.0 %	H303; H317; H401
alpha-Me	thylcinnamaldel	hyde	
32210-23-4	250-954-9	0.1 - 1.0 %	H303; H317; H401
4-tert-But	ylcyclohexyl ac	etate	
19870-74-7	243-384-7	0.1 - 1.0 %	H317; H400; H410
Cedrol m	ethyl ether		
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
127-43-5	204-843-7	0.1 - 1.0 %	H315; H317; H401; H411
Methyl-ß-	ionone		
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402
Linalyl Ac	etate		
31906-04-4	250-863-4	0.1 - 1.0 %	H317; H402
Hydroxyis	sohexyl 3-cycloł	nexene carboxalo	lehyde
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
Butylpher	nyl Methylpropic	onal	H412
106-25-2	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
Nerol			
See Section 1	6 for full text of	GHS classification	on codes
See S	Section 16 for fu	Ill text of GHS cla	assification codes which where not shown in section 2
—			2.24

Total Hydrocarbon Content (% w/w) = 0.31

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects, both acute and delayed		

Symptoms:

no data available



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood

Fragrance Oil

Page 4 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the substance or mixture	
During fire fighting: 5.3 Advice for firefighters	Water may be ineffective
Further information:	Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood

Fragrance Oil

Page 5 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure Cont	rols/Personal Protection		
8.1 Control parameters			
Exposure Limits:			
Component	ACGIH ACGIH OSHA OSHA TWA ppm STEL ppm TWA ppm STEL ppm		
80-56-8 pinene	20		
Engineering Controls:	Use local exhaust as needed.		
8.2 Exposure controls - Personal protective equipment			
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure		
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.		

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Yellow Tint to Pale Yellow (G1-2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0339
%VOC:	1.39
Specific Gravity @ 25 C:	1.0120
Density (g/mL) @ 25 C:	1.0090
Refractive Index @ 20 C:	1.4560
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood Fragrance Oil

Page 6 of 8 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

10.5 Incompatible materials

Strong oxidizing agents, strong acids, and alkalis None known

10.6 Hazardous decomposition products

11. Toxicological Information

11.1 Toxicological Effects

Acute toxicity - Oral - (Rat) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 319.1835) May be harmful if inhaled
Skin corrosion / irritation	Causes mild skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	May damage fertility or the unborn child
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity		
Acute acquatic toxicity	Not classified - the classification criteria are not met	
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects	
Toxicity Data on soil	no data available	
Toxicity on other organisms	no data available	
12.2 Persistence and degradability	no data available	
12.3 Bioaccumulative potential	no data available	
12.4 Mobility in soil	no data available	
12.5 Other adverse effects	no data available	

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com **Fragrance Oil**

Page 7 of 8 Print Date: 2023-04-27

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 1222-05-5 : (1 - 2 %) : Hexamethylindanopyran					
Regulator		Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	s Goods		
Chemicals NOI						
ADR/RID (International Road/Rail)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082	
IATA (Air Cargo)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082	
IMDG (Sea)						
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082	

15. Regulatory Information							
U.S. Federal Regulations							
TSCA (Toxic Substance Control Act)		ntrol Act)	All components of the substance/mixture are listed or exempt				
40 CFR(EPCRA, SARA, CERCLA and CAA)		RCLA and CAA)	This product contains the following components:				
1222-05-5	214-946-9	1 - 2 %	Hexamethylindanopyran				
U.S. State Regulations							
California Proposition 65 Warning		arning	This product contains the following components:				
94-59-7	202-345-4	<= 76 ppm	Safrole (Natural Source)				
123-35-3(NF	204-622-5	<= 60 ppm	beta-Myrcene (Natural Source)				
93-15-2	202-223-0	<= 20 ppm	Methyl Eugenol (Natural Source)				
Canadian Regulations							
DSL			99.92% of the components are listed or exempt.The following components are NOT on the List:				
67801-20-1	267-140-4	0.01 - 0.1%	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol				

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid		
H301 : Toxic if swallowed	H302 : Harmful if swallowed		
H303 : May be harmful if swallowed	H304 : May be fatal if swallowed and enters airways		
H313 : May be harmful in contact with skin	H315 : Causes skin irritation		
H317 : May cause an allergic skin reaction	H318 : Causes serious eye damage		
H319 : Causes serious eye irritation	H320 : Causes eye irritation		
H400 : Very Toxic to aquatic life	H401 : Toxic to aquatic life		

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice[™] Soothing Sandalwood

Fragrance Oil

Page 8 of 8 Print Date: 2023-04-27

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

H402 : Harmful to aquatic life

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk
(15.66) Acute Toxicity Inhalation, Category 5
(1.45) Aquatic Chronic Toxicity, Category 2
(1.10) Reproductive Toxicity, Category 1B

(1.02) Sensitization, Skin, Category 1B

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

H410 : Very toxic to aquatic life with long lasting effects

(TFV) Risk
(14.60) Aquatic Chronic Toxicity, Category 3
(1.29) Skin Corrosion/Irritation, Category 3
(1.10) Sensitization, Skin, Category 1A