# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend

Page 1 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade Name: Crafter's Choice<sup>™</sup> Spa Tonic - EO & FO Blend

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

#### 1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

#### 1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### **Classification according to GHS**

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA (Provisions 1910.1200 of title	29)
Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Carcinogenicity, Category 2	H351 : Suspected of causing cancer
Reproductive Toxicity, Category 1B	H360 : May damage fertility or the unborn child
Classification Other	

#### Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

# **Safety Data Sheet**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend

Page 2 of 9 Print Date: 2023-04-27

2.2 Label elements

### Labelling (GHS)

Hazard pictograms





### Signal Word: Danger

# Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### **Prevention:**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### **Response:**

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P313	Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage



# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend

Page 3 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

no data available

# 3. Composition/Information on Ingredients

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
101-86-0	202-983-3	10 - 20 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
5989-27-5	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412
Limonene			
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411
Benzyl Bel	nzoate		
115-95-7	204-116-4	2 - 5 %	H227; H315; H317; H320; H402
Linalyl Ace	etate		
54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411
Tetrameth	yl Acetyloctahyd	ronaphthalenes	
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
24851-98-7	246-495-9	1 - 2 %	H402
Methyldihy	rdrojasmonate		
21145-77-7	244-240-6	1 - 2 %	H302; H400; H410
Acetyl hex	amethyl tetralin		
31906-04-4	250-863-4	1 - 2 %	H317; H402
Hydroxyiso	ohexyl 3-cyclohe	xene carboxalde	hyde
1205-17-0	214-881-6	0.1 - 1.0 %	H303; H317; H361; H401; H411
a-Methyl-1	,3-benzodioxole	-5-propionaldehy	<i>ide</i>
<b>80-56-8</b> pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
107-75-5	203-518-7	0.1 - 1.0 %	H317; H319; H402
Hydroxycit	ronellal		
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401
Citronellol			
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H360; H401;
Butylpheny	/I Methylpropiona	al	H412
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
beta Piner	e		
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-Te	erpinene		
5392-40-5	226-394-6	0.1 - 1.0 %	H313; H315; H317; H319; H401
Citral			

7820 E Pleasant Valley Road

Independence, OH 44131

(800) 359-0944

# **Safety Data Sheet**

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9 Print Date: 2023-04-27

www.WholesaleSuppliesPlus.com				
CAS# Ingredient	EC#	Conc. Range	GHS Classification	
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412	
Geranyl Ad	cetate			
4180-23-8	224-052-0	0.1 - 1.0 %	H303; H316; H317; H401	
Anethole				
140-67-0	205-427-8	0.1 - 1.0 %	H227; H302; H315; H317; H341; H351;	
Estragole (Methyl Chavicol) H401; H412				
141-12-8	205-459-2	0.1 - 1.0 %	H317; H401	
Neryl acetate				
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;	
Dimethyltetrahydro Benzaldehyde H411				
See Section 16 for full text of GHS classification codes				

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 13.11

## 4. First Aid Measures

#### 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
Ingestion: 4.2 Most important symptoms and effects,	Rinse mouth with water and obtain medical advice. both acute and delayed
Symptoms:	no data available
Risks: 4.3 Indication of any immediate medical at	Refer to Section 2.2 "Hazard Statements" tention and special treatment needed

Treatment:

Refer to Section 2.2 "Response"

5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable Do not use a direct water jet on burning material	
5.2 Special hazards arising from the substa	ance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend

Page 5 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### 7. Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

Exposure Li	mits:					
Component	t	ACGIH TWA ppm	ACGIH STEL ppm	OSHA TWA ppm	OSHA STEL ppm	
80-56-8	pinene	20	)			
127-91-3	beta Pinene	20	)			

#### **Engineering Controls:** Use local exhaust as needed.

#### 8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

#### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance:LiquidOdor:Conforms to Standard

# Safety Data Sheet

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Color:	Yellow Tint to Pale Yellow (G0-2)
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	163 F (72.78 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.1464
%VOC:	14.41
Specific Gravity @ 25 C:	0.9330
Density (g/mL) @ 25 C:	0.9300
Refractive Index @ 20 C:	1.4820
Soluble in:	Oil

## 10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

## 11. Toxicological Information

#### **11.1 Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula" Acute toxicity - Oral - (Rat) mg/kg (LD50: 3751.2406) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4924.8712) May be harmful in contact with skin Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 49.8301) May be harmful if inhaled Skin corrosion / irritation Causes skin irritation Not classified - the classification criteria are not met Serious eye damage / irritation **Respiratory sensitization** Not classified - the classification criteria are not met May cause an allergic skin reaction Skin sensitization Not classified - the classification criteria are not met Germ cell mutagenicity Carcinogenicity Suspected of causing cancer Reproductive toxicity May damage fertility or the unborn child

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend

Page 7 of 9 Print Date: 2023-04-27

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Not classified - the classification criteria are not met Not classified - the classification criteria are not met May be fatal if swallowed and enters airways

**12.** Ecological Information 12.1 Toxicity

Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

#### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 101-86-0 : (10 - 20 %) : Hexyl cinnamal						
Regulator		Class	Pack Group	Sub Risk	UN-nr.		
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerou	s Goods			
Chemicals NOI							
ADR/RID (International Road/Rail)							
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082		
IATA (Air Cargo)							
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082		
IMDG (Sea)							
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082		

# Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend

Page 8 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

15.	Regulatory Information					
U.S. Federal Regulations						
TSCA (Toxic Substance Control Act)			ntrol Act)	All components of the substance/mixture are listed or exempt		
40 CFR(EPCRA, SARA, CERCLA and CAA) U.S. State Regulations			CLA and CAA)	This product contains NO components of concern.		
California Proposition 65 Warning			arning	This product contains the following components:		
140	)-67-0	205-427-8	0.1 - 1.0 %	Estragole (Methyl chavicol) (Natural Source)		
123	8-35-3(NF	204-622-5	0.01 - 0.1%	beta-Myrcene (Natural Source)		
Canadian Regulations						
DSL				100.00% of the components are listed or exempt.		

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

- H226 : Flammable liquid and vapour
- H316 : Causes mild skin irritation
- H319 : Causes serious eye irritation
- H341 : Suspected of causing genetic defects
- H401 : Toxic to aquatic life
- H410 : Very toxic to aquatic life with long lasting effects

## **Total Fractional Values**

### (TFV) Risk

- (100.34) Acute Toxicity Inhalation, Category 5
- (16.66) Sensitization, Skin, Category 1B
- (8.40) Reproductive Toxicity, Category 2
- (3.96) Skin Corrosion/Irritation, Category 3
- (2.31) Aquatic Chronic Toxicity, Category 2
- (1.80) Carcinogenicity, Category 2
- (1.71) Aquatic Chronic Toxicity, Category 4
- (1.33) Acute Toxicity Oral, Category 5
- (1.02) Acute Toxicity Dermal, Category 5

H302 : Harmful if swallowed
H317 : May cause an allergic skin reaction
H320 : Causes eye irritation
H361 : Suspected of damaging fertility or the unborn child
H402 : Harmful to aquatic life
H412 : Harmful to aquatic life with long lasting effects

(TFV) Risk
(23.59) Aquatic Chronic Toxicity, Category 3
(11.00) Sensitization, Skin, Category 1A
(5.40) Reproductive Toxicity, Category 1B
(3.40) Sensitization, Skin, Category 1
(2.20) Skin Corrosion/Irritation, Category 2
(1.80) Reproductive Toxicity, Category 1B
(1.52) Aquatic Acute Toxicity, Category 1
(1.31) Aspiration Hazard, Category 1

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.



Safety Data Sheet

Product: Crafter's Choice<sup>™</sup> Spa Tonic -EO & FO Blend SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com