

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

Page 1 of 8

Print Date: 2023-04-27

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade Name:** Crafter's Choice™ Sparkling Snowflake - EO & FO Blend

### 1.2 Relevant identified product use

**Intended use:** Compound used in customer substance/mixture/product

### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Supplier:** IndiMade Brands, LLC DBA Wholesale Supplies Plus  
7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

### 1.4 Emergency telephone number

**(800) 255-3924** Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
**+1 813 248-0585** International

## 2. Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

#### Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Aspiration Hazard, Category 1	H304 : May be fatal if swallowed and enters airways
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction

#### Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [ ] ACGIH [ ] IARC [X] NTP [ ] OSHA [ ]

### 2.2 Label elements

**Labelling (GHS)**

**Hazard pictograms**

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

Page 2 of 8

Print Date: 2023-04-27

**Signal Word: Danger****Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

**Precautionary Statements****Prevention:**

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

**Response:**

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage

**2.3 Other Hazards**

no data available

**3. Composition/Information on Ingredients****3.1 Mixtures**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
--------------------	-----	----------------	--------------------

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Page 3 of 8

Print Date: 2023-04-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification
<b>125-12-2</b> <i>Isobornyl acetate</i>	204-727-6	50 - 60 %	H227; H316; H401
<b>120-51-4</b> <i>Benzyl Benzoate</i>	204-402-9	10 - 20 %	H302; H313; H400; H411
<b>5989-27-5</b> <i>Limonene</i>	227-813-5	10 - 20 %	H226; H304; H315; H317; H400; H412
<b>105-95-3</b> <i>Ethylene brassylate</i>	203-347-8	5 - 10 %	H401
<b>1222-05-5</b> <i>Hexamethylindanopyran</i>	214-946-9	2 - 5 %	H316; H400; H410
<b>2756-56-1</b> <i>Isobornyl propionate</i>	220-410-5	1 - 2 %	H316; H401
<b>103-95-7</b> <i>Cyclamen Aldehyde</i>	203-161-7	1 - 2 %	H227; H303; H315; H317; H401; H412
<b>91-64-5</b> <i>Coumarin</i>	202-086-7	1 - 2 %	H301; H317; H402
<b>97-53-0</b> <i>Eugenol</i>	202-589-1	1 - 2 %	H303; H316; H317; H319; H401
<b>77-83-8</b> <i>Ethyl Methylphenylglycidate</i>	201-061-8	0.1 - 1.0 %	H317; H401; H411
<b>127-91-3</b> <i>beta Pinene</i>	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410
<b>32210-23-4</b> <i>4-tert-Butylcyclohexyl acetate</i>	250-954-9	0.1 - 1.0 %	H303; H317; H401
<b>80-56-8</b> <i>pinene</i>	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
<b>470-82-6</b> <i>Eucalyptol</i>	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402
<b>101-39-3</b> <i>alpha-Methylcinnamaldehyde</i>	202-938-8	0.1 - 1.0 %	H303; H317; H401
<b>87-44-5</b> <i>Beta-Caryophyllene</i>	201-746-1	0.1 - 1.0 %	H304; H317
<b>13466-78-9</b> <i>delta-3-Carene</i>	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332; H401; H411
<b>104-54-1</b> <i>Cinnamyl Alcohol</i>	203-212-3	0.1 - 1.0 %	H302; H316; H317; H401
<b>586-62-9</b> <i>Terpinolene</i>	209-578-0	0.1 - 1.0 %	H227; H303; H304; H316; H317; H400; H410
<b>103-26-4</b> <i>Methyl cinnamate</i>	203-093-8	0.1 - 1.0 %	H303; H317

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section 2

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

Page 4 of 8  
Print Date: 2023-04-27

Total Hydrocarbon Content (% w/w) = 13.69

## 4. First Aid Measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
<b>Eye Exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin Exposure:</b>	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Symptoms:</b>	no data available
<b>Risks:</b>	Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Treatment:</b>	Refer to Section 2.2 "Response"
-------------------	---------------------------------

## 5. Fire-Fighting measures

### 5.1 Extinguishing media

<b>Suitable:</b>	Carbon dioxide (CO2), Dry chemical, Foam
<b>Unsuitable</b>	Do not use a direct water jet on burning material

### 5.2 Special hazards arising from the substance or mixture

<b>During fire fighting:</b>	Water may be ineffective
------------------------------	--------------------------

### 5.3 Advice for firefighters

<b>Further information:</b>	Standard procedure for chemical fires
-----------------------------	---------------------------------------

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

Page 5 of 8

Print Date: 2023-04-27

## 7. Handling and Storage

### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

### 7.3 Specific end uses

No information available

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits:

Component		ACGIH	ACGIH	OSHA	OSHA
		TWA ppm	STEL ppm	TWA ppm	STEL ppm
80-56-8	<i>pinene</i>		20		
127-91-3	<i>beta Pinene</i>		20		
13466-78-9	<i>delta-3-Carene</i>		20		

Engineering Controls: Use local exhaust as needed.

### 8.2 Exposure controls - Personal protective equipment

**Eye protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

**Respiratory protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Liquid
<b>Odor:</b>	Conforms to Standard
<b>Color:</b>	Yellow to Greenish Yellow (G4-6)
<b>Viscosity:</b>	Liquid
<b>Freezing Point:</b>	Not determined
<b>Boiling Point:</b>	Not determined
<b>Melting Point:</b>	Not determined
<b>Flashpoint (CCCFP):</b>	158 F (70.00 C)
<b>Auto flammability:</b>	Not determined
<b>Explosive Properties:</b>	None Expected
<b>Oxidizing properties:</b>	None Expected
<b>Vapor Pressure (mmHg@20 C):</b>	0.1997
<b>%VOC:</b>	15.95

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

Page 6 of 8

Print Date: 2023-04-27

<b>Specific Gravity @ 25 C:</b>	0.9820
<b>Density (g/mL) @ 25 C:</b>	0.9790
<b>Refractive Index @ 20 C:</b>	1.4830
<b>Soluble in:</b>	Oil

## 10. Stability and Reactivity

<b>10.1 Reactivity</b>	None
<b>10.2 Chemical stability</b>	Stable
<b>10.3 Possibility of hazardous reactions</b>	None known
<b>10.4 Conditions to avoid</b>	None known
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, strong acids, and alkalis
<b>10.6 Hazardous decomposition products</b>	None known

## 11. Toxicological Information

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

<b>Acute toxicity - Oral - (Rat) mg/kg</b>	(LD50: 3825.6640) May be harmful if swallowed
<b>Acute toxicity - Dermal - (Rabbit) mg/kg</b>	(LD50: 3773.5900) May be harmful in contact with skin
<b>Acute toxicity - Inhalation - (Rat) mg/L/4hr</b>	(LD50: 204.6124) May be harmful if inhaled
<b>Skin corrosion / irritation</b>	Causes skin irritation
<b>Serious eye damage / irritation</b>	Not classified - the classification criteria are not met
<b>Respiratory sensitization</b>	Not classified - the classification criteria are not met
<b>Skin sensitization</b>	May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	Not classified - the classification criteria are not met
<b>Carcinogenicity</b>	Not classified - the classification criteria are not met
<b>Reproductive toxicity</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - single exposure</b>	Not classified - the classification criteria are not met
<b>Specific target organ toxicity - repeated exposure</b>	Not classified - the classification criteria are not met
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways

## 12. Ecological Information

### 12.1 Toxicity

<b>Acute aquatic toxicity</b>	Very Toxic to aquatic life
<b>Chronic aquatic toxicity</b>	Toxic to aquatic life with long lasting effects
<b>Toxicity Data on soil</b>	no data available
<b>Toxicity on other organisms</b>	no data available

7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

Page 7 of 8  
Print Date: 2023-04-27

<b>12.2 Persistence and degradability</b>	no data available
<b>12.3 Bioaccumulative potential</b>	no data available
<b>12.4 Mobility in soil</b>	no data available
<b>12.5 Other adverse effects</b>	no data available

## 13. Disposal Conditions

### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

## 14. Transport Information

<b>Marine Pollutant</b>	Yes. Ingredient of greatest environmental impact : 120-51-4 : (10 - 20 %) : Benzyl Benzoate			
<b>Regulator</b>	<b>Class</b>	<b>Pack Group</b>	<b>Sub Risk</b>	<b>UN-nr.</b>
<b>U.S. DOT (Non-Bulk)</b>	Not Regulated - Not Dangerous Goods			
Chemicals NOI				
<b>ADR/RID (International Road/Rail)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IATA (Air Cargo)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
<b>IMDG (Sea)</b>				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

## 15. Regulatory Information

### U.S. Federal Regulations

<b>TSCA (Toxic Substance Control Act)</b>	All components of the substance/mixture are listed or exempt
<b>40 CFR(EPCRA, SARA, CERCLA and CAA)</b>	This product contains the following components:
1222-05-5    214-946-9    2 - 5 %	Hexamethylindanopyran

### U.S. State Regulations

<b>California Proposition 65 Warning</b>	This product contains the following components:
123-35-3(NF    204-622-5    0.1 - 1.0 %	beta-Myrcene (Natural Source)
94-59-7    202-345-4    <= 22 ppm	Safrole (Natural Source)
93-15-2    202-223-0    <= 17 ppm	Methyl Eugenol (Natural Source)

### Canadian Regulations

<b>DSL</b>	100.00% of the components are listed or exempt. The following components are NOT on the List:
94201-73-7    303-662-1    <= 4 ppm	Tetrahydro-4-methyl-2-phenyl-2H-pyran



7820 E Pleasant Valley Road  
Independence, OH 44131  
(800) 359-0944  
www.WholesaleSuppliesPlus.com

Product: **Crafter's Choice™ Sparkling Snowflake -  
EO & FO Blend**

Page 8 of 8

Print Date: 2023-04-27

815580-59-7	453-570-1	<= 3 ppm	3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester
67801-20-1	267-140-4	<= 3 ppm	3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol
198404-98-7	427-900-1	<= 1 ppm	Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]
131812-67-4	412-950-7	<= 0 ppm	2,4-Dimethyl-2-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)-1,3-dioxolane (Okoumal)
54440-17-4		<= 0 ppm	2,3,3-Trimethylindanone

## 16. Other Information

### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H301 : Toxic if swallowed
H302 : Harmful if swallowed	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H332 : Harmful if inhaled
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

### Total Fractional Values

(TFV) Risk	(TFV) Risk
(24.47) Aquatic Chronic Toxicity, Category 3	(24.44) Acute Toxicity Inhalation, Category 5
(10.51) Sensitization, Skin, Category 1B	(7.32) Skin Corrosion/Irritation, Category 3
(2.80) Sensitization, Skin, Category 1	(2.80) Sensitization, Skin, Category 1A
(2.40) Aquatic Chronic Toxicity, Category 2	(1.48) Skin Corrosion/Irritation, Category 2
(1.35) Aquatic Chronic Toxicity, Category 4	(1.32) Acute Toxicity Dermal, Category 5
(1.31) Acute Toxicity Oral, Category 5	(1.30) Aspiration Hazard, Category 1
(1.17) Aquatic Acute Toxicity, Category 1	

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.