Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Spiked Cider Fragrance Oil

Page 1 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice[™] Spiked Cider Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
assification OSHA (Provisions 1010 1200	of title 20)

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4	H227 : Combustible liquid
Acute Toxicity Oral, Category 4	H302 : Harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
Reproductive Toxicity, Category 2	H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [] ACGIH [] IARC [X] NTP [] OSHA []

2.2 Label elements


Labelling (GHS) Hazard pictograms

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com



Signal Word: Warning

Hazard statements



Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P235	Keep cool
P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required
Response:	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P308 + P313	IF exposed or concerned: Get medical advice/attention
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

- . I ake on contaminated clothing and wash before reuse
- P363Wash contaminated clothing before reuseP370 + P378In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not use
a direct water jet on burning material
- P391 Collect Spillage

2.3 Other Hazards

no data available

Safety Data Sheet SDS v1 GHS/OSHA

Revised Date: 2023-02-07 00:00

Page 2 of 9 Print Date: 2023-04-27



Product: Crafter's Choice[™] Spiked Cider Fragrance Oil



Safety Data Sheet

Product: Crafter's Choice[™] Spiked **Cider Fragrance Oil**

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

3. **Composition/Information on Ingredients**

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	50 - 60 %	H302; H313; H400; H411
Benzyl Be	nzoate		
24851-98-7	246-495-9	5 - 10 %	H402
Methyldihy	/drojasmonate		
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412
Limonene			
101-86-0	202-983-3	2 - 5 %	H303; H316; H317; H400; H411
Hexyl cinn	amal		
88-41-5	201-828-7	2 - 5 %	H227; H303; H316; H401; H411
2-t-Butylcy	clohexyl acetate		
1222-05-5	214-946-9	2 - 5 %	H316; H400; H410
Hexameth	ylindanopyran		
128-37-0	204-881-4	2 - 5 %	H316; H400; H410
BHT			
101-39-3	202-938-8	1 - 2 %	H303; H317; H401
alpha-Met	hylcinnamaldehy	rde	
97-53-0	202-589-1	1 - 2 %	H303; H316; H317; H319; H401
Eugenol			
706-14-9	211-892-8	1 - 2 %	H316
gamma-De			
	233-732-6	1 - 2 %	H227; H303; H316; H317; H319; H402
Ethyl Linal			
151-05-3	205-781-3	1 - 2 %	H303; H402
	hyl-2-phenylethyl		
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
Linalool			
140-11-4	205-399-7	1 - 2 %	H303; H401; H412
Benzyl ace			
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412
Benzyl Sa	•		
103-48-0	203-116-1	1 - 2 %	H401
-	isobutyrate		
103-26-4	203-093-8	0.1 - 1.0 %	H303; H317
Methyl cin			
1335-66-6	215-638-7	0.1 - 1.0 %	H227; H303; H317; H319; H401; H412
IsoCycloC	itral		

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

Product: Crafter's Choice[™] Spiked Cider Fragrance Oil

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 4 of 9 Print Date: 2023-04-27

CAS# Ingredient	EC#	Conc. Range	GHS Classification
106-24-1	203-377-1	0.1 - 1.0 %	H303; H315; H317; H318; H402
<i>Geraniol</i> 68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
	tetrahydro Benza		H411
80-56-8 pinene	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361
gamma-T	Ferpinene		
106-25-2 Nerol	203-378-7	0.1 - 1.0 %	H303; H315; H317; H319; H401
2705-87-5	220-292-5	0.1 - 1.0 %	H302; H312; H317; H400; H411
Allyl cyclo	ohexylpropionate	Э	
63314-79-4	429-900-5	0.1 - 1.0 %	H317; H400; H412
5-Cyclope	entadecen-1-one	e, 3-methyl-	
See Section 16 for full text of GHS classification codes			

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 8.89

4. First Aid Measures		
4.1 Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.	
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.	
Ingestion:	Rinse mouth with water and obtain medical advice.	
4.2 Most important symptoms and effects	, both acute and delayed	
Symptoms:	no data available Refer to Section 2.2 "Hazard Statements"	
Risks:		
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment:	Refer to Section 2.2 "Response"	
5. Fire-Fighting measures		
5.1 Extinguishing media		
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable	Do not use a direct water jet on burning material	
5.2 Special hazards arising from the subs	tance or mixture	
During fire fighting:	Water may be ineffective	

Crafter'sChoice[®]

Safety Data Sheet

Product: Crafter's Choice[™] Spiked Cider Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 5 of 9 Print Date: 2023-04-27

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

5.3 Advice for firefighters

Further information:

Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: ACGIH ACGIH OSHA OSHA Component TWA ppm STEL ppm TWA ppm STEL ppm 140-11-4 Benzyl acetate 10 128-37-0 BHT 2 20 80-56-8 pinene

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Safety Data Sheet

Product: Crafter's Choice[™] Spiked Cider Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 9 Print Date: 2023-04-27

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Liquid
Conforms to Standard
Pale Yellow to Yellow (G3-6)
Liquid
Not determined
Not determined
Not determined
174 F (78.89 C)
Not determined
None Expected
None Expected
0.1232
12.33
1.0320
1.0290
1.5260
Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 1978.8636) Harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4179.1313) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 56.5116) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Not classified - the classification criteria are not met
Respiratory sensitization	Not classified - the classification criteria are not met

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

. .

Safety Data Sheet

Product: Crafter's Choice[™] Spiked Cider Fragrance Oil SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 9 Print Date: 2023-04-27

	······································	
Ş	Skin sensitization	May cause an allergic skin reaction
(Germ cell mutagenicity	Not classified - the classification criteria are not met
(Carcinogenicity	Not classified - the classification criteria are not met
F	Reproductive toxicity	Suspected of damaging fertility or the unborn child
ę	Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
ę	Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
	Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information				
2.1 Toxicity				
Acute acquatic toxicity	Very Toxic to aquatic life			
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects			
Toxicity Data on soil	no data available			
Toxicity on other organisms	no data available			
12.2 Persistence and degradability	no data available			
12.3 Bioaccumulative potential	no data available			
12.4 Mobility in soil	no data available			
12.5 Other adverse effects	no data available			

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (50 - 60 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Ro	ad/Rail)				
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardou Substance, Liquid, n.o.s		9	III		UN3082
IMDG (Sea)					

Safety Data Sheet

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice[™] Spiked **Cider Fragrance Oil**

7820 E Pleasant Valley Road	(Cider Fragrance	Oil	Page 8 of 9	
Independence, OH 44131				Print Date: 2023-04-27	
(800) 359-0944					
www.WholesaleSuppliesPlus.co					
Environmentally Hazard		9 III		UN3082	
Substance, Liquid, n.o	0.S.				
15. Regulatory	/ Information				
U.S. Federal Regulation	IS				
TSCA (Toxic Substance Control Act)		All component	s of the substance/mixture	are listed or exempt	
40 CFR(EPCRA, SAR	RA, CERCLA and CAA	A) This product c	ontains the following comp	onents:	
• •	-946-9 2 - 5 %	, ,	Hexamethylindanopyran		
U.S. State Regulations					
_					
California Proposition 65 Warning		This product c	This product contains the following components:		
123-35-3(NF 204-	-622-5 0.1 - 1.0 %	beta-Myrcene (Na	atural Source)		
Canadian Regulations					
DSL			components are listed or e re NOT on the List:	exempt.The following	
129520-41-8 407-	-562-0 0.1 - 1.0 %	4,7-methano-3aF	I-indene-3a-carboxylic acid	l, octahydro-, ethyl ester	
94201-73-7 303-	-662-1 0.01 - 0.1%	Tetrahydro-4-me	thyl-2-phenyl-2H-pyran		

16. **Other Information**

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H303 : May be harmful if swallowed			
H304 : May be fatal if swallowed and enters airways	H312 : Harmful in contact with skin			
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction			
H318 : Causes serious eye damage	H319 : Causes serious eye irritation			
H320 : Causes eye irritation	H401 : Toxic to aquatic life			
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects			
H412 : Harmful to aquatic life with long lasting effects				
Total Fractional Values				
(TFV) Risk	(TFV) Risk			
(88.48) Acute Toxicity Inhalation, Category 5	(44.23) Aquatic Chronic Toxicity, Category 3			
(8.40) Sensitization, Skin, Category 1B	(4.38) Aquatic Chronic Toxicity, Category 2			

- (3.05) Aquatic Chronic Toxicity, Category 4
- (2.76) Skin Corrosion/Irritation, Category 3
- (1.16) Reproductive Toxicity, Category 2
- (1.01) Acute Toxicity Oral, Category 4
- (1.00) Sensitization, Skin, Category 1A

Department issuing data sheet:

Department E-mail address:

- (4.38) Aquatic Chronic Toxicity, Category 2
- (2.80) Aquatic Acute Toxicity, Category 1
- (1.20) Acute Toxicity Dermal, Category 5
- (1.12) Skin Corrosion/Irritation, Category 2
- (1.00) Sensitization, Skin, Category 1



7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Product: Crafter's Choice[™] Spiked

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 9 of 9 Print Date: 2023-04-27

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

Safety Data Sheet

Cider Fragrance Oil