



Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice[™] Sugared Amber & Plum Fragrance Oil

Page 1 of 8 Print Date: 2023-04-28

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed Skin Corrosion/Irritation, Category 3 H316 : Causes mild skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2A H319: Causes serious eye irritation

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms





Signal Word: Warning





Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 2 of 8 Print Date: 2023-04-28

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road

H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 Wash hands thoroughly after handling
P272 Contaminated work clothing should not be allowed out of the workplace
P273 Avoid release to the environment

Response:

ponse.	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	CAS# Ingredient	EC#	Conc. Range	GHS Classification	
	101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411	
Hexyl cinnamal					
	24851-98-7	246-495-9	5 - 10 %	H402	
Methyldihydrojasmonate					
	1222-05-5	214-946-9	5 - 10 %	H316; H400; H410	
Hexamethylindanopyran					
	105-95-3	203-347-8	5 - 10 %	H401	
Ethylene brassylate					
	54464-57-2	259-174-3	2 - 5 %	H315; H317; H401; H411	
	Tatramath	d Acatulactabud	ononhtholonoo		

Tetramethyl Acetyloctahydronaphthalenes



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 3 of 8 Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification	
10339-55-6	233-732-6	2 - 5 %	H227; H303; H316; H317; H319; H402	
Ethyl Lina	alool			
121-33-5	204-465-2	2 - 5 %	H303; H313; H319; H402	
vanillin				
63500-71-0	405-040-6	2 - 5 %	H319	
Isobutyl N	Methyl Tetrahydi	ropyranol		
100-51-6	202-859-9	2 - 5 %	H302; H313; H319	
Benzyl Al	lcohol			
31906-04-4	250-863-4	1 - 2 %	H317; H402	
Hydroxyis	sohexyl 3-cycloh	nexene carboxalo	lehyde	
140-11-4	205-399-7	1 - 2 %	H303; H401; H412	
Benzyl ad	cetate			
4940-11-8	225-582-5	1 - 2 %	H302; H401	
Ethyl Mal	ltol .			
5471-51-2	226-806-4	1 - 2 %	H402	
Raspberr	y Ketone			
120-51-4	204-402-9	1 - 2 %	H302; H313; H400; H411	
Benzyl Be	enzoate			
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402	
Linalyl Ad	cetate			
5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412	
Limonene	9			
57378-68-4	260-709-8	0.1 - 1.0 %	H302; H315; H317; H318; H400; H410	
delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one (delta-Damascone)				
106-22-9	203-375-0	0.1 - 1.0 %	H303; H313; H315; H317; H319; H401	
Citronello	o/			
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;	
pinene			H410	
67633-96-9	266-797-4	0.1 - 1.0 %	H227; H317; H401	
cis-3-Hex	enyl methyl car	bonate		
24720-09-0	246-430-4	0.1 - 1.0 %	H302; H313; H317; H401; H411	
alpha-dai	mascone			
See Section 1	16 for full text of	GHS classification	on codes	

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 0.94

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin Exposure:

Page 4 of 8 Print Date: 2023-04-28

Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product: Crafter's

Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 5 of 8

Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component

ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 140-11-4
 Benzyl acetate
 10

 80-56-8
 pinene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow Tint (G0/1) to Pale Yellow (G2)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Not determined

Not determined

Not determined

Not determined

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0645

 %VOC:
 4.12

 Specific Gravity @ 25 C:
 0.9590

 Density (g/mL) @ 25 C:
 0.9560

 Refractive Index @ 20 C:
 1.4770

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 6 of 8 Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

> 10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. **Toxicological Information**

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4106.4526) May be harmful if swallowed Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 46.9955) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met Carcinogenicity Not classified - the classification criteria are not met Reproductive toxicity Not classified - the classification criteria are not met Specific target organ toxicity - single exposure Not classified - the classification criteria are not met Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. **Ecological Information**

12.1 Toxicity

Not classified - the classification criteria are not met Acute acquatic toxicity

Chronic acquatic toxicity Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available no data available Toxicity on other organisms

12.2 Persistence and degradability no data available 12.3 Bioaccumulative potential no data available 12.4 Mobility in soil no data available 12.5 Other adverse effects no data available



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

Page 7 of 8

Print Date: 2023-04-28

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

1222-05-5 : (5 - 10 %) : Hexametnylindanopyran				
Regulator	Class	Pack Group	Sub Risk	UN-nr.

Yes. Ingredient of greatest environmental impact:

U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods

Chemicals NOI

Marine Pollutant

ADR/RID (International Road/Rail)

Environmentally Hazardous	9	III	UN3082
Substance, Liquid, n.o.s.			

IATA (Air Cargo)

Environmentally Hazardous 9 III UN3082 Substance, Liquid, n.o.s.

IMDG (Sea)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 5 - 10 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt. The following

components are NOT on the List:

815580-59-7 453-570-1 0.01 - 0.1% 3-Cyclohexene-1-carboxylic acid, 2,6,6-trimethyl-, methyl ester

94201-73-7 303-662-1 <= 30 ppm Tetrahydro-4-methyl-2-phenyl-2H-pyran

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways

H313 : May be harmful in contact with skin H315 : Causes skin irritation



SDS v1 GHS / OSHA

Revised Date: 2023-04-18 00:00

Product:

Crafter's Choice™ Sugared Amber & Plum Fragrance Oil

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Print Date: 2023-04-28

Page 8 of 8

H317 : May cause an allergic skin reaction
H318 : Causes serious eye damage
H320 : Causes eye irritation
H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life
H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk (TFV) Risk (36.43) Acute Toxicity Inhalation, Category 5

(16.00) Sensitization, Skin, Category 1A (8.00) Sensitization, Skin, Category 1B

(3.63) Aquatic Chronic Toxicity, Category 2 (2.69) Skin Corrosion/Irritation, Category 3

(1.53) Eye Damage/Eye Irritation, Category 2A (1.22) Acute Toxicity Oral, Category 5 (1.02) Aquatic Chronic Toxicity, Category 4

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.