

Crafter's Choice®

Safety Data Sheet

Crafter's Choice™ Sugared Spruce -EO & FO Blend

Page 1 of 9 Print Date: 2023-04-28

Revised Date: 2023-02-07 00:00

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Crafter's Choice™ Sugared Spruce - EO & FO Blend

Product:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Acute Toxicity Dermal, Category 5 H313: May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid

Aspiration Hazard, Category 1 H304: May be fatal if swallowed and enters airways

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation


Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)





Revised Date: 2023-02-07 00:00

roduct: Crafter's Choice™ Sugared Spruce -EO & FO Blend

Page 2 of 9 Print Date: 2023-04-28

use

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Hazard pictograms







Signal Word: Danger

Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P301 + P310 + P331	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction. Do not a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available





Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Sugared Spruce - EO & FO Blend


7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 3 of 9 Print Date: 2023-04-28

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification		
125-12-2	204-727-6	40 - 50 %	H227; H316; H401		
Isobornyl a	acetate				
107-41-5	203-489-0	10 - 20 %	H315; H319		
Hexylene	Glycol				
120-51-4	204-402-9	5 - 10 %	H302; H313; H400; H411		
Benzyl Be	nzoate				
5989-27-5	227-813-5	5 - 10 %	H226; H304; H315; H317; H400; H412		
Limonene					
77-83-8	201-061-8	2 - 5 %	H317; H401; H411		
Ethyl Meth	nylphenylglycidat	te			
5471-51-2	226-806-4	2 - 5 %	H402		
Raspberry	/ Ketone				
2756-56-1	220-410-5	1 - 2 %	H316; H401		
Isobornyl _I	propionate				
4940-11-8	225-582-5	1 - 2 %	H302; H401		
Ethyl Malt	ol				
91-64-5	202-086-7	1 - 2 %	H301; H317; H402		
Coumarin					
80-56-8	201-291-9	1 - 2 %	H226; H302; H304; H315; H317; H400;		
pinene			H410		
32210-23-4	250-954-9	1 - 2 %	H303; H317; H401		
4-tert-Buty	/lcyclohexyl acet	ate			
79-92-5	201-234-8	1 - 2 %	H228; H320; H400; H410		
Camphen	е				
121-33-5	204-465-2	1 - 2 %	H303; H313; H319; H402		
vanillin					
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410		
Hexameth	ylindanopyran				
115-95-7	204-116-4	0.1 - 1.0 %	H227; H315; H317; H320; H402		
Linalyl Ace	etate				
13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332;		
delta-3-Carene H401; H411					
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410		
beta Pinei	beta Pinene				
470-82-6	207-431-5	0.1 - 1.0 %	H226; H303; H317; H320; H402		
Eucalypto	I				





Revised Date: 2023-02-07 00:00

Crafter's Choice™ Sugared Spruce -Product: **EO & FO Blend**

7820 E Pleasant Valley Road

Page 4 of 9 Print Date: 2023-04-28

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

CAS# Ingredient	EC#	Conc. Range	GHS Classification
68737-61-1	272-113-5	0.1 - 1.0 %	H227; H303; H313; H315; H317; H401;
Dimethyltetrahydro Benzaldehyde		aldehyde	H411
97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Eugenol			
87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Beta-Cary	yophyllene		
112-54-9	203-983-6	0.1 - 1.0 %	H315; H317; H319
Lauraldel	nyde		
86803-90-9	429-860-9	0.1 - 1.0 %	H303; H317; H401; H411
Methoxy (dicyclopentadiei	ne carboxaldehyd	de
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

Total Hydrocarbon Content (% w/w) = 12.97

First Aid Measures 4.

Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Flush immediately with water for at least 15 minutes. **Eye Exposure:**

Contact physician if symptoms persist.

Remove contaminated clothes. Wash thoroughly with water (and soap). Skin Exposure:

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 **Extinguishing media**


Suitable: Carbon dioxide (CO2), Dry chemical, Foam Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires





Revised Date: 2023-02-07 00:00

Product: Crafter's ChoiceTM Sugared Spruce EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 5 of 9 Print Date: 2023-04-28

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

ComponentACGIHACGIHOSHAOSHATWA ppmSTEL ppmTWA ppmSTEL ppm

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

 13466-78-9
 delta-3-Carene
 20

Engineering Controls: Use local exhaust as needed.
8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Sugared Spruce EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 6 of 9 Print Date: 2023-04-28

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Not determined

Melting Point:

Not determined

Not determined

Flashpoint (CCCFP):

150 F (65.56 C)

Auto flammability:

Not determined

Explosive Properties:

None Expected

Oxidizing properties:

 Vapor Pressure (mmHg@20 C):
 0.3376

 %VOC:
 18.00

 Specific Gravity @ 25 C:
 0.9780

 Density (g/mL) @ 25 C:
 0.9750

 Refractive Index @ 20 C:
 1.4780

 Soluble in:
 Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3620.2454) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3857.3984) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 80.4656) May be harmful if inhaled

Skin corrosion / irritation Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met





Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Sugared Spruce -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 7 of 9 Print Date: 2023-04-28

UN-nr.

May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
May be fatal if swallowed and enters airways

12. Ecological Information

12.1 Toxicity

Regulator

IMDG (Sea)

Acute acquatic toxicity

Not classified - the classification criteria are not met

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Pack Group

Sub Risk

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :

80-56-8: (1 - 2 %): pinene

Class

9				
U.S. DC	OT (Non-Bulk)	Not Regulated - Not Dangerous Goods		
Chemi	cals NOI			
ADR/RI	D (International Road/Rail)			
	nmentally Hazardous stance, Liquid, n.o.s.	9	III	UN3082
IATA (A	ir Cargo)			
	nmentally Hazardous stance, Liquid, n.o.s.	9	III	UN3082



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Sugared Spruce -EO & FO Blend

Ш

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.c Page 8 of 9 Print Date: 2023-04-28

(800) 359-0944 www.WholesaleSuppliesPlus.com Environmentally Hazardous

Substance, Liquid, n.o.s.

UN3082

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA)This product contains the following components:

9

1222-05-5 214-946-9 1 - 2 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source) 93-15-2 202-223-0 <= 3 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H228 : Flammable Solid
H301 : Toxic if swallowed H302 : Harmful if swallowed

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H320 : Causes eye irritation H332 : Harmful if inhaled H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(62.14) Acute Toxicity Inhalation, Category 5 (22.91) Aquatic Chronic Toxicity, Category 3

(8.96) Sensitization, Skin, Category 1B (7.40) Skin Corrosion/Irritation, Category 3

(6.00) Sensitization, Skin, Category 1 (6.00) Sensitization, Skin, Category 1A

(2.48) Skin Corrosion/Irritation, Category 2 (2.26) Aquatic Chronic Toxicity, Category 2

(2.11) Eye Damage/Eye Irritation, Category 2A (1.38) Acute Toxicity Oral, Category 5

(1.30) Acute Toxicity Dermal, Category 5 (1.18) Aspiration Hazard, Category 1

Department issuing data sheet:

(1.14) Aquatic Chronic Toxicity, Category 4

Department E-mail address:



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice™ Sugared Spruce EO & FO Blend

Print Date: 2023-04-28

Page 9 of 9

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.